## Hello World

Breght Van Baelen

January 5, 2017

## Libraries

The libraries used for the R-script.

```
library(knitr)
library(dplyr)
##
## Attaching package: 'dplyr'
## The following objects are masked from 'package:stats':
##
##
       filter, lag
## The following objects are masked from 'package:base':
##
##
       intersect, setdiff, setequal, union
```

```
library(shiny)
```

## Glimpse

To glimpse at the dataset mtcars, execute the following code.

```
kable(glimpse(mtcars))
```

```
## Observations: 32
## Variables: 11
## $ mpg <dbl> 21.0, 21.0, 22.8, 21.4, 18.7, 18.1, 14.3, 1
## $ cyl <dbl> 6, 6, 4, 6, 8, 6, 8, 4, 4, 6, 6, 8, 8, 8, 8
## $ disp <dbl> 160.0, 160.0, 108.0, 258.0, 360.0, 225.0,
## $ hp <dbl> 110, 110, 93, 110, 175, 105, 245, 62, 95,
## $ drat <dbl> 3.90, 3.90, 3.85, 3.08, 3.15, 2.76, 3.21, 3
## $ wt <dbl> 2.620, 2.875, 2.320, 3.215, 3.440, 3.460, 3
## $ qsec <dbl> 16.46, 17.02, 18.61, 19.44, 17.02, 20.22,
## $ vs <dbl> 0, 0, 1, 1, 0, 1, 0, 1, 1, 1, 1, 0, 0, 0, 0
## $ am <dbl> 1, 1, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
## $ gear <dbl> 4, 4, 4, 3, 3, 3, 4, 4, 4, 4, 3, 3, 3,
## $ carb <dbl> 4, 4, 1, 1, 2, 1, 4, 2, 2, 4, 4, 3, 3, 3, 4
```