

Table 1: FULL conventional estimates by trimming rule: Panels A and B

Price trim	Change trim	N_A	Panel A	N_B	Panel B
0%	0%	16,039	-0.066** (0.028)	20,948	0.060* (0.034)
0%	1%	15,737	-0.079*** (0.025)	20,426	0.000 (0.030)
0%	5%	14,294	-0.053*** (0.017)	18,483	0.090*** (0.026)
1%	0%	15,708	-0.073** (0.029)	20,327	0.078** (0.031)
1%	1%	15,378	-0.098*** (0.025)	19,895	0.056** (0.026)
1%	5%	13,929	-0.052*** (0.017)	18,023	0.108*** (0.024)
5%	0%	14,071	-0.105*** (0.031)	18,010	0.089*** (0.032)
5%	1%	13,735	-0.129*** (0.025)	17,587	0.063** (0.028)
5%	5%	12,459	-0.057*** (0.018)	15,928	0.092*** (0.025)

Notes: Panel A is defined by `ex_super=="t"` and Panel B by `ex_super=="f"`. No `ex_super2` or other additional sample restriction is imposed. Estimates are conventional column-(1) fuzzy RD estimates using side-specific MSE-optimal bandwidths, time fixed effects, and listing-clustered standard errors. Price trimming is applied to monthly price levels before reconstructing lags; change trimming is applied to the resulting quarterly price changes.