

Table 1: Panel B, Prior reviews ≥ 10 : Conventional estimates

Condition	(1)	(2)	(3)	(4)	(5)	(6)
FULL	-0.058 (0.041)	-0.116*** (0.030)	-0.100** (0.041)	-0.096*** (0.031)	-0.059** (0.025)	-0.014 (0.045)
<i>obs</i>	4,663	6,477	4,516	5,964	6,645	4,114
Q1Q2	-0.092*** (0.035)	-0.160*** (0.031)	-0.143*** (0.038)	-0.157*** (0.033)	-0.126*** (0.029)	-0.122*** (0.037)
<i>obs</i>	2,224	3,392	2,416	3,209	3,580	2,617
Q2Q3	-0.025 (0.041)	-0.050* (0.029)	-0.013 (0.043)	-0.053 (0.034)	-0.047 (0.030)	0.032 (0.045)
<i>obs</i>	2,357	3,375	2,257	2,944	3,285	2,206
Q3Q4	-0.022 (0.091)	0.025 (0.049)	0.027 (0.104)	0.008 (0.064)	0.026 (0.051)	0.080 (0.117)
<i>obs</i>	2,427	3,235	2,100	2,755	3,065	2,075
Q1	-0.134** (0.054)	-0.102** (0.042)	-0.141** (0.057)	-0.139*** (0.049)	-0.092** (0.042)	-0.017 (0.044)
<i>obs</i>	1,339	1,939	1,255	1,700	1,899	1,330
Q2	-0.182*** (0.050)	-0.157*** (0.040)	-0.140*** (0.052)	-0.165*** (0.046)	-0.149*** (0.042)	-0.185*** (0.055)
<i>obs</i>	1,409	1,800	1,161	1,509	1,681	1,448
Q3	0.080 (0.070)	0.036 (0.045)	0.121* (0.073)	0.047 (0.053)	0.040 (0.046)	0.146* (0.076)
<i>obs</i>	1,235	1,668	1,096	1,435	1,604	1,164
Q4	-0.724 (1.099)	0.037 (0.154)	2.440 (11.731)	-0.144 (0.381)	0.008 (0.217)	-0.577 (0.713)
<i>obs</i>	1,206	1,586	1,004	1,320	1,461	1,246

Notes: Price trim and price-change trim are both 0%. Panel B is defined by `ex_super=="f"`; no `ex_super2` restriction is imposed. All restrictions use pre-treatment variables. Column (1) uses side-specific MSE-optimal bandwidths with time fixed effects; column (2) doubles those bandwidths; columns (3)–(5) use (0.2,0.1), (0.3,0.15), and (0.4,0.2); column (6) omits time fixed effects. Standard errors are clustered by listing ID.

Table 2: Panel B, Prior reviews ≥ 15 : Conventional estimates

Condition	(1)	(2)	(3)	(4)	(5)	(6)
FULL	-0.074** (0.037)	-0.081*** (0.027)	-0.101** (0.042)	-0.086*** (0.030)	-0.056** (0.025)	-0.042 (0.045)
<i>obs</i>	4,300	5,533	3,735	4,860	5,390	3,519
Q1Q2	-0.100*** (0.033)	-0.131*** (0.029)	-0.126*** (0.037)	-0.120*** (0.031)	-0.100*** (0.027)	-0.114*** (0.036)
<i>obs</i>	2,101	2,796	1,944	2,527	2,806	2,143
Q2Q3	-0.073* (0.042)	-0.068** (0.029)	-0.052 (0.045)	-0.074** (0.034)	-0.064** (0.030)	-0.047 (0.045)
<i>obs</i>	2,089	2,830	1,862	2,424	2,706	1,938
Q3Q4	-0.068 (0.097)	-0.001 (0.050)	-0.036 (0.120)	-0.035 (0.070)	-0.007 (0.055)	0.025 (0.123)
<i>obs</i>	2,087	2,752	1,791	2,333	2,584	1,790
Q1	-0.007 (0.050)	0.011 (0.038)	-0.007 (0.052)	0.002 (0.043)	0.015 (0.039)	0.073 (0.047)
<i>obs</i>	1,054	1,484	1,009	1,307	1,447	1,108
Q2	-0.240*** (0.057)	-0.186*** (0.043)	-0.213*** (0.058)	-0.205*** (0.048)	-0.180*** (0.042)	-0.243*** (0.064)
<i>obs</i>	1,099	1,412	935	1,220	1,359	1,058
Q3	0.057 (0.072)	0.031 (0.048)	0.118 (0.084)	0.044 (0.058)	0.037 (0.050)	0.104 (0.074)
<i>obs</i>	1,080	1,434	927	1,204	1,347	1,066
Q4	-4.059 (19.786)	-0.085 (0.177)	1.694 (3.775)	-0.477 (0.575)	-0.159 (0.244)	-3.818 (17.030)
<i>obs</i>	971	1,324	864	1,129	1,237	974

Notes: Price trim and price-change trim are both 0%. Panel B is defined by `ex_super=="f"`; no `ex_super2` restriction is imposed. All restrictions use pre-treatment variables. Column (1) uses side-specific MSE-optimal bandwidths with time fixed effects; column (2) doubles those bandwidths; columns (3)–(5) use (0.2,0.1), (0.3,0.15), and (0.4,0.2); column (6) omits time fixed effects. Standard errors are clustered by listing ID.

Table 3: Panel B, Prior reviews ≥ 20 : Conventional estimates

Condition	(1)	(2)	(3)	(4)	(5)	(6)
FULL	-0.093*** (0.033)	-0.049** (0.022)	-0.088** (0.041)	-0.080*** (0.030)	-0.057** (0.025)	-0.082** (0.039)
<i>obs</i>	3,980	5,022	3,207	4,164	4,620	3,415
Q1Q2	-0.115*** (0.033)	-0.092*** (0.025)	-0.108*** (0.036)	-0.103*** (0.029)	-0.091*** (0.026)	-0.126*** (0.037)
<i>obs</i>	1,868	2,491	1,627	2,123	2,363	1,887
Q2Q3	-0.095** (0.045)	-0.071** (0.030)	-0.069 (0.046)	-0.081** (0.035)	-0.067** (0.030)	-0.066 (0.051)
<i>obs</i>	1,818	2,467	1,626	2,122	2,367	1,649
Q3Q4	-0.093 (0.080)	-0.019 (0.046)	-0.093 (0.112)	-0.080 (0.070)	-0.043 (0.055)	0.008 (0.106)
<i>obs</i>	1,915	2,468	1,580	2,041	2,257	1,619
Q1	0.029 (0.053)	0.017 (0.037)	0.030 (0.051)	0.019 (0.040)	0.015 (0.036)	0.017 (0.050)
<i>obs</i>	805	1,168	829	1,073	1,191	851
Q2	-0.235*** (0.061)	-0.165*** (0.044)	-0.213*** (0.061)	-0.189*** (0.049)	-0.162*** (0.043)	-0.259*** (0.066)
<i>obs</i>	899	1,202	798	1,050	1,172	952
Q3	0.001 (0.079)	-0.000 (0.051)	0.058 (0.086)	-0.001 (0.061)	0.003 (0.052)	0.098 (0.077)
<i>obs</i>	956	1,259	828	1,072	1,195	944
Q4	-1.201 (2.259)	-0.116 (0.183)	-1.635 (3.678)	-0.373 (0.374)	-0.177 (0.215)	-2.247 (5.629)
<i>obs</i>	811	1,079	752	969	1,062	774

Notes: Price trim and price-change trim are both 0%. Panel B is defined by `ex_super=="f"`; no `ex_super2` restriction is imposed. All restrictions use pre-treatment variables. Column (1) uses side-specific MSE-optimal bandwidths with time fixed effects; column (2) doubles those bandwidths; columns (3)–(5) use (0.2,0.1), (0.3,0.15), and (0.4,0.2); column (6) omits time fixed effects. Standard errors are clustered by listing ID.

Table 4: Panel B, Prior last review ≤ 30 days: Conventional estimates

Condition	(1)	(2)	(3)	(4)	(5)	(6)
FULL	-0.121** (0.050)	-0.173*** (0.036)	-0.186*** (0.049)	-0.164*** (0.038)	-0.118*** (0.033)	0.023 (0.064)
<i>obs</i>	2,804	3,709	2,795	3,501	3,893	2,202
Q1Q2	-0.132*** (0.049)	-0.216*** (0.044)	-0.239*** (0.054)	-0.213*** (0.045)	-0.159*** (0.039)	-0.128** (0.056)
<i>obs</i>	1,220	1,745	1,373	1,691	1,861	1,247
Q2Q3	-0.122** (0.051)	-0.131*** (0.038)	-0.127*** (0.048)	-0.142*** (0.041)	-0.133*** (0.037)	0.097 (0.065)
<i>obs</i>	1,295	1,918	1,439	1,776	1,952	1,111
Q3Q4	0.184 (0.189)	0.006 (0.071)	0.042 (0.100)	-0.020 (0.066)	-0.017 (0.057)	0.446 (0.723)
<i>obs</i>	1,034	1,777	1,422	1,810	2,032	886
Q1	-0.240*** (0.084)	-0.237*** (0.077)	-0.297*** (0.100)	-0.274*** (0.088)	-0.195*** (0.074)	-0.108* (0.061)
<i>obs</i>	673	938	648	816	910	612
Q2	-0.213*** (0.076)	-0.212*** (0.062)	-0.223*** (0.074)	-0.223*** (0.065)	-0.206*** (0.060)	-0.109 (0.079)
<i>obs</i>	667	926	725	875	951	720
Q3	0.141 (0.096)	-0.003 (0.063)	0.056 (0.075)	-0.018 (0.062)	-0.037 (0.056)	0.264** (0.126)
<i>obs</i>	529	875	714	901	1,001	545
Q4	-0.302 (0.933)	0.205 (0.295)	0.203 (0.650)	0.075 (0.201)	0.119 (0.172)	0.129 (0.356)
<i>obs</i>	525	936	708	909	1,031	491

Notes: Price trim and price-change trim are both 0%. Panel B is defined by `ex_super=="f"`; no `ex_super2` restriction is imposed. All restrictions use pre-treatment variables. Column (1) uses side-specific MSE-optimal bandwidths with time fixed effects; column (2) doubles those bandwidths; columns (3)–(5) use (0.2,0.1), (0.3,0.15), and (0.4,0.2); column (6) omits time fixed effects. Standard errors are clustered by listing ID.

Table 5: Panel B, Prior reviews ≥ 10 and prior last review ≤ 30 days: Conventional estimates

Condition	(1)	(2)	(3)	(4)	(5)	(6)
FULL	-0.125** (0.058)	-0.135*** (0.038)	-0.144*** (0.046)	-0.121*** (0.036)	-0.088*** (0.032)	-0.043 (0.064)
<i>obs</i>	1,614	2,493	2,069	2,581	2,877	1,488
Q1Q2	-0.109** (0.051)	-0.159*** (0.043)	-0.169*** (0.051)	-0.154*** (0.043)	-0.126*** (0.039)	-0.062 (0.055)
<i>obs</i>	832	1,207	992	1,217	1,353	815
Q2Q3	-0.125** (0.051)	-0.101*** (0.038)	-0.120** (0.049)	-0.111*** (0.041)	-0.099*** (0.037)	0.018 (0.062)
<i>obs</i>	1,026	1,429	1,085	1,321	1,466	826
Q3Q4	-0.064 (0.147)	-0.038 (0.065)	-0.064 (0.094)	-0.050 (0.066)	-0.029 (0.055)	-0.045 (0.113)
<i>obs</i>	766	1,344	1,077	1,364	1,524	1,036
Q1	-0.099 (0.094)	-0.065 (0.070)	-0.083 (0.088)	-0.089 (0.076)	-0.068 (0.068)	-0.037 (0.076)
<i>obs</i>	424	618	463	582	648	417
Q2	-0.222*** (0.072)	-0.170*** (0.057)	-0.215*** (0.068)	-0.187*** (0.060)	-0.161*** (0.054)	-0.170** (0.076)
<i>obs</i>	476	677	529	635	705	517
Q3	0.084 (0.092)	-0.001 (0.059)	0.026 (0.078)	-0.019 (0.063)	-0.034 (0.056)	0.135 (0.120)
<i>obs</i>	412	688	556	686	761	417
Q4	5.289 (64.224)	0.009 (0.192)	-0.232 (0.324)	-0.022 (0.175)	0.061 (0.139)	0.566 (0.617)
<i>obs</i>	347	664	521	678	763	262

Notes: Price trim and price-change trim are both 0%. Panel B is defined by `ex_super=="f"`; no `ex_super2` restriction is imposed. All restrictions use pre-treatment variables. Column (1) uses side-specific MSE-optimal bandwidths with time fixed effects; column (2) doubles those bandwidths; columns (3)–(5) use (0.2,0.1), (0.3,0.15), and (0.4,0.2); column (6) omits time fixed effects. Standard errors are clustered by listing ID.