

Table 1: Panel A (`ex_super=="t"`), price trim 0%, change trim 0%: Conventional

Condition	(1)	(2)	(3)	(4)	(5)	(6)
FULL	-0.066** (0.028)	-0.034* (0.018)	-0.066*** (0.024)	-0.041** (0.017)	-0.034** (0.015)	-0.144*** (0.037)
<i>obs</i>	3,996	9,094	3,527	5,744	8,051	2,986
Q1Q2	-0.040 (0.044)	-0.038 (0.030)	-0.043 (0.033)	-0.028 (0.023)	-0.016 (0.020)	-0.072 (0.048)
<i>obs</i>	1,293	2,818	1,813	2,883	3,915	1,365
Q2Q3	-0.036 (0.045)	-0.015 (0.027)	-0.034 (0.039)	-0.018 (0.029)	-0.020 (0.025)	-0.136** (0.068)
<i>obs</i>	1,962	4,624	1,803	3,051	4,237	2,422
Q3Q4	-0.134** (0.053)	-0.063* (0.034)	-0.103** (0.041)	-0.056* (0.030)	-0.051* (0.026)	-0.250*** (0.067)
<i>obs</i>	1,221	2,739	1,714	2,861	4,136	1,108
Q1	-0.078** (0.035)	-0.062** (0.027)	-0.073** (0.029)	-0.057** (0.023)	-0.039* (0.021)	-0.067* (0.036)
<i>obs</i>	867	1,758	908	1,362	1,825	884
Q2	0.000 (0.073)	0.004 (0.041)	0.001 (0.066)	-0.002 (0.044)	-0.000 (0.038)	-0.039 (0.063)
<i>obs</i>	1,000	2,275	905	1,521	2,090	855
Q3	-0.082 (0.079)	-0.063 (0.046)	-0.061 (0.050)	-0.029 (0.038)	-0.036 (0.033)	-0.304** (0.137)
<i>obs</i>	619	1,500	898	1,530	2,147	389
Q4	-0.188** (0.086)	-0.111* (0.060)	-0.140** (0.065)	-0.067 (0.046)	-0.050 (0.040)	-0.242** (0.100)
<i>obs</i>	547	998	816	1,331	1,989	579

Notes: No `ex_super2` restriction is imposed. Column (1) uses side-specific MSE-optimal bandwidths with time fixed effects; column (2) doubles those bandwidths; columns (3)–(5) use bandwidths (0.2,0.1), (0.3,0.15), and (0.4,0.2); column (6) omits time fixed effects. Standard errors are clustered by listing ID.

Table 2: Panel A (`ex_super=="t"`), price trim 0%, change trim 0%: Bias-corrected/robust

Condition	(1)	(2)	(3)	(4)	(5)	(6)
FULL	-0.084*** (0.031)	-0.069*** (0.025)	-0.088** (0.035)	-0.075*** (0.025)	-0.059*** (0.022)	-0.173*** (0.044)
<i>obs</i>	3,996	9,094	3,527	5,744	8,051	2,986
Q1Q2	-0.048 (0.051)	-0.050 (0.043)	-0.035 (0.048)	-0.041 (0.035)	-0.040 (0.031)	-0.078 (0.056)
<i>obs</i>	1,293	2,818	1,813	2,883	3,915	1,365
Q2Q3	-0.042 (0.051)	-0.042 (0.040)	-0.049 (0.056)	-0.032 (0.042)	-0.024 (0.037)	-0.180** (0.076)
<i>obs</i>	1,962	4,624	1,803	3,051	4,237	2,422
Q3Q4	-0.170*** (0.059)	-0.154*** (0.049)	-0.171*** (0.059)	-0.123*** (0.043)	-0.082** (0.037)	-0.306*** (0.080)
<i>obs</i>	1,221	2,739	1,714	2,861	4,136	1,108
Q1	-0.083** (0.040)	-0.071** (0.035)	-0.078** (0.040)	-0.082*** (0.031)	-0.079*** (0.028)	-0.063 (0.042)
<i>obs</i>	867	1,758	908	1,362	1,825	884
Q2	0.010 (0.084)	-0.006 (0.065)	0.029 (0.098)	0.013 (0.069)	0.000 (0.061)	-0.021 (0.071)
<i>obs</i>	1,000	2,275	905	1,521	2,090	855
Q3	-0.119 (0.092)	-0.093 (0.071)	-0.115 (0.075)	-0.074 (0.055)	-0.041 (0.048)	-0.381** (0.160)
<i>obs</i>	619	1,500	898	1,530	2,147	389
Q4	-0.213** (0.101)	-0.199** (0.087)	-0.221** (0.094)	-0.163** (0.067)	-0.101* (0.060)	-0.271** (0.115)
<i>obs</i>	547	998	816	1,331	1,989	579

Notes: No `ex_super2` restriction is imposed. Column (1) uses side-specific MSE-optimal bandwidths with time fixed effects; column (2) doubles those bandwidths; columns (3)–(5) use bandwidths (0.2,0.1), (0.3,0.15), and (0.4,0.2); column (6) omits time fixed effects. Standard errors are clustered by listing ID.

Table 3: Panel B (`ex_super=="f"`), price trim 0%, change trim 0%: Conventional

Condition	(1)	(2)	(3)	(4)	(5)	(6)
FULL	0.060* (0.034)	-0.081*** (0.026)	-0.031 (0.035)	-0.073*** (0.028)	-0.044* (0.024)	0.322*** (0.062)
<i>obs</i>	7,459	10,811	7,515	9,912	10,947	5,314
Q1Q2	-0.035 (0.031)	-0.114*** (0.026)	-0.133*** (0.034)	-0.185*** (0.032)	-0.153*** (0.028)	-0.078** (0.032)
<i>obs</i>	3,763	5,907	4,159	5,543	6,102	5,111
Q2Q3	0.083** (0.037)	-0.005 (0.028)	0.096*** (0.037)	0.016 (0.031)	-0.002 (0.028)	0.140*** (0.044)
<i>obs</i>	4,025	5,595	3,870	5,043	5,525	4,402
Q3Q4	0.314*** (0.118)	0.132*** (0.050)	0.312*** (0.111)	0.156** (0.061)	0.140*** (0.050)	0.668*** (0.245)
<i>obs</i>	3,453	4,939	3,356	4,369	4,845	3,091
Q1	-0.084** (0.036)	-0.225*** (0.044)	-0.255*** (0.059)	-0.278*** (0.053)	-0.196*** (0.043)	-0.071 (0.047)
<i>obs</i>	2,539	3,324	2,052	2,804	3,128	2,353
Q2	-0.097** (0.042)	-0.145*** (0.039)	-0.048 (0.043)	-0.112*** (0.041)	-0.130*** (0.040)	-0.061 (0.048)
<i>obs</i>	2,419	3,156	2,107	2,739	2,974	2,731
Q3	0.303*** (0.082)	0.144*** (0.049)	0.278*** (0.071)	0.153*** (0.052)	0.126*** (0.045)	0.415*** (0.111)
<i>obs</i>	1,787	2,516	1,763	2,304	2,551	1,929
Q4	0.108 (0.530)	0.125 (0.126)	-0.908 (2.676)	0.259 (0.293)	0.242 (0.203)	-0.561 (5.365)
<i>obs</i>	1,920	2,580	1,593	2,065	2,294	1,823

Notes: No `ex_super2` restriction is imposed. Column (1) uses side-specific MSE-optimal bandwidths with time fixed effects; column (2) doubles those bandwidths; columns (3)–(5) use bandwidths (0.2,0.1), (0.3,0.15), and (0.4,0.2); column (6) omits time fixed effects. Standard errors are clustered by listing ID.

Table 4: Panel B (`ex_super=="f"`), price trim 0%, change trim 0%: Bias-corrected/robust

Condition	(1)	(2)	(3)	(4)	(5)	(6)
FULL	0.098*** (0.037)	-0.017 (0.033)	0.184*** (0.046)	0.019 (0.037)	-0.049 (0.033)	0.427*** (0.066)
<i>obs</i>	7,459	10,811	7,515	9,912	10,947	5,314
Q1Q2	-0.009 (0.032)	-0.009 (0.032)	0.114** (0.046)	-0.074* (0.042)	-0.160*** (0.037)	-0.040 (0.034)
<i>obs</i>	3,763	5,907	4,159	5,543	6,102	5,111
Q2Q3	0.122*** (0.042)	0.089** (0.038)	0.244*** (0.050)	0.156*** (0.042)	0.094** (0.039)	0.218*** (0.051)
<i>obs</i>	4,025	5,595	3,870	5,043	5,525	4,402
Q3Q4	0.483*** (0.131)	0.224*** (0.067)	0.698*** (0.138)	0.367*** (0.081)	0.249*** (0.069)	1.216*** (0.268)
<i>obs</i>	3,453	4,939	3,356	4,369	4,845	3,091
Q1	-0.097** (0.040)	-0.052 (0.055)	0.059 (0.082)	-0.223*** (0.072)	-0.308*** (0.058)	-0.048 (0.049)
<i>obs</i>	2,539	3,324	2,052	2,804	3,128	2,353
Q2	-0.073 (0.048)	-0.071 (0.050)	0.122** (0.058)	0.014 (0.054)	-0.037 (0.052)	-0.013 (0.055)
<i>obs</i>	2,419	3,156	2,107	2,739	2,974	2,731
Q3	0.390*** (0.090)	0.282*** (0.064)	0.507*** (0.092)	0.355*** (0.069)	0.257*** (0.062)	0.547*** (0.121)
<i>obs</i>	1,787	2,516	1,763	2,304	2,551	1,929
Q4	0.131 (0.587)	0.169 (0.164)	10.305*** (3.165)	0.779** (0.362)	0.454* (0.258)	-3.073 (5.770)
<i>obs</i>	1,920	2,580	1,593	2,065	2,294	1,823

Notes: No `ex_super2` restriction is imposed. Column (1) uses side-specific MSE-optimal bandwidths with time fixed effects; column (2) doubles those bandwidths; columns (3)–(5) use bandwidths (0.2,0.1), (0.3,0.15), and (0.4,0.2); column (6) omits time fixed effects. Standard errors are clustered by listing ID.

Table 5: Panel A (`ex_super=="t"`), price trim 0%, change trim 1%: Conventional

Condition	(1)	(2)	(3)	(4)	(5)	(6)
FULL	-0.079*** (0.025)	-0.042*** (0.016)	-0.078*** (0.022)	-0.051*** (0.016)	-0.040*** (0.014)	-0.151*** (0.033)
<i>obs</i>	3,893	8,858	3,467	5,631	7,894	3,291
Q1Q2	-0.028 (0.043)	-0.033 (0.030)	-0.033 (0.033)	-0.024 (0.023)	-0.014 (0.019)	-0.052 (0.048)
<i>obs</i>	1,133	2,174	1,797	2,850	3,866	1,184
Q2Q3	-0.046 (0.044)	-0.019 (0.026)	-0.046 (0.038)	-0.024 (0.028)	-0.021 (0.024)	-0.141** (0.063)
<i>obs</i>	2,041	4,718	1,762	2,974	4,132	2,094
Q3Q4	-0.147*** (0.047)	-0.089*** (0.031)	-0.134*** (0.038)	-0.083*** (0.028)	-0.069*** (0.025)	-0.267*** (0.059)
<i>obs</i>	1,234	2,745	1,670	2,781	4,028	1,150
Q1	-0.078*** (0.030)	-0.054*** (0.020)	-0.074*** (0.028)	-0.057*** (0.021)	-0.042** (0.019)	-0.065** (0.033)
<i>obs</i>	746	1,460	911	1,366	1,828	733
Q2	0.022 (0.072)	0.012 (0.039)	0.022 (0.067)	0.009 (0.044)	0.012 (0.037)	-0.057 (0.085)
<i>obs</i>	922	2,152	886	1,484	2,038	988
Q3	-0.107 (0.072)	-0.083* (0.044)	-0.098** (0.049)	-0.053 (0.037)	-0.050 (0.033)	-0.282*** (0.098)
<i>obs</i>	612	1,519	876	1,490	2,094	412
Q4	-0.187** (0.076)	-0.126** (0.053)	-0.162*** (0.059)	-0.097** (0.042)	-0.073** (0.036)	-0.256*** (0.084)
<i>obs</i>	550	1,124	794	1,291	1,934	629

Notes: No `ex_super2` restriction is imposed. Column (1) uses side-specific MSE-optimal bandwidths with time fixed effects; column (2) doubles those bandwidths; columns (3)–(5) use bandwidths (0.2,0.1), (0.3,0.15), and (0.4,0.2); column (6) omits time fixed effects. Standard errors are clustered by listing ID.

Table 6: Panel A (`ex_super=="t"`), price trim 0%, change trim 1%: Bias-corrected/robust

Condition	(1)	(2)	(3)	(4)	(5)	(6)
FULL	-0.094*** (0.028)	-0.081*** (0.023)	-0.096*** (0.032)	-0.089*** (0.023)	-0.074*** (0.021)	-0.177*** (0.039)
<i>obs</i>	3,893	8,858	3,467	5,631	7,894	3,291
Q1Q2	-0.027 (0.051)	-0.025 (0.043)	-0.024 (0.049)	-0.034 (0.035)	-0.035 (0.031)	-0.050 (0.057)
<i>obs</i>	1,133	2,174	1,797	2,850	3,866	1,184
Q2Q3	-0.054 (0.051)	-0.049 (0.039)	-0.056 (0.056)	-0.048 (0.041)	-0.036 (0.036)	-0.188*** (0.072)
<i>obs</i>	2,041	4,718	1,762	2,974	4,132	2,094
Q3Q4	-0.176*** (0.053)	-0.182*** (0.045)	-0.181*** (0.054)	-0.157*** (0.040)	-0.119*** (0.035)	-0.314*** (0.070)
<i>obs</i>	1,234	2,745	1,670	2,781	4,028	1,150
Q1	-0.088*** (0.034)	-0.082*** (0.029)	-0.085** (0.038)	-0.084*** (0.030)	-0.079*** (0.027)	-0.064* (0.038)
<i>obs</i>	746	1,460	911	1,366	1,828	733
Q2	0.035 (0.083)	0.013 (0.063)	0.062 (0.103)	0.027 (0.069)	0.013 (0.061)	-0.063 (0.098)
<i>obs</i>	922	2,152	886	1,484	2,038	988
Q3	-0.137 (0.084)	-0.131* (0.069)	-0.142* (0.074)	-0.113** (0.054)	-0.075 (0.046)	-0.331*** (0.117)
<i>obs</i>	612	1,519	876	1,490	2,094	412
Q4	-0.207** (0.088)	-0.204*** (0.077)	-0.215*** (0.083)	-0.189*** (0.060)	-0.142*** (0.054)	-0.284*** (0.096)
<i>obs</i>	550	1,124	794	1,291	1,934	629

Notes: No `ex_super2` restriction is imposed. Column (1) uses side-specific MSE-optimal bandwidths with time fixed effects; column (2) doubles those bandwidths; columns (3)–(5) use bandwidths (0.2,0.1), (0.3,0.15), and (0.4,0.2); column (6) omits time fixed effects. Standard errors are clustered by listing ID.

Table 7: Panel B (`ex_super=="f"`), price trim 0%, change trim 1%: Conventional

Condition	(1)	(2)	(3)	(4)	(5)	(6)
FULL	0.000 (0.030)	-0.038* (0.021)	0.016 (0.031)	-0.037 (0.024)	-0.034 (0.021)	0.275*** (0.055)
<i>obs</i>	7,528	10,917	7,249	9,609	10,633	5,606
Q1Q2	-0.056** (0.025)	-0.119*** (0.023)	-0.052** (0.026)	-0.112*** (0.025)	-0.117*** (0.023)	-0.070** (0.029)
<i>obs</i>	4,400	6,111	3,977	5,354	5,904	5,280
Q2Q3	0.098*** (0.038)	0.028 (0.028)	0.105*** (0.037)	0.042 (0.030)	0.030 (0.027)	0.191*** (0.048)
<i>obs</i>	3,913	5,429	3,781	4,917	5,388	3,975
Q3Q4	0.220** (0.090)	0.110*** (0.043)	0.279*** (0.108)	0.130** (0.056)	0.119*** (0.046)	0.582*** (0.220)
<i>obs</i>	3,485	4,941	3,272	4,255	4,729	3,093
Q1	-0.071** (0.031)	-0.115*** (0.028)	-0.094*** (0.035)	-0.143*** (0.032)	-0.135*** (0.029)	-0.053 (0.035)
<i>obs</i>	2,463	3,158	1,901	2,669	2,993	2,561
Q2	-0.073* (0.040)	-0.106*** (0.035)	-0.030 (0.042)	-0.081** (0.039)	-0.090** (0.037)	-0.057 (0.046)
<i>obs</i>	2,393	3,076	2,076	2,685	2,911	2,692
Q3	0.314*** (0.083)	0.167*** (0.046)	0.288*** (0.072)	0.176*** (0.050)	0.151*** (0.042)	0.481*** (0.125)
<i>obs</i>	1,734	2,463	1,705	2,232	2,477	1,733
Q4	-1.002 (2.552)	-0.028 (0.108)	0.335 (1.138)	-0.069 (0.222)	0.000 (0.151)	1.460 (3.085)
<i>obs</i>	1,827	2,476	1,567	2,023	2,252	1,687

Notes: No `ex_super2` restriction is imposed. Column (1) uses side-specific MSE-optimal bandwidths with time fixed effects; column (2) doubles those bandwidths; columns (3)–(5) use bandwidths (0.2,0.1), (0.3,0.15), and (0.4,0.2); column (6) omits time fixed effects. Standard errors are clustered by listing ID.

Table 8: Panel B (**ex_super**=="f"), price trim 0%, change trim 1%: Bias-corrected/robust

Condition	(1)	(2)	(3)	(4)	(5)	(6)
FULL	0.028 (0.034)	-0.008 (0.028)	0.162*** (0.040)	0.051 (0.032)	-0.003 (0.029)	0.376*** (0.061)
<i>obs</i>	7,528	10,917	7,249	9,609	10,633	5,606
Q1Q2	-0.031 (0.027)	-0.061** (0.029)	0.106*** (0.036)	-0.005 (0.033)	-0.064** (0.031)	-0.030 (0.032)
<i>obs</i>	4,400	6,111	3,977	5,354	5,904	5,280
Q2Q3	0.139*** (0.043)	0.103*** (0.038)	0.240*** (0.050)	0.159*** (0.041)	0.106*** (0.037)	0.276*** (0.055)
<i>obs</i>	3,913	5,429	3,781	4,917	5,388	3,975
Q3Q4	0.329*** (0.105)	0.185*** (0.058)	0.669*** (0.139)	0.316*** (0.076)	0.208*** (0.063)	1.126*** (0.247)
<i>obs</i>	3,485	4,941	3,272	4,255	4,729	3,093
Q1	-0.060* (0.033)	-0.071** (0.035)	0.047 (0.049)	-0.067 (0.043)	-0.123*** (0.038)	-0.028 (0.039)
<i>obs</i>	2,463	3,158	1,901	2,669	2,993	2,561
Q2	-0.059 (0.046)	-0.042 (0.047)	0.136** (0.056)	0.026 (0.051)	-0.019 (0.049)	-0.023 (0.053)
<i>obs</i>	2,393	3,076	2,076	2,685	2,911	2,692
Q3	0.394*** (0.092)	0.293*** (0.063)	0.492*** (0.094)	0.357*** (0.068)	0.270*** (0.059)	0.624*** (0.138)
<i>obs</i>	1,734	2,463	1,705	2,232	2,477	1,733
Q4	-4.895* (2.803)	-0.110 (0.140)	-2.277 (1.395)	-0.229 (0.279)	-0.079 (0.196)	-2.812 (3.494)
<i>obs</i>	1,827	2,476	1,567	2,023	2,252	1,687

Notes: No **ex_super2** restriction is imposed. Column (1) uses side-specific MSE-optimal bandwidths with time fixed effects; column (2) doubles those bandwidths; columns (3)–(5) use bandwidths (0.2,0.1), (0.3,0.15), and (0.4,0.2); column (6) omits time fixed effects. Standard errors are clustered by listing ID.