

Table 1: Verified hosts with prior last review ≤ 60 days: Conventional

Condition	(1)	(2)	(3)	(4)	(5)	(6)
Panel A						
FULL	-0.208*** (0.066)	-0.166*** (0.047)	-0.162*** (0.043)	-0.117*** (0.032)	-0.090*** (0.028)	-0.435*** (0.085)
<i>obs</i>	717	2097	881	1615	2360	717
Q1Q2	-0.141 (0.089)	-0.121** (0.060)	-0.095 (0.059)	-0.057 (0.041)	-0.032 (0.036)	-0.285** (0.136)
<i>obs</i>	479	1205	396	742	1064	372
Q2Q3	-0.124* (0.064)	-0.104** (0.049)	-0.068 (0.049)	-0.067 (0.042)	-0.055 (0.039)	-0.409*** (0.112)
<i>obs</i>	368	1090	429	845	1208	474
Q3Q4	-0.264*** (0.089)	-0.167*** (0.059)	-0.191*** (0.059)	-0.147*** (0.047)	-0.122*** (0.043)	-0.581*** (0.114)
<i>obs</i>	388	1058	485	873	1296	324
Panel B						
FULL	-0.081 (0.097)	-0.016 (0.070)	-0.076 (0.094)	-0.020 (0.074)	-0.011 (0.068)	-0.049 (0.083)
<i>obs</i>	215	287	221	274	294	237
Q1Q2	-0.132 (0.135)	-0.142 (0.101)	-0.149 (0.146)	-0.133 (0.113)	-0.141 (0.105)	-0.171 (0.131)
<i>obs</i>	99	128	94	114	125	100
Q2Q3	-0.113 (0.105)	-0.079 (0.099)	-0.109 (0.105)	-0.075 (0.097)	-0.084 (0.101)	-0.064 (0.079)
<i>obs</i>	87	126	88	118	126	89
Q3Q4	-0.094 (0.144)	-0.018 (0.113)	-0.052 (0.133)	0.051 (0.103)	0.078 (0.095)	-0.015 (0.120)
<i>obs</i>	101	146	127	160	169	101
Panel C						
FULL	-0.155*** (0.046)	-0.119*** (0.032)	-0.136*** (0.036)	-0.095*** (0.027)	-0.070*** (0.024)	-0.317*** (0.054)
<i>obs</i>	894	2145	1102	1889	2654	890
Q1Q2	-0.136* (0.081)	-0.086* (0.046)	-0.090* (0.052)	-0.065* (0.037)	-0.045 (0.032)	-0.238*** (0.081)
<i>obs</i>	419	1129	490	856	1189	471
Q2Q3	-0.078* (0.042)	-0.055* (0.032)	-0.062 (0.039)	-0.052 (0.033)	-0.044 (0.031)	-0.226*** (0.055)
<i>obs</i>	584	1446	517	963	1334	676
Q3Q4	-0.162*** (0.050)	-0.118*** (0.041)	-0.147*** (0.046)	-0.101*** (0.038)	-0.075** (0.035)	-0.379*** (0.069)
<i>obs</i>	532	1332	612	1033	1465	434

Notes: All panels impose `ex_super2==t`, `host_identity_verified==t`, and require the prior last review to be within 60 days. Panels A and B are defined by `ex_super==t` and `ex_super==f`, respectively; Panel C imposes no `ex_super` restriction. Column (1) uses MSE-optimal bandwidths with time fixed effects; column (2) doubles those bandwidths; columns (3)–(5) use (0.2,0.1), (0.3,0.15), and (0.4,0.2); column (6) omits time fixed effects. Standard errors are clustered by listing ID.

Table 2: Verified hosts with prior last review ≤ 60 days: Bias-Corrected with Robust Inference

Condition	(1)	(2)	(3)	(4)	(5)	(6)
Panel A						
FULL	-0.237*** (0.075)	-0.293*** (0.074)	-0.243*** (0.062)	-0.215*** (0.045)	-0.198*** (0.041)	-0.481*** (0.097)
<i>obs</i>	717	2097	881	1615	2360	717
Q1Q2	-0.155 (0.102)	-0.194** (0.096)	-0.159* (0.083)	-0.128** (0.058)	-0.130** (0.053)	-0.316* (0.163)
<i>obs</i>	479	1205	396	742	1064	372
Q2Q3	-0.146** (0.071)	-0.206*** (0.070)	-0.154** (0.067)	-0.124** (0.056)	-0.138*** (0.053)	-0.450*** (0.128)
<i>obs</i>	368	1090	429	845	1208	474
Q3Q4	-0.301*** (0.100)	-0.318*** (0.085)	-0.275*** (0.082)	-0.255*** (0.064)	-0.229*** (0.060)	-0.635*** (0.125)
<i>obs</i>	388	1058	485	873	1296	324
Panel B						
FULL	-0.084 (0.109)	-0.060 (0.082)	-0.047 (0.117)	-0.075 (0.088)	-0.051 (0.079)	-0.066 (0.091)
<i>obs</i>	215	287	221	274	294	237
Q1Q2	-0.109 (0.148)	-0.125 (0.127)	-0.112 (0.208)	-0.120 (0.146)	-0.118 (0.134)	-0.183 (0.136)
<i>obs</i>	99	128	94	114	125	100
Q2Q3	-0.106 (0.119)	-0.048 (0.113)	0.055 (0.131)	-0.057 (0.115)	-0.037 (0.114)	-0.050 (0.085)
<i>obs</i>	87	126	88	118	126	89
Q3Q4	-0.108 (0.176)	-0.079 (0.155)	-0.047 (0.199)	-0.062 (0.137)	-0.020 (0.114)	-0.028 (0.145)
<i>obs</i>	101	146	127	160	169	101
Panel C						
FULL	-0.170*** (0.052)	-0.181*** (0.045)	-0.160*** (0.049)	-0.173*** (0.037)	-0.154*** (0.033)	-0.347*** (0.063)
<i>obs</i>	894	2145	1102	1889	2654	890
Q1Q2	-0.157* (0.093)	-0.149** (0.068)	-0.140* (0.073)	-0.109** (0.050)	-0.101** (0.045)	-0.282*** (0.094)
<i>obs</i>	419	1129	490	856	1189	471
Q2Q3	-0.089* (0.048)	-0.116*** (0.042)	-0.113** (0.053)	-0.092** (0.044)	-0.096** (0.041)	-0.259*** (0.062)
<i>obs</i>	584	1446	517	963	1334	676
Q3Q4	-0.182*** (0.055)	-0.196*** (0.054)	-0.180*** (0.061)	-0.203*** (0.051)	-0.175*** (0.046)	-0.405*** (0.076)
<i>obs</i>	532	1332	612	1033	1465	434

Notes: All panels impose `ex_super2==t`, `host_identity_verified==t`, and require the prior last review to be within 60 days. Panels A and B are defined by `ex_super==t` and `ex_super==f`, respectively; Panel C imposes no `ex_super` restriction. Column (1) uses MSE-optimal bandwidths with time fixed effects; column (2) doubles those bandwidths; columns (3)–(5) use (0.2,0.1), (0.3,0.15), and (0.4,0.2); column (6) omits time fixed effects. Standard errors are clustered by listing ID.

Table 3: Verified hosts with prior last review ≤ 120 days: Conventional

Condition	(1)	(2)	(3)	(4)	(5)	(6)
Panel A						
FULL	-0.198*** (0.047)	-0.152*** (0.032)	-0.173*** (0.034)	-0.131*** (0.025)	-0.110*** (0.023)	-0.324*** (0.054)
<i>obs</i>	1337	3545	1192	2177	3180	983
Q1Q2	-0.113* (0.068)	-0.126*** (0.048)	-0.108** (0.046)	-0.079** (0.033)	-0.065** (0.029)	-0.210** (0.092)
<i>obs</i>	442	1237	583	1062	1524	547
Q2Q3	-0.139** (0.057)	-0.138*** (0.046)	-0.116** (0.046)	-0.106*** (0.038)	-0.094*** (0.035)	-0.261*** (0.067)
<i>obs</i>	565	1633	580	1142	1634	620
Q3Q4	-0.261*** (0.067)	-0.209*** (0.048)	-0.223*** (0.050)	-0.171*** (0.040)	-0.146*** (0.037)	-0.410*** (0.075)
<i>obs</i>	381	906	609	1115	1656	383
Panel B						
FULL	-0.071 (0.088)	-0.041 (0.061)	-0.084 (0.084)	-0.045 (0.066)	-0.043 (0.059)	-0.146 (0.090)
<i>obs</i>	304	416	323	391	423	314
Q1Q2	-0.238* (0.122)	-0.188** (0.080)	-0.242* (0.125)	-0.199** (0.092)	-0.190** (0.081)	-0.315** (0.130)
<i>obs</i>	159	204	156	186	202	161
Q2Q3	-0.100 (0.084)	-0.109 (0.070)	-0.104 (0.090)	-0.101 (0.077)	-0.119 (0.073)	-0.102 (0.078)
<i>obs</i>	158	200	137	176	192	157
Q3Q4	-0.059 (0.133)	0.014 (0.097)	-0.016 (0.119)	0.053 (0.091)	0.061 (0.082)	-0.035 (0.133)
<i>obs</i>	132	193	167	205	221	137
Panel C						
FULL	-0.147*** (0.036)	-0.126*** (0.026)	-0.146*** (0.029)	-0.111*** (0.022)	-0.093*** (0.020)	-0.260*** (0.042)
<i>obs</i>	1237	3109	1515	2568	3603	1074
Q1Q2	-0.127** (0.051)	-0.104*** (0.034)	-0.126*** (0.044)	-0.101*** (0.032)	-0.087*** (0.028)	-0.214*** (0.056)
<i>obs</i>	636	1623	739	1248	1726	944
Q2Q3	-0.098** (0.040)	-0.090*** (0.031)	-0.096** (0.037)	-0.090*** (0.032)	-0.086*** (0.029)	-0.201*** (0.048)
<i>obs</i>	646	1782	717	1318	1826	755
Q3Q4	-0.180*** (0.047)	-0.145*** (0.036)	-0.166*** (0.040)	-0.116*** (0.032)	-0.094*** (0.029)	-0.308*** (0.058)
<i>obs</i>	529	1219	776	1320	1877	514

Notes: All panels impose `ex_super2==t`, `host_identity_verified==t`, and require the prior last review to be within 120 days. Panels A and B are defined by `ex_super==t` and `ex_super==f`, respectively; Panel C imposes no `ex_super` restriction. Column (1) uses MSE-optimal bandwidths with time fixed effects; column (2) doubles those bandwidths; columns (3)–(5) use (0.2,0.1), (0.3,0.15), and (0.4,0.2); column (6) omits time fixed effects. Standard errors are clustered by listing ID.

Table 4: Verified hosts with prior last review ≤ 120 days: Bias-Corrected with Robust Inference

Condition	(1)	(2)	(3)	(4)	(5)	(6)
Panel A						
FULL	-0.222*** (0.052)	-0.217*** (0.048)	-0.213*** (0.048)	-0.210*** (0.037)	-0.195*** (0.034)	-0.364*** (0.062)
<i>obs</i>	1337	3545	1192	2177	3180	983
Q1Q2	-0.115 (0.078)	-0.144* (0.074)	-0.128* (0.067)	-0.129*** (0.050)	-0.130*** (0.046)	-0.220** (0.110)
<i>obs</i>	442	1237	583	1062	1524	547
Q2Q3	-0.159** (0.065)	-0.191*** (0.066)	-0.169** (0.066)	-0.153*** (0.054)	-0.159*** (0.051)	-0.294*** (0.074)
<i>obs</i>	565	1633	580	1142	1634	620
Q3Q4	-0.285*** (0.074)	-0.292*** (0.069)	-0.287*** (0.068)	-0.270*** (0.055)	-0.240*** (0.052)	-0.458*** (0.086)
<i>obs</i>	381	906	609	1115	1656	383
Panel B						
FULL	-0.089 (0.101)	-0.078 (0.073)	-0.058 (0.104)	-0.083 (0.079)	-0.065 (0.071)	-0.181* (0.100)
<i>obs</i>	304	416	323	391	423	314
Q1Q2	-0.254* (0.139)	-0.226** (0.108)	-0.187 (0.168)	-0.245** (0.121)	-0.230** (0.109)	-0.355** (0.145)
<i>obs</i>	159	204	156	186	202	161
Q2Q3	-0.094 (0.094)	-0.109 (0.085)	0.012 (0.109)	-0.068 (0.092)	-0.062 (0.089)	-0.087 (0.086)
<i>obs</i>	158	200	137	176	192	157
Q3Q4	-0.091 (0.162)	-0.041 (0.133)	-0.051 (0.176)	-0.024 (0.126)	0.015 (0.106)	-0.065 (0.161)
<i>obs</i>	132	193	167	205	221	137
Panel C						
FULL	-0.160*** (0.041)	-0.163*** (0.036)	-0.153*** (0.040)	-0.173*** (0.031)	-0.153*** (0.028)	-0.276*** (0.049)
<i>obs</i>	1237	3109	1515	2568	3603	1074
Q1Q2	-0.135** (0.056)	-0.142*** (0.045)	-0.127** (0.059)	-0.142*** (0.045)	-0.132*** (0.041)	-0.249*** (0.065)
<i>obs</i>	636	1623	739	1248	1726	944
Q2Q3	-0.107** (0.046)	-0.119*** (0.042)	-0.116** (0.051)	-0.110*** (0.043)	-0.107*** (0.040)	-0.224*** (0.054)
<i>obs</i>	646	1782	717	1318	1826	755
Q3Q4	-0.201*** (0.053)	-0.209*** (0.048)	-0.204*** (0.054)	-0.208*** (0.044)	-0.173*** (0.039)	-0.335*** (0.066)
<i>obs</i>	529	1219	776	1320	1877	514

Notes: All panels impose `ex_super2==t`, `host_identity_verified==t`, and require the prior last review to be within 120 days. Panels A and B are defined by `ex_super==t` and `ex_super==f`, respectively; Panel C imposes no `ex_super` restriction. Column (1) uses MSE-optimal bandwidths with time fixed effects; column (2) doubles those bandwidths; columns (3)–(5) use (0.2,0.1), (0.3,0.15), and (0.4,0.2); column (6) omits time fixed effects. Standard errors are clustered by listing ID.

Table 5: Verified hosts with prior last review ≤ 180 days: Conventional

Condition	(1)	(2)	(3)	(4)	(5)	(6)
Panel A						
FULL	-0.191*** (0.047)	-0.145*** (0.032)	-0.161*** (0.034)	-0.122*** (0.025)	-0.102*** (0.022)	-0.295*** (0.050)
<i>obs</i>	1525	4023	1349	2451	3593	1212
Q1Q2	-0.040 (0.078)	-0.091 (0.057)	-0.078 (0.050)	-0.058* (0.034)	-0.042 (0.029)	-0.209** (0.098)
<i>obs</i>	396	1069	667	1209	1748	606
Q2Q3	-0.107** (0.054)	-0.100** (0.042)	-0.095** (0.048)	-0.089** (0.040)	-0.083** (0.037)	-0.273*** (0.074)
<i>obs</i>	718	1969	671	1301	1860	708
Q3Q4	-0.241*** (0.054)	-0.185*** (0.042)	-0.223*** (0.047)	-0.174*** (0.039)	-0.154*** (0.036)	-0.336*** (0.065)
<i>obs</i>	479	1270	682	1242	1845	474
Panel B						
FULL	-0.057 (0.082)	-0.051 (0.057)	-0.079 (0.078)	-0.055 (0.060)	-0.053 (0.054)	-0.167** (0.085)
<i>obs</i>	321	470	358	441	477	344
Q1Q2	-0.220* (0.117)	-0.183** (0.073)	-0.227** (0.114)	-0.192** (0.082)	-0.183** (0.072)	-0.338*** (0.127)
<i>obs</i>	173	227	172	209	227	172
Q2Q3	-0.109 (0.084)	-0.110 (0.069)	-0.116 (0.089)	-0.113 (0.076)	-0.119* (0.072)	-0.137* (0.075)
<i>obs</i>	165	222	151	197	215	179
Q3Q4	-0.035 (0.115)	0.017 (0.088)	-0.005 (0.107)	0.039 (0.084)	0.045 (0.077)	-0.024 (0.123)
<i>obs</i>	159	228	186	232	250	162
Panel C						
FULL	-0.138*** (0.033)	-0.115*** (0.024)	-0.135*** (0.028)	-0.105*** (0.021)	-0.089*** (0.019)	-0.245*** (0.039)
<i>obs</i>	1792	4334	1707	2892	4070	1454
Q1Q2	-0.084 (0.057)	-0.099** (0.040)	-0.103** (0.044)	-0.086*** (0.031)	-0.071*** (0.027)	-0.224*** (0.065)
<i>obs</i>	659	1628	839	1418	1975	913
Q2Q3	-0.084** (0.038)	-0.079*** (0.029)	-0.080** (0.037)	-0.077** (0.031)	-0.075*** (0.028)	-0.190*** (0.045)
<i>obs</i>	1174	3586	822	1498	2075	826
Q3Q4	-0.187*** (0.041)	-0.136*** (0.034)	-0.164*** (0.038)	-0.118*** (0.031)	-0.099*** (0.028)	-0.272*** (0.053)
<i>obs</i>	749	1953	868	1474	2095	651

Notes: All panels impose `ex_super2==t`, `host_identity_verified==t`, and require the prior last review to be within 180 days. Panels A and B are defined by `ex_super==t` and `ex_super==f`, respectively; Panel C imposes no `ex_super` restriction. Column (1) uses MSE-optimal bandwidths with time fixed effects; column (2) doubles those bandwidths; columns (3)–(5) use (0.2,0.1), (0.3,0.15), and (0.4,0.2); column (6) omits time fixed effects. Standard errors are clustered by listing ID.

Table 6: Verified hosts with prior last review ≤ 180 days: Bias-Corrected with Robust Inference

Condition	(1)	(2)	(3)	(4)	(5)	(6)
Panel A						
FULL	-0.210*** (0.053)	-0.210*** (0.049)	-0.196*** (0.049)	-0.197*** (0.037)	-0.180*** (0.034)	-0.336*** (0.059)
<i>obs</i>	1525	4023	1349	2451	3593	1212
Q1Q2	-0.034 (0.092)	-0.088 (0.089)	-0.074 (0.073)	-0.096* (0.052)	-0.098** (0.048)	-0.221* (0.118)
<i>obs</i>	396	1069	667	1209	1748	606
Q2Q3	-0.120** (0.061)	-0.144** (0.057)	-0.140** (0.069)	-0.126** (0.056)	-0.128** (0.054)	-0.315*** (0.086)
<i>obs</i>	718	1969	671	1301	1860	708
Q3Q4	-0.264*** (0.060)	-0.285*** (0.056)	-0.282*** (0.065)	-0.264*** (0.054)	-0.230*** (0.051)	-0.366*** (0.072)
<i>obs</i>	479	1270	682	1242	1845	474
Panel B						
FULL	-0.070 (0.094)	-0.087 (0.069)	-0.047 (0.097)	-0.074 (0.074)	-0.070 (0.066)	-0.194** (0.096)
<i>obs</i>	321	470	358	441	477	344
Q1Q2	-0.235* (0.134)	-0.222** (0.101)	-0.158 (0.158)	-0.233** (0.110)	-0.225** (0.098)	-0.389*** (0.142)
<i>obs</i>	173	227	172	209	227	172
Q2Q3	-0.085 (0.095)	-0.113 (0.085)	-0.000 (0.108)	-0.076 (0.093)	-0.085 (0.089)	-0.135 (0.084)
<i>obs</i>	165	222	151	197	215	179
Q3Q4	-0.051 (0.140)	-0.031 (0.121)	-0.037 (0.154)	0.005 (0.117)	0.018 (0.100)	-0.028 (0.148)
<i>obs</i>	159	228	186	232	250	162
Panel C						
FULL	-0.152*** (0.039)	-0.146*** (0.034)	-0.139*** (0.038)	-0.161*** (0.030)	-0.144*** (0.027)	-0.265*** (0.046)
<i>obs</i>	1792	4334	1707	2892	4070	1454
Q1Q2	-0.080 (0.066)	-0.103* (0.054)	-0.084 (0.058)	-0.115*** (0.044)	-0.109*** (0.040)	-0.250*** (0.075)
<i>obs</i>	659	1628	839	1418	1975	913
Q2Q3	-0.083* (0.043)	-0.103*** (0.040)	-0.087* (0.049)	-0.091** (0.042)	-0.091** (0.039)	-0.209*** (0.051)
<i>obs</i>	1174	3586	822	1498	2075	826
Q3Q4	-0.207*** (0.046)	-0.198*** (0.045)	-0.197*** (0.051)	-0.200*** (0.043)	-0.169*** (0.039)	-0.300*** (0.059)
<i>obs</i>	749	1953	868	1474	2095	651

Notes: All panels impose `ex_super2==t`, `host_identity_verified==t`, and require the prior last review to be within 180 days. Panels A and B are defined by `ex_super==t` and `ex_super==f`, respectively; Panel C imposes no `ex_super` restriction. Column (1) uses MSE-optimal bandwidths with time fixed effects; column (2) doubles those bandwidths; columns (3)–(5) use (0.2,0.1), (0.3,0.15), and (0.4,0.2); column (6) omits time fixed effects. Standard errors are clustered by listing ID.