

Brenda Ebba

CS-112-02

4/13/26

Poker.java Testing:

For my testing for my project I incorporated my “readFromFile.txt” text document. With this I was able to get output from my professor's socket, as an example trial to what I would reach from the socket, and how to write back to the socket.

Reading/Writing Commands Correctly:

In order to make sure that I was reading the commands correctly from the socket. I wrote code, so that my terminal would print what I'm actually reading and writing back to the socket. From there I tested it within my “readFromFile.txt” text file where I made sure that for “bet1” reading I replied back with “bet:1” for my ante bet.

However, if the command started with “bet2” in order to test it correctly, at first I just wrote back “bet:1”. After incorporating my strategy I could then start to see the difference between the responses and pot size as well.

Testing Strategies:

In order to test strategies I would adjust my strings within the text file that would test to see if my strategies are doing the right thing. So, if I'm testing the “hasThreeOfAKind()”, then I would adjust one of my dealer commands to have three of

a kind on my end for example: bet2:498:3:0:4D:4H:4S:up:5H:8D:9H:4H , and make sure it writes back with the correct betting. The same would follow for my hasPair(), hasHighSpadeInHole(), hasFaceCards(), oppHasFaceCards(), oppSpadeHigher(), and opponentHasPair() methods. This was helpful because my goal was to basically just make sure that my strategies are working and making sure that I was happy with the outcome.

Creating Strategies:

So for me I'm not very familiar with poker at all, so I mainly researched strategies, and asked my friends for their poker strategies and the main ones that they said to have was to check and compare my opponents cards with mine and also ranking for the cards as well. So most of my strategy methods come from that advice. For me I still don't really understand poker strategy when it comes to in depth strategies but as of right now what I think is important is focusing on my own hand and cards and my opponents as well. I updated my strategies based on which made the most difference for the size of my pot, meaning which strategies gave the most responses to the socket, allowing me to stay in the game longer. I also made sure to incorporate the methods that didn't knock my pot down by much. So, the methods that I incorporated were the ones that I thought made the biggest difference for my pot, allowing me to stay in the game longer.

Complications/Challenges:

For me the main issues when incorporating my strategies were runtime errors. You can see throughout my code I incorporate some specific code just to avoid runtime errors that were either about something being null, or not enough indexes, or returning an empty string. Another challenging aspect was just to be able to keep on track when it came to splitting up the dealer command, making sure I had the correct information. As well as incorporating the important instance variables as well.

I really only noticed these runtime errors when it came to incorporating the opponents portion, and comparing the opponents hands to mine as well, so that is why throughout my code in the `oppHasFaceCards()` and `isOppSpadeHigher()` methods you see the extra code in the return statement.