



Public models — reconstruction against released truth

model 1 R=1.12


released truth



convex stage




convex + flow (shipped)




model 2 R=1.42


ground truth



voxel 0.979 projection 0.993 → 1.972




voxel 0.955 projection 0.987 → 1.942




model 3 R=0.88


ground truth



voxel 0.911 projection 0.991 → 1.901



voxel 0.811 projection 0.971 → 1.782



ground truth

voxel 0.715 projection 0.957 → 1.672

voxel 0.722 projection 0.959 → 1.681



Model 1 is Vesta (near-convex), 2 the sawed-off cube, 3 Mithra — a contact binary, the only public body whose shape needs concavity.

Secret models — the seven that are scored



convex stage

convex + flow (shipped)



model 4 R=1.475





model 5 R=1.22





model 6 R=0.925





model 7 R=1.205





model 8 R=1.24



model 9 R=0.67




model 10 R=3.95




Where the score is going · public models, organisers' own measures

the voxel measure decides the competition



projection is saturated: it spans 0.02 where voxel spans 0.12



summed over the three public models (max 6): convex hull of truth 5.775 · convex stage 5.544 · convex + flow 5.405

the learned non-convex correction is a net loss of 0.140, and gains 0.007 on model 3 — the one body whose shape needs concavity