
Name: Brendan Lucas, Div: SE COMP B, Roll No: 8953

DBMS Practical Implementation, Lab 5 - 1.


1. To Create Table:

```
CREATE TABLE Employee (
empno int,
empname varchar(10),
designation varchar(10),
salary decimal(8,2)
);
```




2. Write a Query to Alter the column empno to empno number (6).

ALTER TABLE employee MODIFY empno decimal(8);




3. Write a Query to Alter the table employee with multiple columns (empno, ename.)


ALTER TABLE employee MODIFY empname varchar(20);




4. Write a query to add a new column in to employee as qualification varchar(6) ALTER TABLE employee ADD qualification varchar(6);



5. Write a query to add multiple columns in to employee dob date, doj date ALTER TABLE employee ADD (dob date, doj date);




6. Write a query to drop a column 'doj' from an existing table Employee ALTER TABLE employee DROP doj;



7. Write a query to drop multiple columns 'dob' and 'qualification' from employee


ALTER TABLE employee DROP COLUMN dob, DROP COLUMN qualification;



8. Insert some records in table


INSERT INTO employee VALUES (1001,"shah rajesh", "manager", 46500); INSERT INTO employee VALUES (1002,"shah jayesh","cs engineer", 36500); INSERT INTO employee VALUES (1003,"shah ramesh", "Hr manager", 30000);

INSERT INTO employee VALUES (1004,"shah suresh", "networking", 35000); INSERT INTO employee VALUES (1005,"shah mahesh", "janitor", 25000);




9. Truncate table EMP

DROP TABLE employee;



10. Drop table EMP

TRUNCATE TABLE employee;



Postlot ExpS Pt-2 What is a Data Dictionary? A data dictionary Contains metadata i-e of duty about the database. The date dicting se very important as it contains infomoly such as what is in the dalabase, who is allowed to occass it, where is the Istabe physically sloved ate. the lesses are not allowed to interest with data declioner. It is only handled by the dalapare administrators. The clata dictionry in general coolours: Information wheat the following is delaborated to their schemes of all the dalobase tobles and their schemes. (ii) Detals about all the lable in the Latahare, Such as their owners their security constrants when they are created. vii) Physical enformation about the lables such us where they are Stored and how iv) Table congleans such as permay ky key alleibutes, foreign by information etc. W) Information aport the database villes the

V what are dotakure scheme As A delohare schema is a spelelon structure that represents the logical view of the entire dotopore. It defence how the data is organized and have the relations omong them are associated. It formulates all the a constraints that are to be opplied on the deadate. A detahare scheme defines tits artitles and the relationship oncent thin. It conting descepte detail of the detahar, when can be depelid by nears of scheme design the 8th Scheme. to help grogrammes understand the dalakas and note it wreful. A dalahare richema on be developped proadly into two Whyqueil Octobers Schena: This sehena pertoing to the velval Strage of dolar and its forms of Storage telefields. inders etc. It defences how the data will. be glessed in a secondary storage. 11) Logical Potahase Schera! This sehens defensall the logical constate that reed to be opplied on the data stoud. It defines tables, villes and integrity Constraints

	Page No. Date
(3) A	Destatypes in MySQL. A dalabore table Coalering mulliple Coalering with specific data lypes such as numerical steing. MySQL provides pare data types other than past numeric and steing.
	(i) Numeri data types: - (ii) Numeri data types: - (iv) Int :- A standard enteges (iv) Voit :- A standard enteges (iv) Younge: - 214 7 483648 to 2147483647
·	De float: - A single - pección floating point nunt.
	BJ T: - Unse to State date in bets and
	(a) Varcher: - A votioble-length non-kenny
	(b) BLOB: - Stonds for Benong bacque Object
	(iii) Date data types:- 10 Date: - A date value in CCYY - MM - PD for 10) Time: - A line value in hh: MM: 85 form
	(C) Datatine: - Stores date from time in CCYY - MM - DD hh: Mm: 38 found

Paga No.
Page No.
Unite the effects of MULL!
The SOL MULL is the west to respect to
missing volue. A HULL value to y table
is as a value feels that oppears to be
plant.
$\pm 4/00$ \pm $M(11)$
the field wets a MULL volvies of led
understand without a MULL we volve is offered
than a zero volve or a feeld that contains
spaces.
The MULL value con Louise problemble.
Scheding data. Moulter, pecuse when.
Confaining on with unknown value toothis
valy the regult is always unknown
not included in the result.