

Bureau of Transportation Statistics

Search

About BTS

BTS Press Room

Data and Statistics

Publications

Subject Areas

External Links

OST-R > BTS

TranStats

Search this site:

Go

[Advanced Search](#)

Resources

[Database Directory](#)[Glossary](#)[Upcoming Releases](#)[Data Release History](#)

Data Tools

[Analysis](#)[Table Profile](#)[Table Contents](#)[Carrier Release Status](#)[Data Tables](#)[Database Profile](#)[Databases](#)

: On-Time Performance

[Databases](#) [Data Tables](#) [Table Contents](#)[Download Instructions](#)

Latest Available Data: May 2015

Filter Geography

Filter Year

Filter Period

All

2014

December

☐ Prezippped File ☐ % Missing ☐ Documentation ☐ Terms[Download](#)

Field Name

Description

Support Table

Time Period

☐ Year

Year

☐ Quarter

Quarter (1-4)

[Get Lookup Table](#)☐ Month

Month

[Get Lookup Table](#)☐ DayofMonth

Day of Month

☐ DayOfWeek

Day of Week

[Get Lookup Table](#)☒ FlightDate

Flight Date (yyyymmdd)

Airline

☒ UniqueCarrier

Unique Carrier Code. When the same code has been used by multiple carriers, a numeric suffix is used for earlier users, for example, PA, PA(1), PA(2). Use this field for analysis across a range of years.

[Get Lookup Table](#)☒ AirlineID

An identification number assigned by US DOT to identify a unique airline (carrier). A unique airline (carrier) is defined as one holding and reporting under the same DOT certificate regardless of its Code, Name, or holding company/corporation.

[Get Lookup Table](#)☒ Carrier

Code assigned by IATA and commonly used to identify a carrier. As the same code may have been assigned to different carriers over time, the code is not always unique. For analysis, use the Unique Carrier Code.

[Get Lookup Table](#)☒ TailNum

Tail Number

☒ FlightNum

Flight Number

Origin

☐ OriginAirportID

Origin Airport, Airport ID. An identification number assigned by US DOT to identify a unique airport. Use this field for airport analysis across a range of years because an airport can change its airport code and airport codes can be reused.

[Get Lookup Table](#)☐ OriginAirportSeqID

Origin Airport, Airport Sequence ID. An identification number assigned by US DOT to identify a unique airport at a given point of time. Airport attributes, such as airport name or coordinates, may change over time.

[Get Lookup Table](#)☐ OriginCityMarketID

Origin Airport, City Market ID. City Market ID is an identification number assigned by US DOT to identify a city market. Use this field to consolidate airports serving the same city market.

[Get Lookup Table](#)☒ Origin

Origin Airport

[Get Lookup Table](#)☐ OriginCityName

Origin Airport, City Name

☐ OriginState

Origin Airport, State Code

[Get Lookup Table](#)☐ OriginStateFips

Origin Airport, State Fips

[Get Lookup Table](#)☐ OriginStateName

Origin Airport, State Name

Origin Airport, World Area Code

[Get Lookup Table](#)

<input type="checkbox"/>	OriginWac		
Destination			
<input type="checkbox"/>	DestAirportID	Destination Airport, Airport ID. An identification number assigned by US DOT to identify a unique airport. Use this field for airport analysis across a range of years because an airport can change its airport code and airport codes can be reused.	Get Lookup Table
<input type="checkbox"/>	DestAirportSeqID	Destination Airport, Airport Sequence ID. An identification number assigned by US DOT to identify a unique airport at a given point of time. Airport attributes, such as airport name or coordinates, may change over time.	Get Lookup Table
<input type="checkbox"/>	DestCityMarketID	Destination Airport, City Market ID. City Market ID is an identification number assigned by US DOT to identify a city market. Use this field to consolidate airports serving the same city market.	Get Lookup Table
<input checked="" type="checkbox"/>	Dest	Destination Airport	Get Lookup Table
<input type="checkbox"/>	DestCityName	Destination Airport, City Name	
<input type="checkbox"/>	DestState	Destination Airport, State Code	Get Lookup Table
<input type="checkbox"/>	DestStateFips	Destination Airport, State Fips	Get Lookup Table
<input type="checkbox"/>	DestStateName	Destination Airport, State Name	
<input type="checkbox"/>	DestWac	Destination Airport, World Area Code	Get Lookup Table
Departure Performance			
<input checked="" type="checkbox"/>	CRSDepTime	CRS Departure Time (local time: hhmm)	
<input checked="" type="checkbox"/>	DepTime	Actual Departure Time (local time: hhmm)	
<input checked="" type="checkbox"/>	DepDelay	Difference in minutes between scheduled and actual departure time. Early departures show negative numbers.	
<input checked="" type="checkbox"/>	DepDelayMinutes	Difference in minutes between scheduled and actual departure time. Early departures set to 0.	
<input checked="" type="checkbox"/>	DepDel15	Departure Delay Indicator, 15 Minutes or More (1=Yes)	Get Lookup Table
<input checked="" type="checkbox"/>	DepartureDelayGroups	Departure Delay intervals, every (15 minutes from <-15 to >180)	Get Lookup Table
<input checked="" type="checkbox"/>	DepTimeBlk	CRS Departure Time Block, Hourly Intervals	Get Lookup Table
<input checked="" type="checkbox"/>	TaxiOut	Taxi Out Time, in Minutes	
<input checked="" type="checkbox"/>	WheelsOff	Wheels Off Time (local time: hhmm)	
Arrival Performance			
<input checked="" type="checkbox"/>	WheelsOn	Wheels On Time (local time: hhmm)	
<input checked="" type="checkbox"/>	TaxiIn	Taxi In Time, in Minutes	
<input checked="" type="checkbox"/>	CRSArrTime	CRS Arrival Time (local time: hhmm)	
<input checked="" type="checkbox"/>	ArrTime	Actual Arrival Time (local time: hhmm)	
<input checked="" type="checkbox"/>	ArrDelay	Difference in minutes between scheduled and actual arrival time. Early arrivals show negative numbers.	
<input checked="" type="checkbox"/>	ArrDelayMinutes	Difference in minutes between scheduled and actual arrival time. Early arrivals set to 0.	
<input checked="" type="checkbox"/>	ArrDel15	Arrival Delay Indicator, 15 Minutes or More (1=Yes)	Get Lookup Table
<input checked="" type="checkbox"/>	ArrivalDelayGroups	Arrival Delay intervals, every (15-minutes from <-15 to >180)	Get Lookup Table
<input checked="" type="checkbox"/>	ArrTimeBlk	CRS Arrival Time Block, Hourly Intervals	Get Lookup Table
Cancellations and Diversions			
<input checked="" type="checkbox"/>	Cancelled	Cancelled Flight Indicator (1=Yes)	Get Lookup Table
<input checked="" type="checkbox"/>	CancellationCode	Specifies The Reason For Cancellation	Get Lookup Table
<input checked="" type="checkbox"/>	Diverted	Diverted Flight Indicator (1=Yes)	Get Lookup Table
Flight Summaries			
<input checked="" type="checkbox"/>	CRSElapsedTime	CRS Elapsed Time of Flight, in Minutes	
<input checked="" type="checkbox"/>	ActualElapsedTime	Elapsed Time of Flight, in Minutes	
<input checked="" type="checkbox"/>	AirTime	Flight Time, in Minutes	

<input type="checkbox"/> Flights	Number of Flights	
<input type="checkbox"/> Distance	Distance between airports (miles)	
<input type="checkbox"/> DistanceGroup	Distance Intervals, every 250 Miles, for Flight Segment	Get Lookup Table
Cause of Delay (Data starts 6/2003)		
<input checked="" type="checkbox"/> CarrierDelay	Carrier Delay, in Minutes	
<input checked="" type="checkbox"/> WeatherDelay	Weather Delay, in Minutes	
<input checked="" type="checkbox"/> NASDelay	National Air System Delay, in Minutes	
<input checked="" type="checkbox"/> SecurityDelay	Security Delay, in Minutes	
<input checked="" type="checkbox"/> LateAircraftDelay	Late Aircraft Delay, in Minutes	
Gate Return Information at Origin Airport (Data starts 10/2008)		
<input type="checkbox"/> FirstDepTime	First Gate Departure Time at Origin Airport	
<input type="checkbox"/> TotalAddGTime	Total Ground Time Away from Gate for Gate Return or Cancelled Flight	
<input type="checkbox"/> LongestAddGTime	Longest Time Away from Gate for Gate Return or Cancelled Flight	
Diverted Airport Information (Data starts 10/2008)		
<input checked="" type="checkbox"/> DivAirportLandings	Number of Diverted Airport Landings	Get Lookup Table
<input checked="" type="checkbox"/> DivReachedDest	Diverted Flight Reaching Scheduled Destination Indicator (1=Yes)	Get Lookup Table
<input checked="" type="checkbox"/> DivActualElapsedTime	Elapsed Time of Diverted Flight Reaching Scheduled Destination, in Minutes. The ActualElapsedTime column remains NULL for all diverted flights.	
<input checked="" type="checkbox"/> DivArrDelay	Difference in minutes between scheduled and actual arrival time for a diverted flight reaching scheduled destination. The ArrDelay column remains NULL for all diverted flights.	
<input checked="" type="checkbox"/> DivDistance	Distance between scheduled destination and final diverted airport (miles). Value will be 0 for diverted flight reaching scheduled destination.	
<input type="checkbox"/> Div1Airport	Diverted Airport Code1	
<input type="checkbox"/> Div1AirportID	Airport ID of Diverted Airport 1. Airport ID is a Unique Key for an Airport	Get Lookup Table
<input type="checkbox"/> Div1AirportSeqID	Airport Sequence ID of Diverted Airport 1. Unique Key for Time Specific Information for an Airport	Get Lookup Table
<input type="checkbox"/> Div1WheelsOn	Wheels On Time (local time: hhmm) at Diverted Airport Code1	
<input type="checkbox"/> Div1TotalGTime	Total Ground Time Away from Gate at Diverted Airport Code1	
<input type="checkbox"/> Div1LongestGTime	Longest Ground Time Away from Gate at Diverted Airport Code1	
<input type="checkbox"/> Div1WheelsOff	Wheels Off Time (local time: hhmm) at Diverted Airport Code1	
<input type="checkbox"/> Div1TailNum	Aircraft Tail Number for Diverted Airport Code1	
<input type="checkbox"/> Div2Airport	Diverted Airport Code2	
<input type="checkbox"/> Div2AirportID	Airport ID of Diverted Airport 2. Airport ID is a Unique Key for an Airport	Get Lookup Table
<input type="checkbox"/> Div2AirportSeqID	Airport Sequence ID of Diverted Airport 2. Unique Key for Time Specific Information for an Airport	Get Lookup Table
<input type="checkbox"/> Div2WheelsOn	Wheels On Time (local time: hhmm) at Diverted Airport Code2	
<input type="checkbox"/> Div2TotalGTime	Total Ground Time Away from Gate at Diverted Airport Code2	
<input type="checkbox"/> Div2LongestGTime	Longest Ground Time Away from Gate at Diverted Airport Code2	
<input type="checkbox"/> Div2WheelsOff	Wheels Off Time (local time: hhmm) at Diverted Airport Code2	
<input type="checkbox"/> Div2TailNum	Aircraft Tail Number for Diverted Airport Code2	
<input type="checkbox"/> Div3Airport	Diverted Airport Code3	
<input type="checkbox"/> Div3AirportID	Airport ID of Diverted Airport 3. Airport ID is a Unique Key for an Airport	Get Lookup Table
<input type="checkbox"/> Div3AirportSeqID	Airport Sequence ID of Diverted Airport 3. Unique Key for Time Specific Information for an Airport	Get Lookup Table
<input type="checkbox"/> Div3WheelsOn	Wheels On Time (local time: hhmm) at Diverted Airport Code3	
<input type="checkbox"/> Div3TotalGTime	Total Ground Time Away from Gate at Diverted Airport Code3	

<input type="checkbox"/> Div3LongestGTime	Longest Ground Time Away from Gate at Diverted Airport Code3	
<input type="checkbox"/> Div3WheelsOff	Wheels Off Time (local time: hhmm) at Diverted Airport Code3	
<input type="checkbox"/> Div3TailNum	Aircraft Tail Number for Diverted Airport Code3	
<input type="checkbox"/> Div4Airport	Diverted Airport Code4	
<input type="checkbox"/> Div4AirportID	Airport ID of Diverted Airport 4. Airport ID is a Unique Key for an Airport	Get Lookup Table
<input type="checkbox"/> Div4AirportSeqID	Airport Sequence ID of Diverted Airport 4. Unique Key for Time Specific Information for an Airport	Get Lookup Table
<input type="checkbox"/> Div4WheelsOn	Wheels On Time (local time: hhmm) at Diverted Airport Code4	
<input type="checkbox"/> Div4TotalGTime	Total Ground Time Away from Gate at Diverted Airport Code4	
<input type="checkbox"/> Div4LongestGTime	Longest Ground Time Away from Gate at Diverted Airport Code4	
<input type="checkbox"/> Div4WheelsOff	Wheels Off Time (local time: hhmm) at Diverted Airport Code4	
<input type="checkbox"/> Div4TailNum	Aircraft Tail Number for Diverted Airport Code4	
<input type="checkbox"/> Div5Airport	Diverted Airport Code5	
<input type="checkbox"/> Div5AirportID	Airport ID of Diverted Airport 5. Airport ID is a Unique Key for an Airport	Get Lookup Table
<input type="checkbox"/> Div5AirportSeqID	Airport Sequence ID of Diverted Airport 5. Unique Key for Time Specific Information for an Airport	Get Lookup Table
<input type="checkbox"/> Div5WheelsOn	Wheels On Time (local time: hhmm) at Diverted Airport Code5	
<input type="checkbox"/> Div5TotalGTime	Total Ground Time Away from Gate at Diverted Airport Code5	
<input type="checkbox"/> Div5LongestGTime	Longest Ground Time Away from Gate at Diverted Airport Code5	
<input type="checkbox"/> Div5WheelsOff	Wheels Off Time (local time: hhmm) at Diverted Airport Code5	
<input type="checkbox"/> Div5TailNum	Aircraft Tail Number for Diverted Airport Code5	

Office of the Assistant Secretary for Research and Technology (OST-R) • U.S. Department of Transportation (US DOT)
1200 New Jersey Avenue, SE • Washington, DC 20590 • 800.853.1351 • E-mail OST-R

[Accessibility](#) | [Disclaimer](#) | [Fast Lane](#) | [FedStats](#) | [Freedom of Information Act](#) | [No FEAR Act](#) | [OIG Hotline](#) | [Privacy Policy](#) | [USA.gov](#) | [White House](#)

Plug-ins: [PDF Reader](#) | [Flash Player](#) | [Excel Viewer](#) | [PowerPoint Viewer](#) | [Word Viewer](#) | [WinZip](#)

OST-R's privacy policies and procedures do not necessarily apply to external web sites. We suggest contacting these sites directly for information on their data collection and distribution policies.