



Halal Delivery Functional Specification

Client-facing overview of the customer marketplace, partner centre, administration, promotions, checkout and reporting POC.

Purpose and scope

This document describes the observable functionality of the Halal Delivery proof of concept and provides current screenshots for client review. It covers every application role and the end-to-end flow from discovery through settlement reporting.

FRONTEND

React + Vite

API

Fastify

DATA

PostgreSQL

POC status. Payment and confirmation email delivery are simulated. All basket pricing, promotions, order accounting and persistence are nevertheless calculated by the server to demonstrate the intended production control boundary.

Contents

- 01** Product and role overview
- 02** Access, sessions and POC testing
- 03** Public landing experience
- 04** Restaurant and grocery discovery
- 05** Restaurant storefront and menu
- 06** Basket, promotions and checkout
- 07** Customer account and reviews
- 08** Restaurant partner centre
- 09** Menu and profile governance
- 10** Promotion management
- 11** Team invitations
- 12** Platform administration
- 13** Finance and impact reporting
- 14** Business rules and controls
- 15** POC boundaries and next steps

Document conventions

"Customer" means an ordering user. "Partner" means a restaurant owner or invited restaurant team member. "Admin" means a Halal Delivery platform operator. Monetary examples use euros and cents.

Marketplace and operating roles

Halal Delivery is a multi-sided food-delivery marketplace POC. Customers discover verified halal restaurants and groceries, configure menu items, receive automatic offers, select an optional charity impact allocation and place a simulated paid order. Partners manage their storefront and campaigns. Platform operators govern catalogue changes and reconcile commercial liabilities.

Public visitor

- Views the marketing landing page and social-impact proposition.
- Searches and filters restaurants and grocery stores.
- Views menus, fees, reviews and active offers.
- Can register a customer account or sign in.

Customer

- Configures products and maintains a restaurant-specific basket.
- Receives the best eligible automatic promotion.
- Chooses optional impact support and demo payment method.
- Views orders and reviews confirmed purchases.

Restaurant partner

- Views operational status and pending submissions.
- Creates categories and submits governed menu/profile changes.
- Publishes announcements and automatic promotions.
- Invites additional restaurant team members.

Platform administrator

- Approves menu and profile submissions.
- Invites new restaurant owners.
- Manages restaurant commission percentages.
- Reviews monthly sales, liabilities, donations and audit detail.

Primary application routes

Route	Purpose	Audience
/	Marketing, location entry, restaurants, impact and causes	Public
/login	Sign in, account creation and POC role selection	All roles
/restaurants	Restaurant and grocery discovery	Public/customer
/restaurant/:slug	Restaurant storefront, menu, basket and checkout	Public/customer
/account	Customer order history and reviews	Customer
/restaurant-portal	Partner overview, menu, profile, offers and team	Partner
/admin	Approvals, invitations, agreements and reporting	Admin
/restaurant-invite/:token	Secure invitation acceptance and account setup	Invited partner

Authentication and POC role testing

The login experience supports manual email/password authentication, customer self-registration and an optional Google Identity integration. Sessions are stored in secure host cookies and expire automatically.

Public POC testing hub

On a non-loopback development or ngrok host, the login page displays explicit Customer, Admin and Restaurant role buttons. Each button stays on the current public origin, selects a `pocRole` query parameter and prefills the corresponding demo credentials.

Public-session rule. A public ngrok hostname has one cookie session. Testers must sign out before changing roles and must test roles sequentially.

Figure 1 — Public POC login hub with same-origin role selection and customer credentials prefilled.

Local isolated testing

Local development preserves independent sessions by using three loopback hosts:

Role	Local URL	Demo account
Customer	<code>http://127.0.0.1:5173/login</code>	customer@halaldelivery.demo
Administrator	<code>http://127.0.0.2:5173/login</code>	admin@halaldelivery.demo
Restaurant owner	<code>http://127.0.0.3:5173/login</code>	owner@emberandolive.demo

The testing panel and credential prefill are automatically available in development. A production build hides them unless `VITE_ENABLE_POC_TESTING=true` is explicitly enabled.

Landing page and marketplace proposition

The public landing page introduces the marketplace, requests a delivery location and explains how every order can create community impact. The page provides direct navigation to restaurant discovery, the impact story, supported causes, customer login and partner access.




Figure 2 — Public landing page with location search, verified restaurant proposition and social-impact messaging.

Customer proposition

- Verified halal marketplace positioning.
- Delivery-location entry and restaurant discovery call to action.
- Restaurant cards and direct menu navigation.
- English and Dutch language controls.

Impact proposition

- Explains that donations come from platform commission.
- Profiles participating charitable organisations.
- Allows customers to select up to three causes at checkout.
- Keeps donations separate from restaurant payable amounts.

Restaurant and grocery discovery

The discovery screen supports delivery and collection modes, restaurant and grocery business types, address entry, search, sorting and multi-faceted filtering. The corrected brand container keeps the supplied portrait logo fully visible and centred.




Figure 3 — Restaurant discovery with contained logo, mode switch, cuisine rail, filters and restaurant cards.

Available discovery controls

Find and refine

- Search by restaurant, shop, cuisine or grocery category.
- Switch between restaurants and groceries.
- Filter free delivery, favourites, rating, opening status and offers.
- Filter individual cuisines through checkboxes or visual shortcuts.

Compare places

- Sort by best match, delivery speed or rating.
- View halal verification status and closed status.
- Compare delivery estimate, delivery fee and free-delivery threshold.
- Favourite and revisit selected restaurants in the current session.

Menu, restaurant information and offers

Each restaurant has a dedicated branded storefront. The hero presents verification, description, rating, delivery estimate, opening hours and the current offer. Customers can open reviews, restaurant information, offer details and a clear fee explanation.




Figure 4 — Restaurant storefront with active offer, fee summary, category navigation, menu and persistent basket.

Menu behaviour

- Search across item names and descriptions.
- Jump between menu categories and browse responsive product cards.
- Show popularity, offer and availability labels.
- View ingredients, declared allergens, VAT and availability details.
- Prevent ordering while a restaurant or item is unavailable.
- Recommend a supplementary item after products are added.

Modifiers and customer item notes

Products such as pizzas, burgers, kebabs, meals, drinks and milkshakes can use reusable modifier templates. Required and optional groups are rendered as accessible radio-button or checkbox selections, with extra-price adjustments calculated into the line price.




Figure 5 — Product configuration with required size and sauce choices, optional additions, quantity and special instructions.

Configuration rules

- Required modifier groups must be completed before the product can be added.
- Multiple-choice groups enforce configured maximum selection counts.
- Price deltas are shown per option and included in basket/checkout totals.
- The same product with different options or notes remains a separate basket line.
- Customers may add a free-text instruction of up to 300 characters.
- Item notes are explicitly not accepted as allergy declarations.

Automatic offer selection

The basket previews eligible automatic promotions as items are added. Quantity campaigns can prompt the customer to add another qualifying item. Announcements are displayed as messages only and never change totals.




Figure 6 — Quantity-offer prompt with the discounted basket visible behind it.

One-winner stacking policy. The engine evaluates every eligible active order-value and quantity offer, applies only the offer with the greatest customer saving, includes delivery savings in the comparison and resolves equal savings deterministically by promotion ID.

Supported promotion types

Type	Rule options	Financial effect
Promotional announcement	Title, message, enabled state and campaign dates	None
Order-value offer	Percentage, fixed euro amount or free delivery; optional minimum food order	Discounts food or delivery
Quantity offer	Buy/reward quantities, reward percentage and qualifying/reward scopes	Discounts eligible item units

Order review, impact and payment simulation

The checkout drawer consolidates order review, the optional impact choice and payment selection in one flow. It shows the selected promotion, exact savings, delivery and service fees, and the final server-payable amount.





Figure 7 — Checkout review with a buy-one-get-one discount, optional charity contribution and simulated payment.

Authoritative checkout sequence



- Basket savings are previews only; the server never trusts a client-provided saving.
- Percentage offers are rounded deterministically and fixed discounts cannot reduce food subtotal below zero.
- Free-delivery offers zero the actual otherwise-payable delivery fee.
- Service fee, commission, payment fee, donation basis, restaurant payable and platform fee are recomputed from discounted values.

- Credit card and iDEAL/Wero are demonstration choices; no real payment credentials are processed.
- A successful POC payment creates an order, order-item snapshots, promotion snapshot and confirmation-email simulation.

Order history, receipts and reviews

Signed-in customers can open their account to see confirmed orders. Each record retains restaurant and item details, gross payment, donation amount, email status and the applied promotion title and savings.




Figure 8 — Customer account with confirmed order history, totals and review state.

Review eligibility

- Only the customer who placed the order may submit its review.
- The order must be confirmed and its confirmation email must be recorded as sent.
- A customer can review each eligible order once and can update that review.
- Verified-order ratings contribute to restaurant ratings shown in discovery and the storefront.

Restaurant operational overview

The partner centre is a role-protected workspace with five sections: Overview, Menu manager, Restaurant profile, Offers and Team members. The overview gives a concise operational status and routes the owner to common tasks.




Figure 9 — Partner overview showing published items, submissions awaiting review and profile verification.

Overview information

- Published item count and category count.
- Number of catalogue or profile submissions awaiting admin review.
- Halal/profile verification status.
- Recent submissions with category, price and workflow status.
- Customer-facing restaurant profile preview.

Governance model. Catalogue and profile submissions are stored separately from live customer content. They go live only after an administrator approves them.

Categories and menu submissions

Partners can create and rename menu categories immediately for use inside the workspace. New menu items enter a governed review workflow and do not overwrite the published customer menu.

HALAL DELIVERY
PARTNER CENTRE

Restaurant workspace
Ember & Olive

Ember & Olive Owner
Restaurant owner

Sign out

Overview

Menu manager

Restaurant profile

Offers

Team members

CATALOGUE GOVERNANCE

Add a menu item

All starred fields are mandatory before an item can enter review.

Menu categories
Create and rename sections. Changes are available to menu management immediately.

Emoji	Category name	
🍷	e.g. Desserts	+ Add category
🔥	Most loved	2 items Save
🍷	Sides & dips	2 items Save

Core details
Clear names and descriptions improve customer confidence.

Item name *
e.g. Sumac chicken bowl

Category *
🔥 Most loved

Item type *
Standard (no configuration)

Description *
Describe the dish, flavour and what is included.

Price including VAT *
£

VAT rate *
9% food / non-alcoholic

CUSTOMER PREVIEW

Most loved

Your menu item
A helpful description will appear here.

£0.00

Publish checklist
✓ Name and category

Approval protected
Changes go live only after Halal Delivery review.

← Customer website

Figure 10 — Menu manager with category controls, menu-item form, validation checklist and customer preview.

Menu item data

Commercial and display

- Name, category and useful description.
- Price including VAT and a 9% or 21% VAT classification.
- Availability window and landscape image URL.
- Customer preview before submission.

Food safety and configuration

- Ingredient declaration and EU 14 allergen selection.
- Standard or configurable item type.
- Reusable modifier template with editable groups/options.
- Required/default options and bounded extra prices.

Restaurant profile and checkout settings

Partners can propose updates to the customer-facing brand, address, operating hours and fee settings. Submitted changes follow the same approval trail as menu items.

HALAL DELIVERY
PARTNER CENTRE

Restaurant workspace
Ember & Olive

Ember & Olive Owner
Restaurant owner

STOREFRONT SETTINGS

Restaurant profile

Brand, opening hours and checkout fees follow the same approval trail.

Trading name *

Ember & Olive

Description *

Charcoal-grilled Levantine plates, made for sharing.

Restaurant address *

Mosplein 18, Amsterdam

Logo URL *

<https://images.unsplash.com/photo-1544025162-d76694265947?auto=format&fit=crop&w=1200&q=85>

Storefront landing image URL *

<https://images.unsplash.com/photo-1529006557810-274b9b2fc783?auto=format&fit=crop&w=1800&q=88>

Delivery and opening

These values are shown to customers and snapshotted at checkout.

Opening time *

11:00

Closing time *

22:30

Minimum order (€) *

12,00

Delivery fee (€) *

1,49

Free delivery from (€)

30,00

Service fee (%) *

2,50

Ember & Olive
Charcoal-grilled Levantine plates, made for sharing.
Mosplein 18, Amsterdam
11:00-22:30

Approval protected
Changes go live only after Halal Delivery review.

← Customer website

Figure 11 — Restaurant profile editor with brand, opening, delivery and service-fee settings.

Managed profile fields

- Trading name, description and restaurant address.
- Logo URL and storefront landing image URL.
- Opening and closing times.
- Minimum food-order amount and delivery fee.
- Optional free-delivery threshold.
- Percentage service fee and maximum service-fee cap.

Approved values are shown to customers and snapshotted at checkout so historical orders remain explainable even after profile settings change.

Promotion guidance and campaign calendar

The Offers workspace contains a built-in guide, worked examples, a campaign editor and a calendar of existing campaigns. Promotions publish directly for the POC and are visible only when enabled and within their configured start/end window.




Figure 12 — “How offers work” guidance with order-value, quantity and message-only examples.

Message-only announcements

A promotional announcement is a distinct campaign type for scheduled storefront messages such as “Something special is coming this weekend”. The interface explicitly states that announcements never affect basket or checkout totals. Legacy manual `order_offer` records are treated as announcements for backward compatibility.

Percentage, fixed amount and free delivery

Partners can create automatic order-value campaigns using explicit, validated financial rules. An optional minimum is always evaluated against the eligible pre-discount food subtotal.




Figure 13 — Order-value promotion editor with rule selection, threshold, schedule and campaign preview.

Rule	Validation	Calculation
Percentage off food	Whole percentage from 1 to 100	Percentage of eligible food subtotal, deterministically rounded
Fixed euro discount	Positive value, bounded to €1,000 in portal input	Fixed cents capped at the food subtotal
Free delivery	No discount value; optional non-negative minimum	Removes the delivery fee that would otherwise be charged

Quantity-offer configuration

Quantity offers provide buy-one-get-one, cheapest-free, second-item-half-price and custom presets. Partners configure buy quantity, reward quantity, reward percentage and qualifying/reward scope across the whole menu, selected categories or selected items.

Team-member invitations

Restaurant owners can invite additional workspace users through a secure, single-use link. The invitation is tied to the restaurant and intended role, expires after seven days and requires the invited user to choose a password.




Figure 14 — Team member list and secure invitation creation.

Invitation flow



- The generated link can be copied from the workspace.
- Existing and invited team members are visible to the owner.
- The invited account is linked to the correct restaurant before portal redirection.

Approval centre and commercial terms

The admin workspace presents pending catalogue and profile work alongside restaurant onboarding and commercial controls. Platform operators can review validated menu submissions and publish them to the customer storefront.




Figure 15 — Admin approval centre with queue metrics, menu review, restaurant invitation and commission agreements.

Administrative functions

Governance

- Search and approve menu submissions.
- Approve customer-facing profile changes.
- See allergens, VAT and price before publication.
- Refresh the approval queue on demand.

Commercial operations

- Create seven-day restaurant-owner invitations.
- Set commission percentage per restaurant.
- See pending and sent invitation counts.
- Reset deterministic POC data only after explicit confirmation.

POC reset protection. Reset is deliberately destructive to POC-tagged data and requires a browser confirmation plus the server confirmation phrase. It is not part of normal operations.

Monthly settlement report

The monthly report turns paid-order snapshots into a traceable operational ledger. It distinguishes cash received from liabilities and platform revenue, and can be printed for settlement review.




Figure 16 — Monthly summary, charity schedule, restaurant sales split and order audit trail.

Report contents

- Paid-order count and gross sales received.
- Total customer promotion savings, including delivery savings.
- Restaurant payable, charity payable, contracted commission and payment fees.
- Net amount retained after donations and payment fees.
- Charity settlement schedule with contributing-order count and payout status.
- Restaurant sales split by order count, agreed rate, gross, commission and amount owed.
- Order-level audit trail with promotion snapshot and donation allocation.

Settlement and reconciliation rules

Every confirmed order stores enough immutable information to explain the customer payment and downstream settlement. The API rejects a checkout if its financial invariants do not reconcile.

Core reconciliation

Value	Rule
Original food subtotal	Sum of authoritative menu prices, modifier deltas and quantities before promotion
Discounted food subtotal	Original food subtotal less the selected food-promotion saving, never below zero
Delivery payable	Configured delivery fee less free-delivery saving, never below zero
Gross/payment amount	Discounted food subtotal + delivery payable + capped service fee
Commission	Restaurant agreement percentage applied to discounted food subtotal
Restaurant payable	Discounted food subtotal + delivery payable – commission
Platform fee	Commission + service fee
Donation basis	Optional share of platform commission; never deducted from restaurant payable
Payment fee	Calculated from the discounted gross/payment amount

Stored order snapshot

- Original and discounted food subtotals.
- Food-promotion and delivery-discount amounts.
- Applied promotion ID, title and type.
- Delivery fee, service fee, gross paid, commission and payment fee.
- Restaurant payable, platform fee and donation allocations.
- Item names, quantities, configured option summaries and customer notes.

Future payment integration. A Stripe PaymentIntent or other real payment request must use the server-reconciled gross amount. The client basket remains a preview and must never define the amount charged.

Validation, security and compatibility

Role and session controls

- API paths enforce customer, partner or admin role requirements.
- Password hashes use Argon2.
- Session cookies are host-only and expire automatically.
- Invitation tokens are single use and time limited.

Promotion validation

- Percentage must be 1–100.
- Fixed cents must be positive and bounded.
- Minimum order must be non-negative.
- Dates must be valid and end after start.
- Malformed type/rule combinations are rejected.

Catalogue validation

- Required names, descriptions, price, VAT and image URL.
- Ingredient and allergen review data.
- Bounded modifier groups, options, defaults and price deltas.
- Approval isolation between submission and published record.

Backward compatibility

- Legacy `order_offer` rows continue to load.
- Legacy manual rows map to message-only announcements.
- Database additions use compatible schema evolution.
- Historical order snapshots do not depend on current rules.

Language and responsive behaviour

The customer-facing landing, login, storefront, basket and checkout expose English/Dutch controls. Major customer screens adapt to desktop and mobile layouts. Interactive controls use labels, semantic buttons and visible focus/selection states; modal surfaces identify themselves as dialogs.

Fixed development services

Service	Endpoint	Port policy
Web application	<code>http://127.0.0.1:5173</code>	Fixed; Vite fails rather than choosing another port
Application API	<code>http://127.0.0.1:3001</code>	Fixed
PostgreSQL	<code>localhost:55433</code>	Fixed host mapping

Current limitations and production follow-up

The POC demonstrates the intended user journeys, governance model and financial calculations. The following integrations and operational capabilities remain outside the current scope.

Area	Current POC behaviour	Production follow-up
Payments	Simulated card and iDEAL/Wero confirmation	Payment provider, webhooks, refunds, disputes and payout controls
Email	Confirmation status recorded as simulated/sent	Transactional provider, templates, retries and delivery events
Google sign-in	Available only when a Google client ID is configured	Production OAuth origins, consent and account-linking policy
Media	Image URLs are entered directly	Managed upload, moderation, resizing and storage
Operations	Opening state and demo order acceptance	Live order dispatch, preparation workflow, courier tracking and cancellation
Location	POC geocoding and seeded delivery radii	Address validation, routing, distance pricing and coverage rules
Compliance	Functional allergen, VAT and halal-status fields	Legal review, privacy, retention, audit policy and certification workflow
Reporting	Monthly operational ledger and print view	Exports, accounting integration, payout batches and reconciliation exceptions

Client acceptance focus

1. Confirm the public customer journey, wording and visual identity.
2. Confirm partner catalogue/profile approval responsibilities.
3. Confirm the three promotion types and one-winner stacking policy.
4. Confirm commercial settlement definitions and donation treatment.
5. Prioritise production integrations and operational workflows.

Public POC endpoint at document creation:

<https://contrastively-xanthophyllous-dung.ngrok-free.dev/login?pocRole=customer>

The ngrok hostname is temporary and may change when the development tunnel restarts.

Demonstration accounts

These accounts are intentionally seeded for POC demonstrations and must not be used as production credentials.

Role	Email	Password	Expected landing
Customer	customer@halaldelivery.demo	CustomerDemo!2026	/restaurants
Restaurant owner	owner@emberandolive.demo	RestaurantDemo!2026	/restaurant-portal
Platform admin	admin@halaldelivery.demo	AdminDemo!2026	/admin

Screenshot register

Figure	Screen	Key functionality evidenced
1	Public POC login	Same-origin role buttons, prefill and sequential-session warning
2	Landing page	Marketplace proposition, location and impact
3	Discovery	Corrected logo, filters, cards and service modes
4	Storefront	Menu, offer, fees, opening and basket
5	Product options	Modifiers, price deltas, quantity and notes
6	Promotion prompt	Quantity reward and basket discount preview
7	Checkout	Promotion, impact, payment and final total
8	Customer account	Order history, receipt data and review eligibility
9–14	Partner centre	Overview, menu, profile, campaigns and team
15–16	Admin	Approvals, commercial terms and monthly settlement