Harmonized Tariff Schedule of the United States Revision 7 (2025)

Annotated for Statistical Reporting Purposes

SECTION IX

WOOD AND ARTICLES OF WOOD; WOOD CHARCOAL; CORK AND ARTICLES OF CORK; MANUFACTURES OF STRAW, OF ESPARTO OR OF OTHER PLAITING MATERIALS; BASKETWARE AND WICKERWORK

IX-1

Harmonized Tariff Schedule of the United States Revision 7 (2025)

Annotated for Statistical Reporting Purposes

CHAPTER 44

WOOD AND ARTICLES OF WOOD; WOOD CHARCOAL

IX 44-1

Notes

- 1. This chapter does not cover:
 - (a) Wood, in chips, in shavings, crushed, ground or powdered, of a kind used primarily in perfumery, in pharmacy, or for insecticidal, fungicidal or similar purposes (heading 1211);
 - (b) Bamboo or other materials of a woody nature of a kind used primarily for plaiting, in the rough, whether or not split, sawn lengthwise or cut to length (heading 1401);
 - (c) Wood, in chips, in shavings, ground or powdered, of a kind used primarily in dyeing or in tanning (heading 1404);
 - (d) Activated charcoal (heading 3802);
 - (e) Articles of heading 4202;
 - (f) Goods of chapter 46;
 - (g) Footwear or parts thereof of chapter 64;
 - (h) Goods of chapter 66 (for example, umbrellas and walking-sticks and parts thereof);
 - (ii) Goods of heading 6808;
 - (k) Imitation jewelry of heading 7117;
 - Goods of section XVI or section XVII (for example, machine parts, cases, covers, cabinets for machines and apparatus and wheelwrights' wares);
 - (m) Goods of section XVIII (for example, clock cases and musical instruments and parts thereof);
 - (n) Parts of firearms (heading 9305);
 - (o) Articles of chapter 94 (for example, furniture, luminaires and lighting fittings, prefabricated buildings);
 - (p) Articles of chapter 95 (for example, toys, games, sports equipment);
 - (q) Articles of chapter 96 (for example, smoking pipes and parts thereof, buttons, pencils, and monopods, bipods, tripods and similar articles) excluding bodies and handles, of wood, for articles of heading 9603; or
 - (r) Articles of chapter 97 (for example, works of art).
- 2. In this chapter, the expression "densified wood" means wood which has been subjected to chemical or physical treatment (being, in the case of layers bonded together, treatment in excess of that needed to insure a good bond), and which has thereby acquired increased density or hardness together with improved mechanical strength or resistance to chemical or electrical agencies.
- Headings 4414 to 4421 apply to articles of the respective descriptions of particle board or similar board, fiberboard, laminated wood or densified wood as they apply to such articles of wood.
- 4. Products of heading 4410, 4411 or 4412 may be worked to form the shapes provided for in respect of the articles of heading 4409, curved, corrugated, perforated, cut or formed to shapes other than square or rectangular or submitted to any other operation provided it does not give them the character of articles of other headings.
- Heading 4417 does not apply to tools in which the blade, working edge, working surface or other working part is formed by any of the materials specified in note 1 to chapter 82.
- Subject to note 1 above and except where the context otherwise requires, any reference to "wood" in a heading of this chapter applies also to bamboo and other materials of a woody nature.

Harmonized Tariff Schedule of the United States Revision 7 (2025)

Annotated for Statistical Reporting Purposes

IX 44-2

Subheading Notes

- 1. For the purposes of subheading 4401.31, the expression "wood pellets" means by-products such as cutter shavings, sawdust or chips, of the mechanical wood processing industry, furniture-making industry or other wood transformation activities, which have been agglomerated either directly by compression or by the addition of a binder in a proportion not exceeding 3 percent by weight. Such pellets are cylindrical, with a diameter not exceeding 25 mm and a length not exceeding 100 mm.
- 2. For the purposes of subheading 4401.32, the expression "wood briquettes" means by-products such as cutter shavings, sawdust or chips, of the mechanical wood processing industry, furniture making or other wood transformation activities, which have been agglomerated either directly by compression or by the addition of a binder in a proportion not exceeding 3 percent by weight. Such briquettes are in the form of cubiform, polyhedral or cylindrical units with the minimum cross-sectional dimension greater than 25 mm.
- 3. For the purposes of subheading 4407.13, "S-P-F" refers to wood sourced from mixed stands of spruce, pine and fir where the proportion of each species varies and is unknown.
- 4. For the purposes of subheading 4407.14, "Hem-fir" refers to wood sourced from mixed stands of Western hemlock and fir where the proportion of each species varies and is unknown.

Additional U.S. Notes

- 1. In this chapter:
 - (a) The term "wood waste" means residual material other than firewood resulting from the processing of wood, including scraps, shavings, sawdust, veneer clippings, chipper rejects and similar small wood residues, as well as larger or coarser solid types of residual wood such as slabs, edgings, cull pieces and veneer log cores;
 - (b) The term "<u>standard wood moldings</u>" means wood moldings worked to a pattern and having the same profile in cross section throughout their length; and
 - (c) The term "<u>surface covered</u>," as applied to the articles of headings 4411 and 4412, means that one or more exterior surfaces of a product have been treated with creosote or other wood preservatives, or with fillers, sealers, waxes, oils, stains, varnishes, paints or enamels, or have been overlaid with paper, fabric, plastics, base metal, or other material.
- 2. The effectiveness of the proviso to section 304(a)(3)(J) of the Tariff Act of 1930 (19 U.S.C. 1304(a)(3)(J)), to the extent permitted by that section and as provided for in schedule XX to the General Agreement on Tariffs and Trade, is suspended, with the result that sawed lumber and sawed timbers however provided for, telephone, trolley, electric light and telegraph poles of wood and bundles of shingles, other than red cedar shingles, shall not be required to be marked to indicate the country of origin.
- 3. Heading 4409 includes articles having a repeating design worked along any edge or face.
- 4. Heading 4418 includes--
 - (a) drilled or notched lumber studs; and
 - (b) multi-layer assembled flooring panels having a face ply 4 mm or more in thickness.

Statistical Note

 For the purposes of heading 4407, the term "rough" includes wood that has been edged, resawn, crosscut or trimmed to smaller sizes but it does not include wood that has been dressed or surfaced by planing on one or more edges or faces or has been edge-glued or end-glued.

	ΙX
11	1_3

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subneading	fix	Article Description	Quantity	General	Special	
401		Fuel wood, in logs, in billets, in twigs, in faggots or in similar				
		forms; wood in chips or particles; sawdust and wood waste				
		and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:				
		Fuel wood, in logs, in billets, in twigs, in faggots or in similar				
		forms:				
4401.11.00	00	Coniferous	kg	Free ^{1/}		20%
4401.12.00	00	Nonconiferous	kg	Free ^{1/}		20%
		Wood in chips or particles:				
4401.21.00	00	Coniferous	t dwb	Free ^{1/}		Free
4401.22.00	იი	Nonconiferous	t dwb	Froo ^{1/}		Free
1401.22.00	00	Sawdust and wood waste and scrap, agglomerated in logs,		riee		1100
		briquettes, pellets or similar forms:				
4401.31.00	00	Wood pellets	kg	Free ^{1/}		Free ^{2/}
4401.32.00	00	Wood briquettes	ka	Eroo ^{1/}		Free ^{2/}
				11166		1166
4401.39 4401.39.20	00	Other: Artificial fire logs composed of wax and sawdust,				
 ∪1.33.∠U	00	with or without added materials	ka	Free ^{1/}		20%
4404 00 40						
4401.39.42	10	Other		Free"		Free ^{2/}
	10	Sawdust	"			
	20	Shavings	_			
	90	Other	kg			
4404 44 00		Sawdust and wood waste and scrap, not agglomerated:		1/		_
4401.41.00	00	Sawdust				Free
4401.49.00		Other		Free ^{1/}		Free
	20	Shavings	kg			
	90	Other	kg			
4402		Wood charcoal (including shell or nut charcoal), whether or				
		not agglomerated:				
4402.10.00	00	Of bamboo	t	Free ^{1/}		Free
4402.20.00	00	Of shell or nut	t	Free ^{1/}		Free
4402.90.01	00	Other				Free
4402.30.01	00	Other		Free-		riee
						1

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
Subfleading	fix	Article Description	Quantity	General	Special	
1403		Wood in the rough, whether or not stripped of bark or sap- wood, or roughly squared: Treated with paint, stain, creosote or other preservatives:				
1403.11.00		Coniferous		Free ^{1/}		Free
	20	Poles, piles and posts: Telephone, telegraph and electrical power poles	m			
	40	Fence posts				
	50 60	Other				
1403.12.00		Nonconiferous Poles, piles and posts:		Free ^{1/}		Free
	20	Telephone, telegraph and electrical power poles	m			
	40	Fence posts				
	50 60	OtherOther				
1403.21.01		Other, coniferous: Of pine (Pinus spp.), of which the smallest cross-sectional dimension is 15 cm or more		F1/		Free
	12	Poles, piles and posts: Telephone, telegraph and electrical power		Free-		
	15	polesFence posts				
	16	Other				
	20	Logs and timber: Southern yellow pine (Loblolly pine (<u>Pinus</u> <u>taeda</u>)), long leaf pine (<u>Pinus palustris</u>), pitch pine (<u>Pinus rigida</u>), short leaf pine (<u>Pinus</u>				
		echinata), slash pine (<u>Pinus elliottii</u>) and Virginia pine (<u>Pinus virginiana</u>)				
	25	Ponderosa pine (Pinus ponderosa)				
	30 65	OtherOther	m ³			

		lΧ
1	1	

Heading/	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	- 2
4403 (con.)		Wood in the rough, whether or not stripped of bark or sap- wood, or roughly squared: (con.) Other, coniferous: (con.)				
4403.22.01	08	Of pine (Pinus spp.), other		Free ^{1/}		Free
	00		1111			
	12	Poles, piles and posts: Telephone, telegraph and electrical power poles	m			
	15	Fence posts				
	16	Other	m			
	20	Logs and timber: Southern yellow pine (Loblolly pine (<u>Pinus</u> <u>taeda</u>)), long leaf pine (<u>Pinus palustris</u>), pitch pine (<u>Pinus rigida</u>), short leaf pine (<u>Pinus</u> <u>echinata</u>), slash pine (<u>Pinus elliottii</u>) and Virginia pine (<u>Pinus virginiana</u>)				
	25	Ponderosa pine (Pinus ponderosa)	m³			
	30	Other	m^3			
4403.23.01	65	OtherOf fir (<u>Abies</u> spp.) and spruce (<u>Picea</u> spp.), of which the smallest cross-sectional dimension is 15 cm or more		Free ^{1/}		Free
	12	Poles, piles and posts: Telephone, telegraph and electrical power poles	m			
	15	Fence posts				
	16	Other				
	35	Logs and timber: Spruce (<u>Picea</u> spp.)	m ³			
	42	Other fir; balsam	m ³			
	65	Other	m°			_
1403.24.01	04	Of fir (<u>Abies</u> spp.) and spruce (<u>Picea</u> spp.), other Pulpwood	m ³	Free"		Free
	12	Poles, piles and posts: Telephone, telegraph and electrical power poles	m			
	15	Fence posts	m			
	16	OtherLogs and timber:	m			
	35	Spruce (<u>Picea</u> spp.)	m³			
	42 65	Other fir; balsam Other	m³ m³			

Heading/	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
4403 (con.) 4403.25.01		Wood in the rough, whether or not stripped of bark or sap- wood, or roughly squared: (con.) Other, coniferous: (con.) Other, of which the smallest cross-sectional dimension is 15 cm or more		Free ^{1/}		Free
	12	Poles, piles and posts: Telephone, telegraph and electrical power poles		1166		
	15	Fence posts	m			
	16	OtherLogs and timber:				
	40	Douglas-fir (<u>Pseudotsuga menziesii</u>)				
	50	Western hemlock (<u>Tsuga</u> heterophylla)				
	52	Other hemlock				
	55	Western red cedar (Thuja plicata)				
	57	Other cedar				
	64 65	Other	m° m³			
4403.26.01	00	Other		Free ^{1/}		Free
	80	Pulpwood Poles, piles and posts:	m ³			
	12	Telephone, telegraph and electrical power poles	m			
	15	Fence posts	m			
	16	Other	m			
	40	Logs and timber: Douglas-fir (<u>Pseudotsuga</u> <u>menziesii</u>)				
	50	Western hemlock (Tsuga heterophylla)				
	52	Other hemlock				
	55	Western red cedar (Thuja plicata)				
	57	Other cedar				
	64	Other	m ³			
4403.41.00	65 00	OtherOther, of tropical wood: Dark Red Meranti, Light Red Meranti and Meranti Bakau	m ³	Free ^{1/}		Free
4403.42.00	00			Free ^{1/}		Free
4403.49.02				Free ^{1/}		Free

	ΙX
44	-7

	Stat.	Article Description	Unit	-	Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
403 (con.)		Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared: (con.)				
1403.91.00		Other: Of oak (<u>Quercus</u> spp.)		Eroo ^{1/}		Free
100.01.00	20	Of red oak		riee		1100
	40	Other	2			
403.93.01	00	Of beech (<u>Fagus</u> spp.), of which the smallest cross-sectional dimension is 15 cm or more		Free ^{1/}		Free
403.94.01	00	Of beech (Fagus spp.), other				Free
403.95.01		Of birch (<u>Betula</u> spp.), of which the smallest cross-sectional dimension is 15 cm or more				Free
	27	Poles, piles and posts	. m³	1166		
	30	Other				
403.96.01		Of birch (Betula spp.), other		Free ^{1/}		Free
	23	Pulpwood	. m³			
	27	Poles, piles and posts	. m³			
	30	Other				
403.97.00		Of poplar and aspen (Populus spp.)		Free ^{1/}		Free
	22	Pulpwood				
	26	Poles, piles and posts	. m³			
	65	Other: Of yellow poplar (<u>Liriodendron</u> <u>tulipifera</u>)	m ³			
	67	Of other poplar; of aspen or cottonwood				
403.98.00	01	Of eucalyptus (<u>Eucalyptus</u> spp.)		Free ^{1/}		Free
	23	Pulpwood	. m³	1.00		
	28	Poles, piles and posts				
1403.99.01	95	Other	. m³	Free ^{1/}		Free
	23	Pulpwood		1166		1
	28	Poles, piles and posts				
		Other:]			
	40	Of ash (<u>Fraxinus</u> spp.)	. m³			
	50	Of western red alder (Alnus rubra)				
	55	Of cherry (Prunus spp.)				
	60	Of maple (<u>Acer</u> spp.)				
	70	Of walnut (<u>Juglans</u> spp.)				
	75	Of paulownia (<u>Paulownia</u> spp.)				
			_			
	95	Other	. m³			
			-	-		

	tat. Suf-	Article Description	Unit of		Rates of Duty 1	2
11.	fix	Attalia Description	Quantity	General	Special	
404.10.00		Hoopwood; split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise; wooden sticks, roughly trimmed but not turned, bent or otherwise worked, suitable for the manufacture of walking-sticks, umbrellas, tool handles or the like; chipwood and the like: Coniferous		Free ^{1/}		Free
	40	Fence pickets, palings and rails		riee		1100
	30	Poles, piles and posts	_			
_			_			
404.20.00	90	Other Nonconiferous		Free ^{1/}		Free ^{2/}
	40	Fence pickets, palings and rails		riee		riee
	30	Poles, piles and posts	_			
	90	Other	_			
			ľ	1/	F (A ALL DIL	00.4/00/
.405.00.00	JU	Wood wool (excelsior); wood flour	kg	3.2% ^{1/}	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
406		Railway or tramway sleepers (cross-ties) of wood:				
1406 11 00 0	20	Not impregnated:	m³	Free ^{1/}		Free
406.11.00 0	JU	Coniferous	Mo.	Free-		1166
406.12.00 0	าก	Nonconiferous	m ³	Free ^{1/}		Free
1400.12.00	50	Noncomercus	No.	1100		
		Other:		.,		_
406.91.00	00	Coniferous	m³	Free ^{1/}		Free
			No.	_ 1/		Eroo
406.92.00 0	00	Nonconiferous	m³ No.	Free ^{1/}		Free

		I	Χ	
1	1		c	

	Stat. Suf-	Article Description	Unit		Rates of Duty	2
Subheading	fix	Article Description	of Quantity	General	1 Special	
407		Wood sawn or chipped lengthwise, sliced or peeled, whether	-		·	
		or not planed, sanded or end-jointed, of a thickness exceeding				
		6 mm:				
407.44.00		Coniferous:		1/		. 22/
407.11.00	0.1	Of pine (Pinus spp.)	3	Free"		\$1.70/m ^{32/}
	01	Finger-jointed	m°			
		Other:				
	02	Treated with paint, stain, creosote or other	3			
		preservative	m			
		Not treated:				
		Eastern white pine (Pinus strobus) and red				
	42	pine (<u>Pinus resinosa</u>): Rough	m^3			
			m ³			
	43		m°			
	44	Lodgepole pine (<u>Pinus contorta</u>): Rough	m^3			
			m ³			
	45	OtherSouthern yellow pine (Loblolly pine (Pinus				
		taeda)), long leaf pine (Pinus palustris),				
		pitch pine (<u>Pinus rigida</u>), short leaf pine				
		(<u>Pinus echinata</u>), slash pine (<u>Pinus elliottii</u>)				
		and Virginia pine (<u>Pinus</u> <u>virginiana</u>):	0			
	46	Rough	m ³			
	47	Other	m³			
		Ponderosa pine (<u>Pinus</u> ponderosa):	3			
	48	Rough				
	49		m³			
		Other pine:	3			
	52	Rough				
	53	Other	m³			
					1	
					1	
					1	
					1	
					1	
					1	
					1	
					1	
					1	
					1	
					1	
					1	

	Article Description Wood sawn or chipped lengthwise, sliced or peeled, whether	of Quantity	General	1 Special	2
	Wood sawn or chipped lengthwise, sliced or peeled, whether	ı			
	or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: (con.)				
	Coniferous: (con.) Of fir (Abies spp.) and spruce (Picea spp.)		Free ^{1/}		\$1.70/m ^{3<u>2/</u>}
01	Finger-jointed	m ³			
02	Other: Treated with paint, stain, creosote or other	2			
	preservative Not treated:	m°			
17	Rough	m ³			
18	Other spruce:				
20	Other Fir (Ahias spp.):	m°			
58	Rough	m ³			
59	Other	m ³			
	fir (Abies spp.))	m³	Free ^{1/}		\$1.70/m ^{3<u>2/</u>}
00	Of Hem-fir (Western hemlock (<u>Tsuga</u> <u>heterophylla</u>) and fir (<u>Abies</u> spp.))	m ³	Free ^{1/}		\$1.70/m ³
	18 19 20 58	Not treated: Sitka spruce (Picea sitchensis): Rough	Not treated: Sitka spruce (Picea sitchensis): Rough	Not treated: Sitka spruce (Picea sitchensis): Rough	Not treated: Sitka spruce (Picea sitchensis): Rough

	١	Χ	
44-	1	1	

	Stat.	Article Description	Unit		Rates of Duty	1 ^
	Suf- fix	Article Description	of Quantity	General	1 Special	2
407 (con.)		Wood sawn or chipped lengthwise, sliced or peeled, whether	,			
,		or not planed, sanded or end-jointed, of a thickness exceeding				
		6 mm: (con.)				
		Coniferous: (con.)				
407.19.00		Other		Free ^{1/}		\$1.70/m ^{32/}
	01	Finger-jointed	m^3			
		Other:				
	02	Treated with paint, stain, creosote or other				
		preservative	m^3			
		Not treated:				
		Douglas-fir (Pseudotsuga menziesii):				
		Rough:				
	54	Having a minimum dimension less	_			
		than 5.1 cm	m^3			
	55	Having a minimum dimension 5.1				
		cm or more but less than 12.7				
		cm	m^3			
	56	Having a minimum dimension 12.7				
	00	cm or more	m^3			
	57	Other	m^3			
		Hemlock (Tsuga spp.):				
	64	Rough	m^3			
	65	Other				
	00	Larch (Larix spp.):				
	66	Rough	m^3			
	67	Other				
	01	Western red cedar:	111			
	68	Rough	m^3			
	69		m ³			
	09	Yellow cedar (<u>Chamaecyparis</u>	111			
		nootkatensis):				
	74	Rough	m^3			
			m ³			
	75	OtherOther	111			
		Chamaecyparis spp., Cupressus spp. and				
		Libocedrus spp.):				
	76	Rough	m^3			
	77	Other	m^3			
	' '	Redwood (Sequoia sempervirens):	111			
	82		m^3			
		ğ	m ³			
	83	Other:	111			
	92	Rough	m^3			
			m ³			
	93	Other	m			
						1
Į.						

	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
	fix		Quantity	General	Special	
407 (con.)		Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: (con.)				
1407.21.00	00	Of tropical wood: Mahogany (<u>Swietenia</u> spp.)	m³	Free ^{1/}		\$1.27/m ³
1407.22.00		Virola, Imbuia and Balsa				\$1.27/m ³
	06	Balsa (<u>Ochroma</u> <u>lagopus</u>)	m ³	1166		ψ1.27/111
	91	Other				
407.23.01	00	Teak	m ³	Free ^{1/}		\$1.27/m ^{32/}
407.25.00	00	Dark Red Meranti, Light Red Meranti and Meranti Bakau	m ³	Free ^{1/}		\$1.27/m ³
1407.26.00	00	White Lauan, White Meranti, White Seraya, Yellow Meranti and Alan	m³	Free ^{1/}		\$1.27/m ³
1407.27.00	00	Sapelli				\$1.27/m ³
407.28.00		Iroko				\$1.27/m ³
407.29.02	00					•
407.29.02	06	OtherAcajou d'Afrique (<u>Khaya</u> spp.), also known as African mahogany		Free**		\$1.27/m ^{32/}
	11	Anigre (Aningeria spp.), also known as Aningre, Aniegre or Anegre				
	16	Keruing (<u>Dipterocarpus</u> spp.)	m ³			
			1111			
	20	lpé (Tabebuia spp. or Handroanthus spp.), also known as Tahibo or Taheebo, LaPacho or Lapacho, Brazilian walnut and Patagonian walnut	m³			
	40	Andiroba (<u>Carapa guianensis</u> and <u>C. procera),</u> Padauk (<u>Pterocarpus</u> spp.), also known as Padouk	m³			
	60	Cedro (<u>Cedrela</u> spp.), also known as Spanish Cedar	m ³			
	85	Jatoba (<u>Hymenaea</u> spp.), also known as Brazilian Cherry	m ³			
	96	Other	m ³			

	I	Χ	
44-	1	3	

Heading/	Stat.	Auticle Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
407 (con.)		Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding				
		6 mm: (con.)				
		Other:				
407.91.00		Of oak (Quercus spp.)		Free ^{1/}		\$1.27/m ^{32/}
	22	Red oak				
	63	Other	m ³	_ 1/		
407.92.00	00	Of beech (<u>Fagus</u> spp.)		. Free ^{1/}		\$1.27/m ³
407.93.00		Of maple (<u>Acer</u> spp.)		Free ^{1/}		\$1.27/m ³
	10	Hard maple				
	20	Other	m ³			
407.94.00	00	Of cherry (Prunus spp.)	m³	. Free ¹		\$1.27/m ³
407.95.00	00	Of ash (Fraxinus spp.)	m ³	. Free ^{1/}		\$1.27/m ³
407.96.00		Of birch (Betula spp.)		Free ^{1/}		\$1.27/m ³ 2/
	11	North American (Betula alleghaniensis, Betula papyrifera, Betula lenta, Betula nigra)				Ψ1.27/111
	13	European (Betula pendula, Betula pubescens), also known as Baltic, Russian or Chinese birch				
	10					
407.97.00	19	OtherOf populus spp.)		Eroo ¹ /		Ф1 07/ ³
101.01.00	72	Yellow poplar (<u>Liriodendron</u> <u>tulipifera</u>)		Free ^{1/}		\$1.27/m ³
	79	Other poplar; aspen; cottonwood				
407.99.02	79	Other popiar; aspen; cottonwood Other		Free ^{1/}		\$1.27/m ³
107.00.02	42	Hickory (<u>Carya</u> spp.) and pecan (<u>Carya illinoensis,</u> <u>Carya pecan</u>)		riee		φ1.27/111
	61	Walnut (<u>Juglans</u> spp)				
	63	Western red alder (Alnus rubra)				
	95	Other nonconiferous	m³			
					I	1

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Jubileaulily	fix	Attible Description	Quantity	General	Special	
408		Sheets for veneering (including those obtained by slicing				
		laminated wood), for plywood or for similar laminated wood				
		and other wood, sawn lengthwise, sliced or peeled, whether				
		or not planed, sanded, spliced or end-jointed, of a thickness				
		not exceeding 6 mm:				
408.10.01		Coniferous		Free ^{1/}		20% ^{2/}
	25	Douglas fir				
	45	Other	m^2			
		Of tropical wood:				
408.31.01	00	Dark Red Meranti, Light Red Meranti and Meranti		41		
		Bakau	m ²	Free ^{1/}		20%
408.39.02		Other		Free ^{1/}		20%
	10	Spliced or end-jointed		1.00		
	20	Other: Acajou or Acajou d'Afrique (<u>Khaya</u> spp.), also				
	20	known as African mahogany	m^2			
	30	Anigre (Aningeria spp.), also known as	²			
		Aningre, Aniegre or Anegre				
	40	Ceiba (<u>Ceiba</u> spp.)	m ²			
50	50	Obeche (Triplochiton spp.), also known as				
		Ayous	m^2			
	60	Okoume (<u>Aucoumea</u> spp.)	m ²			
			""			
	70	Sapele (Sapelli), Sipo or Utile	²			
		(Entandrophragma spp.)	III			
	91	Other	m ²			
				I	I	1

- 1	×
44-1	F

Heading/	Stat.	A 01 D	Unit		Rates of Duty	
ubheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
.08 (con.)		Sheets for veneering (including those obtained by slicing		Jonordi	Ороски	
(**************************************		laminated wood), for plywood or for similar laminated wood				
		and other wood, sawn lengthwise, sliced or peeled, whether				
		or not planed, sanded, spliced or end-jointed, of a thickness				
100 00 01		not exceeding 6 mm: (con.)		_ 1/		2/
108.90.01		Other		Free ¹¹		20% ^{2/}
	05	Spliced or end-jointed: Ash (<u>Fraxinus</u> spp.)	m ²			
		ASII (<u>Fraxilius</u> Spp.)	,			
	10	Birch (Betula spp.)	m ⁻			
	15	Cherry (Prunus spp.)	m ²			
	21	Maple (<u>Acer</u> spp.)	m^2			
		Oak (Quercus spp.):				
	31	Red	m^2			
	37	Other				
	45	Walnut (<u>Juglans</u> spp.)	m ²			
	51	Other				
		Other:				
	56	Ash (<u>Fraxinus</u> spp.)	m^2			
	61	Birch (Betula spp.)	m ²			
	66	Cherry (<u>Prunus</u> spp.)	m ²			
		Grierry (<u>Frurius</u> Spp.)	2			
	71	Maple (<u>Acer</u> spp.)	m ⁻			
		Oak (Quercus spp.):	2			
	76	Red				
	81	Other	m ²			
	87	Walnut (<u>Juglans</u> spp.)	m²			
	97	Other	m^2			

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Cubineading	fix	Artiole Description	Quantity	General	Special	†
409		Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, molded, rounded or the like)	,			
409.10 409.10.05	00	along any of its edges, ends or faces, whether or not planed, sanded or end-jointed: Coniferous: Wood continuously shaped along any of its ends,				
		whether or not also continuously shaped along any of its edges or faces, all the foregoing whether or not planed, sanded or end-jointed		. 3.2% ^{1/}	Free (A*, AU, BH,	33 1/3%
					CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	
409.10.10		Other: Wood siding		Free ^{1/}		2.2¢/m ² 2/
	20	Resawn bevel siding: Western red cedar	m^2			,
	40	Other	m ³			
	10		m ³			
	60	Western red cedar	m² m³			
	80	Other				
409.10.20	00	Wood flooring		. Free ^{1/}		33 1/3% ^{2/}
		Wood moldings:	111			
409.10.40	10	Standard wood molding: Pine (<u>Pinus</u> spp.) End-jointed		Free ^{1/}		5% ^{2/}
100 10 15	90	Other	m			
409.10.45 409.10.50	00	Other				5% 40%
409.10.60	00	Wood dowel rods: Plain	m m³	· Free ^{1/}		5%
409.10.65	00	Sanded, grooved, or otherwise advanced in				
			m m ³	· 4.9% ^{1/}	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	33 1/3%
409.10.90		Other		Free ^{1/}	P, PA, PE, S, SG)	\$1.70/m ^{3<u>2/</u>}
	20		m³			
	40		m² m³			

		I	Χ	
1	1	1	7	

	Stat.	Anti-la D	Unit		Rates of Duty	
	Suf- fix	Article Description	of Quantity	General	1 Special	2
409 (con.)	117	Wood (including strips and friezes for parquet flooring, not	Quartity	General	Оресіаі	
100 (0011.)		assembled) continuously shaped (tongued, grooved, rebated,				
		chamfered, V-jointed, beaded, molded, rounded or the like)				
		along any of its edges, ends or faces, whether or not planed,				
		sanded or end-jointed: (con.)				
		Nonconiferous:				
1409.21		Of bamboo:				
1409.21.05	00	Wood continuously shaped along any of its ends,				
		whether or not also continuously shaped along any				
		of its edges or faces, all the foregoing whether or				
		not planed, sanded or end-jointed	m ³	3.2% ^{1/}	Free (A, AU, BH, CL	33 1/3%
					CO, D, E, IL, JO,	
					KR, MA, OM, P,	
					PA, PE, S, SG)	
1409.21.90	ΛΛ	Other	m ³	Eroo ^{1/}	·	\$1.70/m ³
	UU		111	riee		φ1./0/111
1409.22		Of tropical wood:				
1409.22.05		Wood continuously shaped along any of its ends,				
		whether or not also continuously shaped along any				
		of its edges or faces, all the foregoing whether or				
		not planed, sanded or end-jointed		3.2% ^{1/}	Free (A*, AU, BH,	33 1/3%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
		Wood flooring (end-matched):			.,.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	15	Jatoba (<u>Hymenaea</u> spp.), also known as				
	10	Brazilian Cherry	m^2			
			m ³			
	20	lpé (<u>Tabebuia</u> spp. or <u>Handroanthus</u> spp.),				
		also known as Tahibo or Taheebo,				
		LaPacho or Lapacho, Brazilian walnut,				
		and Patagonian walnut	m^2			
			m ³			
	35	Santos mahogany (Myroxylon balsamum),				
		also known as Cabreuva	m^2			
			m ³			
			m			
	45	Cumaru (Dipteryx spp.), also known as				
		Brazilian teak	m ²			
			m^3			
	60	Other	m ²			
			m^3			
	90	Other	m ²			
	00	0.1101	m ³			
			m.			

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Cabricading	fix	Attiolo Dosoription	Quantity	General	Special	
1409 (con.)		Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, molded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed: (con.)				
1409.22 con.)		Nonconiferous: (con.) Of tropical wood: (con.)				
1409.22.10	00	Other: Wood siding	m ²	. Free ^{1/}		4.3¢/m ^{22/}
1409.22.25		Wood flooring				8%
1405.22.25	00		m ³	11100		
1409.22.40	00	Wood moldings: Standard wood moldings	m	· Free ^{1/}		5% ^{2/}
1409.22.50		Other		Free ^{1/}		40%
	20	Durian (<u>Durio</u> spp.)		1100		
	40	Jelutong (<u>Dyera</u> spp.)	m			
	60	Obeche (<u>Triplochiton</u> spp.), also known as Ayous				
	90	Other				
	55	Wood dowel rods:				
1409.22.60	00	Plain	m	Free ^{1/}		5%
1409.22.65	00	Sanded, grooved or otherwise advanced in condition	m	4.9% ^{1/}	Free (A+, AU, BH, CL, CO, D, E, IL,	33 1/3%
					JO, KR, MA, OM, P, PA, PE, S, SG)	
1409.22.90		Other		Free ^{1/}		\$1.70/m ³
	20	Cumaru (<u>Dipteryx</u> spp.), also known as Brazilian teak	m ³			
	30	lpé (<u>Tabebuia</u> spp. or <u>Handroanthus</u> spp.), also known as Tahibo or Taheebo, LaPacho or Lapacho, Brazilian walnut and Patagonian walnut				
	45	Keruing (<u>Dipterocarpus</u> spp.)				
	60	Padauk (Padouk) or Narra (<u>Pterocarpus</u> spp.)				
	90	Other				

	I	Χ	
44-	1	a	

Subheading 4409 (con.)	Suf- fix	Article Description	of Quantity	General	1 Special	2
1409 (con.)			~~~~	General	Special	
,		Wood (including strips and friezes for parquet flooring, not		- Conordi	Openia.	
		assembled) continuously shaped (tongued, grooved, rebated,				
		chamfered, V-jointed, beaded, molded, rounded or the like)				
		along any of its edges, ends or faces, whether or not planed,				
		sanded or end-jointed: (con.)				
		Nonconiferous: (con.)				
1409.29		Other:				
1409.29.06		Wood continuously shaped along any of its ends,				
		whether or not also continuously shaped along any				
		of its edges or faces, all the foregoing whether or				
		not planed, sanded or end-jointed		3.2% ^{1/}	Free (A*, AU, BH,	33 1/3%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
	55	Wood flooring (end-matched)	m ²		P, PA, PE, S, SG)	
	55	wood flooring (end-matched)	m ³			
	65	Other	m ²			
			m^3			
		Other:		47		
1409.29.11	00	Wood siding	m ²	Free ¹⁷		4.3¢/m ²
4409.29.26		Wood flooring		Free ^{1/}		8% ^{2/}
	30	Maple (Acer spp.)	m ²	1166		0 78
	00	марю (<u>люсі</u> эрр.)	m ³			
			1111			
	50	Birch (Betula spp.) and beech (Fagus	2			
		spp.)	m²			
			m³			
	60	Other	m^2			
			m^3			
		Wood moldings:				
4409.29.41	00	Standard wood moldings	m	Free ^{1/}		5%
4400 00 51	00					400/
4409.29.51	00	Other	m	Free"		40%
		Wood dowel rods:		47		0/
4409.29.61	00	Plain	m	Free"		5% ^{2/}
4409.29.66	00	Sanded, grooved or otherwise advanced				
		in condition	m	4.9% ^{1/}	Free (A+, AU, BH,	33 1/3%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
1409.29.91	00	Other	m ³	Free ¹⁷		\$1.70/m ^{32/}
	1				Ī	

	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
	fix		Quantity	General	Special	1 -
1410		Particle board, oriented strand board (OSB) and similar board (for example, waferboard) of wood or other ligneous materials, whether or not agglomerated with resins or other organic binding substances: Of wood:				
1410.11.00	10	Particle board Unworked or not further worked than sanded	m ³	Free ^{1/}		40%
	20		kg m³ kg			
	30	Surface-covered with decorative laminates of plastic	m³ kg			
	60		m³ kg			
1410.12.00	10	Oriented strand board (OSB)Unworked or not further worked than sanded	m³	Free ^{1/}		40%
	20	Other	kg m³ kg			
1410.19.00	10	Others		Free ^{1/}		40%
	20	Surface-covered with melamine-impregnated paper	m³ kg			
	30	Surface-covered with decorative laminates of plastic				
	60	Other	m ³ kg			
1410.90.00	00	Other	m³ kg	Free ^{1/}		20%

IX

	Stat.	Auticle Description	Unit		Rates of Duty	^
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
411		Fiberboard of wood or other ligneous materials, whether or not bonded with resins or other organic substances: Medium density fiberboard (MDF):		22.10.00	25.30.01	
111.12 111.12.10	00	Of a thickness not exceeding 5 mm: Not mechanically worked or surface covered	m³	Free ^{1/}		30%
11.12.20	00	Other: Tongued, grooved or rabbetted continuously along any of its edges and dedicated for use in the construction of walls, ceilings or other parts of buildings: Laminated boards bonded in whole or in part, or impregnated, with synthetic				
		resins	kg m ³	1.9¢/kg + 1.5% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33¢/kg + 25
11.12.30	00	OtherOther:	m³	Free ^{1/}	17,12,0,00)	20%
11.12.60	00	Not surface covered (except for oil treatment)	m ³	Free ^{1/}		30%
11.12.90		Other			Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	45%
	10	Standard wood molding	m ³		P, PA, PE, S, SG)	
	90	Other				

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Jubrieading	fix	Attible Description	Quantity	General	Special	
411 (con.)		Fiberboard of wood or other ligneous materials, whether or not bonded with resins or other organic substances: (con.) Medium density fiberboard (MDF): (con.)			·	
411.13		Of a thickness exceeding 5 mm but not exceeding 9 mm:				
411.13.10	00	Not mechanically worked or surface covered Other:	m ³	Free ^{1/}		30%
411.13.20	00	Tongued, grooved or rabbetted continuously along any of its edges and dedicated for use in the construction of walls, ceilings or other parts of buildings: Laminated boards bonded in whole or in part, or impregnated, with synthetic				
		resins	kg m ³	1.9¢/kg + 1.5% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33¢/kg + 25
411.13.30	00	OtherOther:	m³	Free ^{1/}	1 A, 1 L, 0, 0a)	20%
411.13.60	00	Not surface covered (except for oil treatment)	m³	Free ^{1/}		30%
411.13.90		Other		3.9% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P,	45%
	10	Standard wood molding	m ³		PA, PE, S, SG)	
	90	Other				

	ı	
4/	1-2)

Article Description I of wood or other ligneous materials, whether of the resins or other organic substances: (con.) in density fiberboard (MDF): (con.) a thickness exceeding 9 mm: Not mechanically worked or surface covered Other: Tongued, grooved or rabbetted continuoualong any of its edges and dedicated for uin the construction of walls, ceilings or oth parts of buildings: Laminated boards bonded in whole of part, or impregnated, with synthetic resins	m ³	· 1.9¢/kg + 1.5% ^{1/} . Free ^{1/} . Free ^{1/}	CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	20% 30% ^{2/}
th resins or other organic substances: (con.) m density fiberboard (MDF): (con.) a thickness exceeding 9 mm: Not mechanically worked or surface covered Other: Tongued, grooved or rabbetted continuou along any of its edges and dedicated for u in the construction of walls, ceilings or oth parts of buildings: Laminated boards bonded in whole o part, or impregnated, with synthetic resins	r not m³	. Free ^{1/} · 1.9¢/kg + 1.5% ^{1/} · Free ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33¢/kg + 25° 20% 30% ²
a thickness exceeding 9 mm: Not mechanically worked or surface covered Other: Tongued, grooved or rabbetted continuou along any of its edges and dedicated for u in the construction of walls, ceilings or oth parts of buildings: Laminated boards bonded in whole of part, or impregnated, with synthetic resins	usly use her r in kg	· 1.9¢/kg + 1.5% ^{1/} . Free ^{1/} . Free ^{1/}	CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33¢/kg + 25° 20% 30% ²
Other: Tongued, grooved or rabbetted continuou along any of its edges and dedicated for u in the construction of walls, ceilings or oth parts of buildings: Laminated boards bonded in whole o part, or impregnated, with synthetic resins	usly use her r in kg	· 1.9¢/kg + 1.5% ^{1/} . Free ^{1/} . Free ^{1/}	CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33¢/kg + 25° 20% 30% ²
Other Other: Not surface covered (except for oil treatment) Other	m ³	. Free ^{1/} . Free ^{1/}	CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	20% 30% ^{2/}
Other: Not surface covered (except for oil treatment) Other Standard wood molding	m³	. Free ^{1/}	Free (A, AU, BH, CL,	30% ^{2/}
Not surface covered (except for oil treatment) Other Standard wood molding				
OtherStandard wood molding				
	3		CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
Others			17,12,0,00)	

44-24	C+c+		l Init		Potos of Duty	-
Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
	fix	·	Quantity	General	Special	
4411 (con.)		Fiberboard of wood or other ligneous materials, whether or not bonded with resins or other organic substances: (con.) Other:				
4411.92 4411.92.10	00	Of a density exceeding 0.8 g/cm³: Not mechanically worked or surface covered	m³	Free ^{1/}		30% ^{2/}
4411.92.20	00	Other: Not surface covered (except for oil treatment)	m³	Free ^{1/}		30%
4411.92.30	00	Other: Tileboard which has been continuously worked along any of its edges and is dedicated for use in the construction of walls, ceilings or other parts of buildings	m^3	Fron ^{1/}		20%
4411.92.40	00	Other			Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P,	
4411.93		Of a density exceeding 0.5 g/cm ³ but not exceeding 0.8 g/cm ³ :			PA, PE, S, SG)	
4411.93.10	00	Not mechanically worked or surface covered Other: Tongued, grooved or rabbetted continuously along any of its edges and dedicated for use in the construction of walls, ceilings or other	m ³	Free ^{1/}		30%
4411.93.20	00	parts of buildings: Laminated boards bonded in whole or in part, or impregnated, with synthetic resins	ka	4.0+// 4.50/1/	Free (A, AU, BH, CL,	33¢/kg + 25%
		103113	m ³	1.9¢/kg + 1.5%=	CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	100¢/kg + 20 /6
4411.93.30	00	OtherOther:	m³	Free ^{1/}	,	20%
4411.93.60	00	Not surface covered (except for oil treatment)	m³	Free ¹ /		30%
4411.93.90		Other		3.9% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	10 90	Standard wood molding Other	m³ m³		FA, FE, 3, 3G)	

	١X
44	-25

	Stat.	Artiala Dagarintian	Unit		Rates of Duty	1 0
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
411 (con.)		Fiberboard of wood or other ligneous materials, whether or not				
		bonded with resins or other organic substances: (con.)				
411.94.00		Other: (con.) Of a density not exceeding 0.5 g/cm ³		= 1/		20%
111.01.00				Free=		20 %
		Of a density exceeding 0.35 g/cm ³ but not exceeding 0.5 g/cm ³ :				
		Not mechanically worked or surface covered:				
	10	Impregnated with bitumen	m^3			
	20	Other	m^3			
		Other:				
	30	Impregnated with bitumen	m³			
	40	Other	m ³			
		Other:				
	50	Not mechanically worked or surface covered: Impregnated with bitumen	m^3			
		Other				
	60	Other:				
	70	Impregnated with bitumen	m^3			
	80	Other	m ³			
412		Plywood, veneered panels and similar laminated wood:				
412.10		Of hamboo.				
	00	Plywood	m ³	8% ^{1/}	Free (A*, AU, BH,	40%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM, P, PA, PE, S, SG)	
412.10.90	00	Other	m ³	Free ^{1/}	1,171,12,0,00)	40%
412.10.90	00	Other	111	riee		10 /0
				Ī	1	1

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Cubileaulily	fix	Attiole Description	Quantity	General	Special	
.412 (con.) .412.31		Plywood, veneered panels and similar laminated wood: (con.) Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness: With at least one outer ply of tropical wood:				
		Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply:				
412.31.06	20	With a face ply of birch (<u>Betula</u> spp.) Panels not exceeding in any dimension 3.6		Free ^{1/}		50%
		mm in thickness, 1.2 m in width and 2.2 m				
	40	Not surface covered				
412.31.26	60	OtherWith a face ply of Spanish cedar (<u>Cedrela</u>				
		spp.) or walnut (<u>Juglans</u> spp)		8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
	10	With a face ply of Spanish cedar (<u>Cedrela</u> spp.)	m^3			
	20	With a face ply of walnut (<u>Juglans</u> spp.) Other: With at least one outer ply of the following tropical woods: Dark Red Meranti, Light	m ³			
		Red Meranti, White Lauan, Sipo, Limba, Okoumé, Obeche, Acajou d'Afrique, Sapelli, Virola, Mahogany, Palissandre de Para, Palissandre de Rio or Palissandre de Rose:				
412.31.42	00	With a face ply of mahogany (<u>Swietenia</u> spp. or <u>Khaya</u> spp.)	m ³	8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
412.31.45	00	Panels not exceeding 3.6 mm in thickness and exceeding 1.2 m in				
		width and 2.2 m in length	m ³	8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%

		1	×
4	14	-2	7

	Stat.	Article Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
412 (con.)		Plywood, veneered panels and similar laminated wood: (con.) Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness:	·		,	
412.31 con.)		(con.) With at least one outer ply of tropical wood: (con.)				
		Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: (con.) Other: (con.) With at least one outer ply of the following tropical woods: Dark Red Meranti, Light				
410 01 40		Red Meranti, White Lauan, Sipo, Limba, Okoumé, Obeche, Acajou d'Afrique, Sapelli, Virola, Mahogany, Palissandre de Para, Palissandre de Rio or Palissandre de Rose: (con.) Other		4/	Francisco (A* ALL DIL	400/
412.31.48		Other		8%"	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
	50	Panels not exceeding 3.6 mm in thickness and not exceeding 1.2 m in width and 2.2 m in length Other: Not surface covered:	m³		1 , 1 A, 1 L, 3, 3d)	
	60	Dark Red Meranti, Light Red Meranti or White Lauan (Luan) (<u>Shorea</u> spp.)	m³			
	63	Limba (<u>Terminalia</u> spp.), also known as Terminalia and Nargusta	m^3			
	66	Virola (<u>Virola</u> spp.)				
	69	Other	m ³			
	75	Other: Wood flooring	m^3			
	80		m ³			

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	<u> </u>	Rates of Duty 1	2
Subneading	fix	Article Description	or Quantity	General	Special	
1412 (con.)		Plywood, veneered panels and similar laminated wood: (con.) Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness:				
412.31 con.)		(con.) With at least one outer ply of tropical wood: (con.)				
,		Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: (con.)				
412.31.52		Other: (con.) Other		8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	40%
	25	Wood flooring	m ³		P, PA, PE, S, SG)	
	35	11 /	m³			
	55	Other: Panels not exceeding in any dimension 3.6 mm in thickness, 1.2 m in width and 2.2 m in length	m³			
	60	Other: Not surface covered: Albizia (<u>Albizia</u> spp.), also known as Falcata, Batai and Suar wood	m^3			
	62	Bintangor (<u>Calophyllum</u> spp.)				
	64	Mersawa (<u>Anisoptera</u> spp.)				
	66	Parica (<u>Schizolobium</u> spp.), also known as Pinho Cuiabano, Firetree and Guapuruvu	m³			
	68	Pencil cedar, Nyatoh (<u>Palaquium</u> spp.)				
	70 75	Other Other				

		١×
1	1_	20

Heading/	Stat.	Auticle Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
412 (con.)		Plywood, veneered panels and similar laminated wood: (con.)	,	Conoral	oposia.	
		Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness:				
410.01		(con.)				
412.31 con.)		With at least one outer ply of tropical wood: (con.)				
412.31.61	00	Other:				
412.31.01	00	With at least one outer ply of the following tropical woods: Dark Red Meranti, Light Red				
		Meranti, White Lauan, Sipo, Limba, Okoumé,				
		Obeche, Acajou d'Afrique, Sapelli, Virola, Mahogany, Palissandre de Para, Palissandre				
		de Rio or Palissandre de Rose	m³	8% ^{1/}	Free (A*, AU, BH,	40%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM, P, PA, PE, S, SG)	
1412.31.92	00	Other	m³	8% ^{1/}	Free (A*, AU, BH,	40%
412.31.92	00	Other		0%	CL, CO, D, E, IL,	1070
					JO, KR, MA, OM,	
4412.33		Other, with at least one outer ply of nonconiferous			P, PA, PE, S, SG)	
1412.00		wood of the species alder (Alnus spp.), ash (Fraxinus				
		spp.), beech (Fagus spp.), birch (Betula spp.), cherry				
		(<u>Prunus</u> spp.), chestnut (<u>Castanea</u> spp.), elm (<u>Ulmus</u>				
		spp.), eucalyptus (<u>Eucalyptus</u> spp.), hickory (<u>Carya</u> spp.), horse chestnut (<u>Aesculus</u> spp.), lime (<u>Tilia</u> spp.),				
		maple (<u>Acer</u> spp.), oak (<u>Quercus</u> spp.), plane tree				
		(Platanus spp.), poplar and aspen (Populus spp.),				
		robinia (<u>Robinia</u> spp.), tulipwood (<u>Liriodendron</u> spp.)				
		or walnut (<u>Juglans</u> spp.): Not surface covered, or surface covered with a				
		clear or transparent material which does not				
		obscure the grain, texture or markings of the face				
1412.33.06		ply: With a face ply of birch (<u>Betula</u> spp.)		Free ^{1/}		50%
	20	Panels not exceeding in any dimension 3.6		1100		
		mm in thickness, 1.2 m in width and 2.2 m				
		in length	m°			
	40	Other:	m ³			
	40		m			
	65	Other: Wood flooring	m ³			
	70	Other				
1412.33.26	70	With a face ply of walnut (Juglans spp.)		5.1% ^{1/}	Free (A*, AU, BH,	40%
				5.176	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
	25	Wood flooring	m ³		P, PA, PE, S, SG)	
	30		m ³			
	Ī					

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Gubrieading	fix	Atticle Description	Quantity	General	Special	
1412 (con.)		Plywood, veneered panels and similar laminated wood: (con.) Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness: (con.)				
1412.33 con.)		Other, with at least one outer ply of nonconiferous wood of the species alder (Alnus spp.), ash (Fraxinus spp.), beech (Fagus spp.), birch (Betula spp.), cherry (Prunus spp.), chestnut (Castanea spp.), elm (Ulmus spp.), eucalyptus (Eucalyptus spp.), hickory (Carya spp.), horse chestnut (Aesculus spp.), lime (Tilia spp.), maple (Acer spp.), oak (Quercus spp.), plane tree (Platanus spp.), poplar and aspen (Populus spp.), robinia (Robinia spp.), tulipwood (Liriodendron spp.) or walnut (Juglans spp.); (con.) Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: (con.) Other		8% ^{1/}	Free (A*, AU, BH,	40%
412.00.02		Cirio		0%	CL, CO, D, E, IL, JO, KR, MA, OM,	40 /0
	25	Wood flooring	m³		P, PA, PE, S, SG)	
	35	Other: With a face ply of sen (<u>Kalopanax</u> spp.)	m^3			
	55	With a face ply of mahogany (<u>Swietenia</u> spp. or <u>Khaya</u> spp.)				
	65	Other: Panels not exceeding in any dimension 3.6 mm in thickness, 1.2 m in width and 2.2 m in length	m³			
	75	Other: Not surface covered				
	85	Other	m ³			
412.33.57	00	Other	m°	8%1	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%

		IX
1	1	21

	Stat.	A 2 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
412 (con.)		Plywood, veneered panels and similar laminated wood: (con.) Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness: (con.)		Conordi	Openia	
412.34		Other, with at least one outer ply of nonconiferous wood not specified under subheading 4412.33: Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply:				
412.34.26	00	With a face ply of Spanish cedar (<u>Cedrela</u> spp.)	m³	5.1% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
1412.34.32		Other		8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
	25	Wood flooring Other:	m ³			
	35	11 /	m ³			
	55	With a face ply of mahogany (<u>Swietenia</u> spp. or <u>Khaya</u> spp.)	m ³			
	65	Other: Panels not exceeding in any dimension 3.6 mm in thickness, 1.2 m in width and 2.2 m in	3			
	75	length Other: Not surface covered				
	85	Other				
1412.34.57	00	Other	m ³	8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
						[

Addition Country Cou	Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Other plywood consisting solely of sheets of wood (other than bambood), each ply not exceeding 6 mm in thickness: (con.) Other, with both outer piles of coniferous wood: Not surface covered, or surface covered with a clear or transparent material which does not obscure the graint, texture or markings of the face ply: With a face ply of Parana pine (Araucaria anoustifolia) With a face ply of European red pine (Pinus silvestris) With a face ply of European red pine (Pinus silvestris) Other	Cabilleading		Attado Boodipaon		General		
Cher, with both outer piles of conferous wood: Not surface covered; or surface powered; or surface powered; or surface powered; or surface powered; or surface piles; 1412.39.10 O0	1412 (con.)		Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness:				
With a face ply of Parana pine (Araucaria angustifolia)	1412.39		Other, with both outer plies of coniferous wood: Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face				
silvestris)	1412.39.10	00	With a face ply of Parana pine (Araucaria	m ³	Free ^{1/}		40%
Other	1412.39.30	00	With a face ply of European red pine (<u>Pinus</u> silvestris)	m ³	3.4% ^{1/}	CL, CO, D, E, IL, JO, KR, MA, OM,	40%
Company Comp	412.39.40				8%1/	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	40%
Fully sanded on at least one face, but not further processed		11	(<u>Pseudotsuga menziesii)</u> : Rough, or touch sanded for sizing purposes, but not further	m³			
With at least one outer ply of long leaf pine (Pinus pallustris), short leaf pine (Pinus echinata), southern yellow pine (loblolly pine)(Pinus taeda), slash pine (Pinus elliotti), pitch pine (Pinus rigida) or Virginia pine (Pinus virginiana): Rough, or touch sanded for sizing purposes, but not further processed		12	Fully sanded on at least one face, but				
purposes, but not further processed			With at least one outer ply of long leaf pine (Pinus palustris), short leaf pine (Pinus echinata), southern yellow pine (loblolly pine)(Pinus taeda), slash pine (Pinus elliotti), pitch pine (Pinus rigida) or Virginia pine (Pinus virginiana):	m ³			
not further processed			purposes, but not further processed				
With at least one outer ply of Agathis spp.: Rough, or touch sanded for sizing purposes, but not further processed		32	not further processed	m ³			
Fully sanded for sizing purposes, but not further processed		39	Other	m ³			
Fully sanded on at least one face, but not further processed		51	Rough, or touch sanded for sizing purposes, but not further	m³			
Other: Rough, or touch sanded for sizing purposes, but not further processed		52	Fully sanded on at least one face, but				
Rough, or touch sanded for sizing purposes, but not further processed		59		m ³			
not further processed m ³		61	Rough, or touch sanded for sizing purposes, but not further	m³			
		62	Fully sanded on at least one face, but not further processed	m ³			
		69					

	Stat.	Audi-la Danadinatan	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
412 (con.)		Plywood, veneered panels and similar laminated wood: (con.)		Conorai	Openai	
, ,		Other plywood consisting solely of sheets of wood (other				
		than bamboo), each ply not exceeding 6 mm in thickness:				
412.39		(con.)				
con.)		Other, with both outer plies of coniferous wood: (con.)				
412.39.50		Other		5 1% ^{1/}	Free (A+, AU, BH,	40%
				0.170	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
	4.0	MPH at least one or level of Develor Co			P, PA, PE, S, SG)	
	10	With at least one outer ply of Douglas fir (Pseudotsuga menziesii)	m ³			
	00	\	***			
	30	With at least one outer ply of long leaf pine (<u>Pinus palustris</u>), short leaf pine (<u>Pinus</u>				
		echinata), southern yellow pine (loblolly pine)				
		(Pinus taeda), slash pine (Pinus elliotti), pitch				
		pine (<u>Pinus</u> <u>rigida</u>) or Virginia pine (<u>Pinus</u>	2			
		virginiana)				
	50	Other	m^3			
		Laminated veneered lumber (LVL):	3	- 1/		400/
1412.41.00			m ³	⊢ree "		40%
1412.42.00	00	Other, with at least one outer ply of nonconiferous	3	E 1/		400/
			m ³			40%
412.49.00	00	Other, with both outer plies of coniferous wood	m ³	Free ^{1/}		40%
1440.54		Blockboard, laminboard and battenboard:				
1412.51		With at least one outer ply of tropical wood:				
		Plywood: Not surface covered, or surface covered with				
		a clear or transparent material which does not				
		obscure the grain, texture or markings of the				
		face ply:				
412.51.10		With a face ply of birch (Betula spp.)	3	Free ^{1/}		50%
	30	Not surface covered				
	50	Other	m ³			
				Ī		1

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	<u> </u>	Rates of Duty 1	2
Jubileadilig	fix	Artiole กระบามกับเก	Quantity	General	Special	_ ′
412 (con.) 412.51		Plywood, veneered panels and similar laminated wood: (con.) Blockboard, laminboard and battenboard: (con.) With at least one outer ply of tropical wood: (con.)	,	00.1010		
con.)		Plywood: (con.) Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: (con.)				
1412.51.31		Other		8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
	05		m ² m ³		1,1 A,1 L, 3, 30)	
	11		m² m³			
	21		m² m³			
	41		m² m³			
	61		m^3			
	75		m ²			
412.51.41	00	Other	m ³	. 8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	40%
1412.51.51	00	Other	m³	Free ^{1/}	P, PA, PE, S, SG)	40%

IX

	Stat.	Auticle Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
1412 (con.)		Plywood, veneered panels and similar laminated wood: (con.)	,	0.011011011		
()		Blockboard, laminboard and battenboard: (con.)				
1412.52		Other, with at least one outer ply of nonconiferous				
		wood:				
		Plywood:				
		Not surface covered, or surface covered with				
		a clear or transparent material which does not				
		obscure the grain, texture or markings of the				
		face ply:				
412.52.10		With a face ply of birch (Betula spp.)		Free ^{1/}		50%
	30	Not surface covered				
	50	Other	m^3			
412.52.31		Other		8% ^{1/}	Free (A*, AU, BH,	40%
				070	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	05	Wood flooring	m ²			
			m ³			
		Other:				
	21	With a face ply of walnut (<u>Juglans</u>				
	21	spp.)	m²			
		υρ ρ./	m ³			
			111			
		Other:	2			
	61	Not surface covered	m ²			
			m ³			
	75	Other	m^2			
			m^3			
4412.52.41	00	Other	m ³	8% ^{1/}	Free (A*, AU, BH,	40%
				• 70	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
4412.52.51	00	Other	m ³	Free ^{1/}		40%
					İ	

44-36						-
Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Subfleading	fix	Attoole Description	Quantity	General	Special	_
4412 (con.)		Plywood, veneered panels and similar laminated wood: (con.) Blockboard, laminboard and battenboard: (con.)				
4412.59		Other, with both outer plies of coniferous wood: Plywood:				
		Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the				
		face ply:				
4412.59.60	00	With a face ply of Parana pine (<u>Araucaria</u> angustifolia)	m³	Free ^{1/}		40%
4412.59.70	00	With a face ply of European red pine	m³	2 40/1/	Free (A, AU, BH, CL,	40%
		(<u>Pinus silvestris</u>)		3.4 %	CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	10 /0
4412.59.80	00	Other	m ³	8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL,	40%
4412.59.90	00	Other	m ³	5.1% ^{1/}	JO, KR, MA, OM, P, PA, PE, S, SG) Free (A*, AU, BH,	40%
4412.59.90	00	Other		3.1 %	CL, CO, D, E, IL, JO, KR, MA, OM,	10 /0
4412.59.95	00	OtherOther:	m ³	Free ^{1/}	P, PA, PE, S, SG)	40%
4412.91 4412.91.06	00	With at least one outer ply of tropical wood: Containing at least one layer of particle board	m³	Free ^{1/}		40%

	١X	
44	-37	

Heading/	Stat.	Anti-la Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
4412 (con.)		Plywood, veneered panels and similar laminated wood: (con.)		223.61		
4440.04		Other: (con.)				
4412.91 (con.)		With at least one outer ply of tropical wood: (con.)				
(0011.)		Other:				
		Plywood:				
		Not surface covered, or surface covered with a clear or transparent material which				
		does not obscure the grain, texture or				
		markings of the face ply:				
4412.91.10		With a face ply of birch (<u>Betula</u>		1/		F00/
	20	spp.)Panels not exceeding in any		Free"		50%
	20	dimension 3.6 mm in thickness,				
		1.2 m in width and 2.2 m in				
		length	m³			
		Other:	3			
	30	Not surface covered				
4440.04.04	40	Other	m³	1/	For (A+ All Dil	400/
4412.91.31		Other		8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL,	40%
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	10	With a face ply of Spanish cedar	m ³			
	20	\ 11 /				
	20	With a face ply of walnut (<u>Juglans</u> spp.)	m ³			
	30	With a face ply of sen (<u>Kalopanax</u>				
	30	spp.)spp.) spp.) spp.	m^3			
	40	With a face ply of mahogany				
		(<u>Swietenia</u> spp. or <u>Khaya</u> spp.)	m^3			
		Other:				
	50	Panels not exceeding in any				
		dimension 3.6 mm in thickness, 1.2 m in width, and				
		2.2 m in length				
	60	Other, not surface covered				
	70		m ³			
4412.91.41	00		m ³	8% 1/	Free (A*, AU, BH,	40%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM, P, PA, PE, S, SG)	
4412.91.51		Other		Free ^{1/}	.,,, 0, 00./	40%
	05	Wood flooring	m ³			
	15	Other	m³			

	Stat. Suf-	Article Description	Unit of	<u> </u>	Rates of Duty 1	2
Subrieading	fix	Article Description	Quantity	General	Special	
412 (con.)		Plywood, veneered panels and similar laminated wood: (con.)			·	
		Other: (con.)				
412.92		Other, with at least one outer ply of nonconiferous				
412.92.07	00	wood: Containing at least one layer of particle board	m³	Eroo <u>1/</u>		40%
412.92.07	00	, ,	111	Tree		1070
		Other:				
		Plywood: Not surface covered, or surface covered				
		with a clear or transparent material which				
		does not obscure the grain, texture or				
		markings of the face ply:				
412.92.11		With a face ply of birch (Betula				
		spp.)		Free ^{1/}		50%
	20	Panels not exceeding in any				
		dimension 3.6 mm in thickness,				
		1.2 m in width and 2.2 m in length	m ³			
			111			
	00	Other:	3			
	30	Not surface covered				
	40	Other	m³	47	- /A+ ALL BLI	400/
412.92.31		Other		8% ^{1/}	Free (A*, AU, BH,	40%
					CL, CO, D, E, IL, JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	20	With a face ply of walnut (Juglans			.,,, 0,00,	
		spp.)	m^3			
		Other:				
	50	Panels not exceeding in any				
		dimension 3.6 mm in				
		thickness, 1.2 m in width, and	3			
		2.2 m in length				
	60	Other, not surface covered				
	70	Other	m^3			
412.92.42	00	Other	m ³	. 8% 1/	Free (A*, AU, BH,	40%
					CL, CO, D, E, IL, JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
412.92.52		Other		Free ^{1/}	1,171,12,0,007	40%
	05		m^3	1100		
	15	Other	m^3			
	13	Ou let	1111			
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				Ī	Ī	1

	ı	X
44	_3	C

	Stat.	Article Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
412 (con.)		Plywood, veneered panels and similar laminated wood: (con.)				
412.99		Other: (con.) Other, with both outer plies of coniferous wood:				
412.99.58	00	Containing at least one layer of particle board	m³	Free ^{1/}		40%
		Other:				
		Plywood:				
		Not surface covered, or surface covered with a clear or transparent material which				
		does not obscure the grain, texture or				
412.99.61	00	markings of the face ply: With a face ply of Parana pine				
412.55.01	00	(Araucaria angustifolia)	m³	Free ^{1/}		40%
412.99.71	00	With a face ply of European red pine				
		(Pinus silvestris)	m³	3.4% ^{1/}	Free (A*, AU, BH,	40%
					CL, CO, D, E, IL, JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
412.99.81	00	Other	m ³	8% ^{1/}	Free (A*, AU, BH,	40%
					CL, CO, D, E, IL, JO, KR, MA, OM,	
			2	17	P, PA, PE, S, SG)	4001
412.99.91	00	Other	m³	5.1% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL,	40%
					JO, KR, MA, OM,	
412.99.97	00	Other	m³	Eroo ^{1/}	P, PA, PE, S, SG)	40%
		Densified wood, in blocks, plates, strips or profile shapes			Fron (A. ALL BLL CL	
413.00.00	00	Densined wood, in blocks, plates, strips or profile snapes	кд	3.7%	Free (A, AU, BH, CL CO, D, E, IL, JO,	, 50%
					KR, MA, OM, P,	
					PA, PE, S, SG)	
414		Wooden frames for paintings, photographs, mirrors or similar objects:				
414.10.00	00		No	3.9% ^{3/}	Free (A*, AU, BH,	33 1/3% ^{2/}
					CL, CO, D, E, IL,	
					JO, KR, MA, OM, P, PA, PE, S, SG)	
414.90.00	00	Other	No	3 Qo/ 3/	Free (A*, AU, BH,	33 1/3% ^{2/}
				3.9 /6	CL, CO, D, E, IL,	33 1/3 /6
					JO, KR, MA, OM, P, PA, PE, S, SG)	
					P, PA, PE, S, SG)	
	Ì		Ī	I	I	1

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subneading	fix	Afficie Description	or Quantity	General	1 Special	
1415		Packing cases, boxes, crates, drums and similar packings, of wood; cable-drums, of wood; pallets, box-pallets and other load boards, of wood; pallet collars of wood:				
1415.10		Cases, boxes, crates, drums and similar packings; cable-drums:				
1415.10.30		Packing boxes and cases with solid sides, lids and bottoms		Free ^{1/}		15%
1415.10.60	00	Containers designed for use in the harvesting of fruits and vegetables	No			Free
415.10.90	00	Other	No	10.7% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}
1415.20 1415.20.40	00	Pallets, box-pallets and other load boards; pallet collars: Containers designed for use in the harvesting of fruits and vegetables	No	Free ^{1/}		Free
415.20.80	00	Other			Free (A, AU, BH, CL,	33 1/3%
				10.7%	CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	17070
4416.00 4416.00.30		Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves: Casks, barrels and hogsheads				15%
1410.00.50	10	New		Free-		13 /6
		Used:				
	20	Assembled (set up)	No.			
	30	Unassembled (knocked down)	No.			
1416.00.60	4.0	Staves and hoops; tight barrelheads of softwood New:		Free ^{1/}		Free
	10	Staves	_			
	20	Hoops				
	30 40	Tight barrelheads Used: Staves				
	50	Other	No.			
4416.00.90		Other		3.2% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
	20	New	kg		, , , , , , , , , , , , , , , , , , , ,	
	40	Used	kg			

Subheading	Stat.	Australia Decembration	Unit		Rates of Duty	
	Suf- fix	Article Description	of Quantity	General	1 Special	2
417.00		Tools, tool bodies, tool handles, broom or brush bodies and handles, of wood; boot or shoe lasts and trees, of wood:		Conora	Openial	
417.00.20	00	Broom and mop handles, 1.9 cm or more in diameter and 97 cm or more in length	No	· Free ^{3/}		33 1/3%
417.00.40	00	Paint brush and paint roller handles	kg	· Free ^{3/}		33 1/3%
417.00.60	00	Brush backs	No	· Free ^{1/}		33 1/3%
417.00.80		Other		5.1% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
	10	Tool handles	kg		1,17,12,0,007	
	90	Other	kg			
418		Builders' joinery and carpentry of wood, including cellular wood panels and assembled flooring panels; shingles and shakes: Windows, French-windows and their frames:				
418.11.00	00	Of tropical wood	No	· 3.2% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
418.19.00	00	Other	No	· 3.2% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
440.04		Doors and their frames and thresholds:			, , ,	
418.21 418.21.40	00	Of tropical wood: French doors	No	4 90/ 1/	Free (A, AU, BH, CL,	33 1/3%
110.21.40		110101 00010		4.076	CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	17070
418.21.80		Other		4.8% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P,	33 1/3% ^{2/}
	30	Flush doors	No.		PA, PE, S, SG)	
	60	Other	No.			
418.29	00	Other:	NI-	1/	Francia All Dil Ol	00.4/00/
418.29.40	00	French doors	NO	. 4.8%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
418.29.80		Other		4.8% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P,	33 1/3% ^{2/}
	30	Flush doors	No.		PA, PE, S, SG)	
	60		No.			
	00	Posts and beams other than products of subheadings				
	1	4418.81 to 4418.89	kg	· 3.2% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL,	33 1/3%

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
oublieading	fix	Atticle Description	Quantity	General	Special	
1418 (con.)		Builders' joinery and carpentry of wood, including cellular wood panels and assembled flooring panels; shingles and shakes: (con.)			-,	
1418.40.00	00	Formwork (shuttering) for concrete constructional work	kg	3.2% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}
4418.50.00		Shingles and shakes		Free ^{1/}	, , ,	Free
	10		square kg			
	30	Other	square kg			
	50		square kg			
1418.73		Assembled flooring panels: Of bamboo or with at least the top layer (wear layer) of bamboo: For mosaic floors:				
1418.73.10	00	SolidOther:	m ²	Free ^{1/}		33 1/3%
1418.73.20	00	Having a face ply more than 6 mm in thickness	m²			33 1/3%
1418.73.30	00	Other Other, multilayer:	m ²	8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
1418.73.40	00	Having a face ply more than 6 mm in thickness	m²	3.2% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
1418.73.60	00	Other: Of unidirectional bamboo	m ²	Free ^{1/}		40%
1418.73.70		Other		5% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
1418.73.90	00	Other	m ²	3.2% ^{1/}	F, FA, FE, S, SG) Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%

	- 1	X
44	1-4	13

	Stat.	Australia Danasainastana	Unit		Rates of Duty	^
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
418 (con.)		Builders' joinery and carpentry of wood, including cellular wood		- Conordi	Operio.	
, ,		panels and assembled flooring panels; shingles and shakes:				
		(con.)				
		Assembled flooring panels: (con.)				
418.74	00	Other, for mosaic floors: Solid	m²	1 /		33 1/3% ^{2/}
418.74.10	00		m	Free-		33 1/3%
440.74.00	00	Other:				
418.74.20	00	Having a face ply more than 6 mm in thickness	m²	Eroo ^{1/}		33 1/3%
					Free /A* ALL DIL	
418.74.90	00	Other	m ²	8% "	Free (A*, AU, BH, CL, CO, D, E, IL,	40%
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
418.75		Other, multilayer:				
418.75.40	00	Having a face ply more than 6 mm in thickness	m ²	3.2% ^{1/}	Free (A*, AU, BH,	33 1/3%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
			2	, 1/	P, PA, PE, S, SG)	400/
418.75.70	00	Other	m ²	5% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL,	40%
					JO, KR, MA, OM,	
					P. PA, PE, S, SG)	
418.79.01	00	Other	m ²	3.2% ^{1/}	Free (A*, AU, BH,	33 1/3%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
		Engineered structural timber products:			P, PA, PE, S, SG)	
418.81.00	00	Engineered structural timber products: Glue-laminated timber (glulam)	ka	0.00/1/	Free (A*, AU, BH,	20 1/20/2/
410.01.00	00	Glue-laminateu timber (gluiam)	ĸy	3.2%=	CL, CO, D, E, IL,	33 1/3% ^{2/}
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
418.82.00	00	Cross-laminated timber (CLT or X-lam)	ka	0.00/1/	Free (A*, AU, BH,	33 1/3% ^{2/}
410.02.00	00	Oross-laminated timber (OET of X-lam)	ку	3.2%	CL, CO, D, E, IL,	33 1/3%
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
418.83.00	00	I-beams	ka	2 20/ <u>1/</u>	Free (A*, AU, BH,	33 1/3% ^{2/}
110.00.00				3.2 %	CL, CO, D, E, IL,	33 1/3%
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
418.89.00	00	Other	ka	3 2% 1/	Free (A*, AU, BH,	33 1/3% ^{2/}
			3	0.2 /0	CL, CO, D, E, IL,	00 1/0 /0
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Capricading	fix	Attible Description	Quantity	General	Special	
418 (con.)		Builders' joinery and carpentry of wood, including cellular wood panels and assembled flooring panels; shingles and shakes: (con.) Other:				
1418.91 1418.91.10	00	Of bamboo: Drilled or notched lumber studs	m ³	. Free ^{1/}		\$1.70/m ³
418.91.91		Other		3.2% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	33 1/3%
	05	Wood flooring	m ² m ³		P, PA, PE, S, SG)	
		Other:	'''			
	10	Arches, laminated	kg			
	20	Roof trusses	kg			
	40	Other fabricated structural wood members	kg			
	50	Prefabricated partitions and panels for buildings	kg			
	95	Other				
1418.92.00	00	Cellular wood panels	kg	· 3.2% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}
1418.99 1418.99.10	00	Other: Drilled or notched lumber studs	m³	. Free ^{1/}		\$1.70/m ³
1418.99.91		Other		3.2% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	33 1/3% ^{2/}
	05	Wood flooring	m² m³		P, PA, PE, S, SG)	
	10	Other: Arches, laminated	ka			
	20	Roof trusses	_			
	40	Other fabricated structural wood	kg			
	50	Prefabricated partitions and panels for buildings	ka			
	95	Other				

IX

Heading/	Stat.	Article Description	Unit Rates of Duty			2	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2	
419		Tableware and kitchenware, of wood:		Contra	Opera.		
		Of bamboo:					
1419.11.00	00	Bread boards, chopping boards and similar boards	No	3.2%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%	
419.12.00	00	Chopsticks	kg	3.2%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%	
419.19		Other:					
419.19.10	00	Forks and spoons	kg	5.3%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%	
419.19.90	00	Other	kg	3.2%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%	
419.20		Of tropical wood:			·		
419.20.10	00	Forks and spoons	kg	5.3%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%	
419.20.90	00	Other	kg	3.2% ^{3/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}	
1419.90		Other:					
1419.90.11	00	Forks and spoons	kg	5.3%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%	
1419.90.91	00	Other	kg	3.2% ^{3/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}	

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix		Quantity	General	Special	1
420		Wood marquetry and inlaid wood; caskets and cases for jewelry or cutlery and similar articles, of wood; statuettes and other ornaments, of wood; wooden articles of furniture not falling within chapter 94: Statuettes and other ornaments:				
1420.11.00		Of tropical wood		3.2%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}
	10 30	Of mango wood (<i>Mangifera spp.</i>) Of teak (<i>Tectona spp.</i>)			,	
	90	Other				
1420.19.00		Other		3.2%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{4/}
1420.90		Other: Jewelry boxes, silverware chests, cigar and cigarette boxes, microscope cases, tool or utensil cases and similar boxes, cases and chests, all the foregoing of wood:				
1420.90.20	00	Cigar and cigarette boxes	No	Free ^{3/}		60%
420.90.45	00	Other: Not lined with textile fabrics	No	4.3% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}
1420.90.65	00	Lined with textile fabrics	kg No.	Free ^{1/}		11¢/kg + 20% ^{2/}
1420.90.80	00	Other	No	3.2% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
Jubi leading	fix	Attitude Description	Quantity	General	Special	
421		Other articles of wood:				
421.10.00 421.20	00	Clothes hangers Coffins:	hundreds	3.2%	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
421.20.10	00	Of bamboo	No	3.3% ^{1/}	Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}
421.20.20	00	Other	No	3.3% ^{1/}	Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}
421.91		Other: Of bamboo:				
721.51		Wood dowel pins:				
1421.91.10	00	Plain	m	Free ^{1/}		5%
4421.91.20	00	Sanded, grooved or otherwise advanced in				
11.31.20	00	condition	m	4.9% ^{1/}	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
1421.91.30	00	Wood blinds, shutters, screens and shades, all the foregoing with or without their hardware: Consisting of wooden frames in the center of which are fixed louver boards or slats, with or without their hardware	N	10.70/	Free (At All Pil	00.4/00/
					Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
1421.91.40	00	Other	No	5.1% ^{3/}	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	50%
		Toothpicks, skewers, candy sticks, ice cream sticks, tongue depressors, drink mixers and similar small wares:				
4421.91.50	00	Toothpicks	kg	Free		25%
1421.91.60	00	Other	kg	5.1% ^{3/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
1421.91.70		Pickets, palings, posts and rails, the foregoing				
	00	which are sawn; assembled fence sections		Free ^{1/}		Free
	20	Assembled fence sections	No.			
	40	Other	INO.			

6.5¢/gross 4.8% Free Free Free 3.3% 3.3%	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	
4.8% Free Free Free Free Free Free Free	Free (A+, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) Free (A*, AU, B, BH)	35% 35% 33 1/3%
4.8% Free Free Free Free Free Free Free	CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35% 35% 33 1/3%
4.8% Free Free Free Free Free Free Free	CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35% 35% 33 1/3%
4.8% Free Free Free Free Free Free Free	CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35% 35% 33 1/3%
4.8% Free Free Free Free Free Free Free	CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35% 35% 33 1/3%
4.8% Free Free Free Free Free Free Free	CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35% 35% 33 1/3%
Free Free Free Free Free	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35%
Free Free Free Free Free	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35%
Free Free Free Free Free	CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG,	35%
Free Free Free Free Free	CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG,	35%
Free Free Free Free Free	CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG,	35%
Free Free Free Free Free	CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG,	35%
Free Free Free Free Free	CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG,	35%
Free Free Free Free Free	CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG,	35%
Free Free Free Free Free	CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG,	35%
Free ^{1/}	JO, KR, MA, OM, P, PA, PE, S, SG	35% 33 1/3%
Free ^{1/}	P, PA, PE, S, SG	35% 33 1/3%
Free ^{1/}	Free (A*, AU, B, BH	35% 33 1/3%
Free ^{1/}	Free (A*, AU, B, BH	33 1/3%
Free ^{1/}	Free (A*, AU, B, BH	
Free ^{1/}	Free (A*, AU, B, BH	
Free ^{1/}	Free (A*, AU, B, BH	10%2
	Free (A*, AU, B, BH	
····· 3.3% ^{1/}	Free (A*, AU, B, BF	
		¹ , 33 1/3% ²
	CL, CO, D, E, IL, JO, KR, MA, OM,	
	P, PA, PE, S, SG	
	1,174,12,0,00	
	1	
	i	I
		1

			I	X	
4	4	_	4	C	

Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
1421 (con.)		Other articles of wood: (con.)	Quartity	General	Орсски	
, ,		Other: (con.)				
1421.99		Other:				
		Wood dowel pins: Plain:				
1421.99.10	00	Coniferous	m	Eroo <u>1/</u>		5% ^{2/}
4421.99.15		Other	m	Free ^{1/}		5%
1421.99.20	00	Sanded, grooved or otherwise advanced in condition		1/	Free /A . All Dil	20 1/20/
		Wood blinds, shutters, screens and shades, all the		4.9%#	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
1421.99.30	00	foregoing with or without their hardware: Consisting of wooden frames in the center of which are fixed louver boards or slats, with or				
		without their hardware	No	10.7% ^{3/}	Free (A*, AU, BH,	33 1/3%
					CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	
1421.99.40	00	Other	No	5.1%	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	50%
		Toothpicks, skewers, candy sticks, ice cream sticks, tongue depressors, drink mixers and similar small wares:				
1421.99.50	00	Toothpicks	kg	Free		25%
1421.99.60	00	Other	ka	5.1%	Free (A*, AU, BH,	33 1/3% ^{2/}
					CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	30 1/3/6
1421.99.70		Pickets, palings, posts and rails, the foregoing which are sawn; assembled fence sections		– 1/		– 2/
	20	Assembled fence sections		Free"		Free ^{2/}
	40	Other	No.			
1421.99.80		Clothespins:		6 Ed/gross	Free (A+, BH, CL,	20¢/gross
1421.33.00		Spring-type		0.5¢/gross	CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	20¢/gross
	24	Valued not over 80¢/gross	gross			
	27	Valued over 80¢ but not over				
			gross			
	30	Valued over \$1.35 but not over				
			gross			
	33	Valued over \$1.70/gross	gross			
1421.99.85	00	Other	1 ~	4.8%	Free (A+, AU, BH,	35%
					CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	
1421.99.88	00	Canoe paddles	No	Free ^{3/}		35%

4-50 Heading/	Stat.		Unit	1	Rates of Duty	-
Subheading	Suf-	Article Description	of		1	2
1404 ()	fix	Other anti-lease formed (asset)	Quantity	General	Special	
1421 (con.)		Other articles of wood: (con.) Other: (con.)				
1421.99		Other: (con.)				
con.)		Other:				
1421.99.93	00	Theatrical, ballet, and operatic scenery and				
		properties, including sets	kg	Free ^{1/}		33 1/3% ^{2/}
1421.99.94	00	Edge-glued lumber	m³	Free ^{1/}		10% ^{2/}
421.99.98		Other			Free (A*, AU, B, BH,	
				0.070	CL, CO, D, E, IL,	00 1/0/0
					JO, KR, MA, OM, P, PA, PE, S, SG)	
	20	Pencil slats	gross		F, FA, FE, 3, 3G)	
	70	Gates for confining children or pets	_			
	80	Other				
			1.9			
				l		

Endnotes--page 44 - 51

1/ See 9903.88.03. 2/ See 9903.90.08. 3/ See 9903.88.15. 4/ See 9903.90.08