Harmonized Tariff Schedule of the United States Revision 7 (2025)

Annotated for Statistical Reporting Purposes

CHAPTER 74

COPPER AND ARTICLES THEREOF

XV 74-1

Note

1. In this chapter the following expressions have the meanings hereby assigned to them:

(a) Refined copper

Metal containing at least 99.85 percent by weight of copper; or

Metal containing at least 97.5 percent by weight of copper, provided that the content by weight of any other element does not exceed the limit specified in the following table:

TABLE - Other elements

Element		Limiting content percent b weight		
Ag	Silver	0.25		
As	Arsenic	0.5		
Cd	Cadmium	1.3		
Cr	Chromium	1.4		
Mg	Magnesium	0.8		
Pb	Lead	1.5		
S	Sulfur	0.7		
Sn	Tin	0.8		
Te	Tellurium	0.8		
Zn	Zinc	1		
Zr	Zirconium	0.3		
Othe	r elements*, each	0.3		

^{*} Other elements are, for example, Al, Be, Co, Fe, Mn, Ni, Si.

(b) Copper alloys

Metallic substances other than unrefined copper in which copper predominates by weight over each of the other elements, provided that:

- (i) The content by weight of at least one of the other elements is greater than the limit specified in the foregoing table; or
- (ii) The total content by weight of such other elements exceeds 2.5 percent.

(c) Master alloys

Alloys containing with other elements more than 10 percent by weight of copper, not usefully malleable and commonly used as an additive in the manufacture of other alloys or as deoxidants, desulfurizing agents or for similar uses in the metallurgy of nonferrous metals. However, copper phosphide (phosphor copper) containing more than 15 percent by weight of phosphorus falls in heading 2853.

Subheading Note

1. In this chapter the following expressions have the meanings hereby assigned to them:

Harmonized Tariff Schedule of the United States Revision 7 (2025)

Annotated for Statistical Reporting Purposes

XV 74-2

Subheading Note (con.)

(a) Copper-zinc base alloys (brasses)

Alloys of copper and zinc, with or without other elements. When other elements are present:

- zinc predominates by weight over each of such other elements;
- any nickel content by weight is less than 5 percent (see copper-nickel-zinc alloys (nickel silvers)); and
- any tin content by weight is less than 3 percent (see copper-tin alloys (bronzes)).

(b) Copper-tin base alloys (bronzes)

Alloys of copper and tin, with or without other elements. When other elements are present, tin predominates by weight over each of such other elements, except that when the tin content is 3 percent or more the zinc content by weight may exceed that of tin but must be less than 10 percent.

(c) Copper-nickel-zinc base alloys (nickel silvers)

Alloys of copper, nickel and zinc, with or without other elements. The nickel content is 5 percent or more by weight (see copper-zinc alloys (brasses)).

(d) Copper-nickel base alloys

Alloys of copper and nickel, with or without other elements but in any case containing by weight not more than 1 percent of zinc. When other elements are present, nickel predominates by weight over each of such other elements.

Additional U.S. Note

 The deduction provided for in additional U.S. note 1 to chapter 26 shall apply to cement copper and copper precipitates of subheading 7401.20.

Statistical Note

1. For the purposes of this chapter, the term "beryllium copper master alloy" refers to master alloys which contain by weight at least 3 percent but not more than 10 percent beryllium.

	>	(٧
7	4	_	3

	Stat.	A C L D C	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
401.00.00		Copper mattes; cement copper (precipitated copper)		Free	Сроби	6%
		Unrefined copper; copper anodes for electrolytic refining	_			6%
7403		Refined copper and copper alloys, unwrought (other than master alloys of heading 7405): Refined copper:	-			
7403.11.00	00		kg	1% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	6% ^{2/}
'403.12.00	00	Wire bars	kg	1% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	6%
'403.13.00	00	Billets	kg	1% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	6%
'403.19.00	00	Other	kg	1% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	6%
7403.21.00	00	Copper alloys: Copper-zinc base alloys (brass)	kg	1% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	6%
7403.22.00	00	Copper-tin base alloys (bronze)	kg	1% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	6%
7403.29.01		Other copper alloys		1% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	6%
	10	Copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver)	kg			
	80	Other	kg			

	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
Cabricading	fix		Quantity	General	Special	
404.00		Copper waste and scrap: Spent anodes; waste and scrap with a copper content of less than 94 percent by weight		Free ^{1/}		6%
	20	Of refined copper Of copper alloys:		1166		
	45	Of copper-zinc base alloys (brass): Containing more than 0.3 percent of lead	kg			
	55 65	OtherOf copper-tin base alloys (bronze)	kg			
404.00.60	90	Other		Free ^{1/}		6%
	20	Of refined copper Of copper alloys: Of copper-zinc base alloys (brass):				
	45 55	Containing more than 0.3 percent of lead Other	kg			
	65 90	Of copper-tin base alloys (bronze) Other	ŭ			
405.00 405.00.10		Master alloys of copper: Containing by weight 5 percent or more but not more than 15 percent of phosphorus	kg	Free ^{1/}		12%
405.00.60	30	OtherBeryllium copper master alloy				28%
'406	50	Other Copper powders and flakes:	_			
406.10.00		Powders of non-lamellar structure Powders of lamellar structure; flakes				49% 12%
400.20.00	00	1 Owders of famelial structure, flakes	Kg	Free-		12 /0

	X	(V
7	1		-

	Suf-	Article Description	of		1	2
Subheading	fix	Attible Description	Quantity	General	Special	
407 407.10		Copper bars, rods and profiles: Of refined copper:				
407.10.15	00	Profiles: Hollow profiles	le ou	0.2 (1/	Free /A ALL DLL CL	400/
407.10.15	00	Hollow profiles	kg	3%**	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	48%
407.10.30	00	Other	kg	3% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	48%
'407.10.50		Bars and rods		1% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	7%
	10	Having a rectangular cross section	kg		171,12,0,00)	
	50	Other	_			
7407.21		Of copper alloys: Of copper-zinc base alloys (brass): Profiles:	Ng			
7407.21.15	00	Hollow profiles	kg	2.2% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	17%
7407.21.30	00	Other	kg	2.2% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	17%
		Bars and rods:			,	
7407.21.50	00	Low fuming brazing rods	kg	2.2% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	9%
7407.21.70	00	Other: Having a rectangular cross section	kg	1.9% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	9%
7407.21.90	00	Other	kg	2.2% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	9%

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
_	fix	·	Quantity	General	Special	
407 (con.)		Copper bars, rods and profiles: (con.)				
407.29		Of copper alloys: (con.) Other:				
407.23		Profiles:				
407.29.16		Hollow		3% ^{1/}	Free (A, AU, BH, CL,	48%
				0,0	CO, D, E, IL, JO,	
					KR, MA, OM, P,	
	10	Of copper-nickel base alloys (cupro-nickel)			PA, PE, S, SG)	
	10	or copper-nickel-zinc base alloys (nickel				
		silver)	kg			
	80	Other	J			
		Other:	Ng			
407.29.34	00	Of copper-nickel base alloys (cupro-nickel)				
		or copper-nickel-zinc base alloys (nickel				
		silver)	kg	3% ^{1/}	Free (A, AU, BH, CL,	48%
					CO, D, E, IL, JO,	
					KR, MA, OM, P, PA, PE, S, SG)	
407.00.00	00	Othor	l. a.	1/	,	400/
407.29.38	UU	Other	ĸg	3% -	Free (A, AU, BH, CL, CO, D, E, IL, JO,	40%
					KR, MA, OM, P,	
					PA, PE, S, SG)	
407.29.40	00	Bars and rods of copper-nickel base alloys				
		(cupro-nickel) or copper-nickel-zinc base alloys (nickel silver)	ka	00/1/	Free (A, AU, BH, CL,	190/
		(flicker sliver)	ку	3%-	CO, D, E, IL, JO,	40%
					KR, MA, OM, P,	
					PA, PE, S, SG)	
407.29.50	00	Other bars and rods	kg	1 6% ^{1/}	Free (A, AU, BH, CL,	9%
			5	1.070	CO, D, E, IL, JO,	
					KR, MA, OM, P,	
					PA, PE, S, SG)	
				Ī	1	I

	>	C	١
7	4	_	7

Subbeading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Subheading	fix	Attible Description	Quantity	General	Special	
7408		Copper wire:				
		Of refined copper:				
408.11		Of which the maximum cross-sectional dimension				
7408.11.30	00	exceeds 6 mm: With a maximum cross-sectional dimension over				
400.11.00	00	9.5 mm		1% 11	Free (A, AU, BH, CL,	7%
				1 70	CO, D, E, IL, JO,	
					KR, MA, OM, P,	
					PA, PE, S, SG)	
7408.11.60	00	With a maximum cross-sectional dimension over				
		6 mm but not over 9.5 mm	kg	· 3% ^{1/}	Free (A*, AU, BH,	28% ^{<u>2′</u>}
					CL, CO, D, E, IL,	
					JO, KR, MA, OM, P, PA, PE, S, SG)	
408.19.00		Other		3% ^{1/}	Free (A*, AU, BH,	28% ^{2/}
				3 78	CL, CO, D, E, IL,	20 /6
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	30	With a maximum cross-sectional dimension of	l.a.			
		3 mm or less	ū			
	60	Other	kg			
7408.21.00	00	Of copper alloys: Of copper-zinc base alloys (brass)	ka	00/1/	Eroo (A ALL DIL CI	200/
408.21.00	00	Of copper-zinc base alloys (brass)	кд	· 3% <u>**</u>	Free (A, AU, BH, CL, CO, D, E, IL, JO,	28%
					KR, MA, OM, P,	
					PA, PE, S, SG)	
7408.22		Of copper-nickel base alloys (cupro-nickel) or				
400.22		copper-nickel-zinc base alloys (nickel silver):				
7408.22.10	00	Coated or plated with metal	kg	. 3% ^{1/}	Free (A, AU, BH, CL,	28%
		·		0 70	CO, D, E, IL, JO,	
					KR, MA, OM, P,	
					PA, PE, S, SG)	
7408.22.50	00	Not coated or plated with metal	kg	· 3% ^{1/}	Free (A, AU, BH, CL,	28%
					CO, D, E, IL, JO,	
					KR, MA, OM, P,	
7408.29		Other:			PA, PE, S, SG)	
7408.29.10	00	Coated or plated with metal	ka	3%	Free (A*, AU, BH,	28%
		'		0 70	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
7408.29.50	00	Not coated or plated with metal	kg	· 3% ^{1/}	Free (A*, AU, BH,	28%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
			1			
					1	I

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Cubricading	fix	Autoo Docomption	Quantity	General	Special	_
7409 7409.11		Copper plates, sheets and strip, of a thickness exceeding 0.15 mm: Of refined copper: In coils:				
7409.11.10	00	Of a thickness of 5 mm or more	kg	3% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	38%
7409.11.50		Of a thickness of less than 5 mm		1% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	7.5%
	10	Of a width of 500 mm or more	kg		1,171,12,0,00)	
	50	Of a width of less than 500 mm	kg			
7409.19 7409.19.10	00	Other:	l	1/	Francia All Dil Ol	400/
7409.19.10	00	Of a thickness of 5 mm or more	kg	3%"	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	48%
7409.19.50	00	Of a thickness of less than 5 mm: Of a width of 500 mm or more	l	1/	Francia All Dil Ol	7.50/
7409.19.50	00				Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	7.5%
7409.19.90	00	Of a width of less than 500 mm	kg	3% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	48%
		Of copper-zinc base alloys (brass):			,	
7409.21.00		In coils		1.9% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	9% ^{2/}
	10	Of a thickness of 5 mm or more	kg		·	
	50	Of a thickness of less than 5 mm: Of a width of 500 mm or more	kg			
	75	Of a width of less than 500 mm: Of a thickness less than 1.6 mm	J			
7409.29.00	90	OtherOther	3	1.9% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO,	9%
					KR, MA, OM, P,	
	10	Of a thickness of 5 mm or more	ka		PA, PE, S, SG)	
	10	Of a thickness of less than 5 mm:	i vg			
	50	Of a width of 500 mm or more	kg			
		Of a width of less than 500 mm:				
	75	Of a thickness less than 1.6 mm	kg			
	90	Other	kg			

ΧV	
7/ O	

Heading/	Stat. Suf-	Article Description	Unit of	-	Rates of Duty	2
Subheading	fix	Article Description	or Quantity	General	1 Special	
7409 (con.)		Copper plates, sheets and strip, of a thickness exceeding 0.15 mm: (con.) Of copper-tin base alloys (bronze):		Gorioral	Gpoolai	
7409.31 7409.31.10	00	In coils: Of a thickness of 5 mm or more	. kg	· 3% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	49%
'409.31.50	00	Of a thickness of less than 5 mm: Of a width of 500 mm or more	. kg	· 1.7% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	9%
409.31.90	00		. kg	· 3% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	49%
7409.39 7409.39.10		Other: Of a thickness of 5 mm or more		3% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	49%
	30	Of phosphor bronze	Cu kg			
	60	Other Of a thickness of less than 5 mm:	. kg Cu kg			
7409.39.50	00	Of a width of 500 mm or more	. kg	1.7% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	9%
7409.39.90		Of a width of less than 500 mm		3% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	49%
	30	Of phosphor bronze	. kg Cu kg		, , , , , , , , , , , , , , , , , , , ,	
7400 40 00	60	Of capper pickel bace allows (curre pickel) or capper	. kg Cu kg			
7409.40.00	00	Of copper-nickel base alloys (cupro-nickel) or copper- nickel-zinc base alloys (nickel silver)	. kg	· 3% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	48%

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
_	fix	·	Quantity	General	Special	<u> </u>
409 (con.)		Copper plates, sheets and strip, of a thickness exceeding				
409.90		0.15 mm: (con.)				
409.90.10		Of other copper alloys: Of a thickness of 5 mm or more		20/ <u>1/</u>	Free (A, AU, BH, CL,	49%
100.00.10		or a mornioss of a min of more		3%	CO, D, E, IL, JO,	13 /0
					KR, MA, OM, P,	
			1.		PA, PE, S, SG)	
	30	Of beryllium copper	. kg Cu kg			
	60	Other				
		Of a thickness of less than 5 mm:	Cu kg			
409.90.50		Of a width of 500 mm or more		1 7% 1/	Free (A, AU, BH, CL,	9%
				1.770	CO, D, E, IL, JO,	
					KR, MA, OM, P,	
	00	Of heardly are some or			PA, PE, S, SG)	
	30	Of beryllium copper	Cu kg			
	00	Other	_			
	60	Other	. kg Cu kg			
7409.90.90		Of a width of less than 500 mm		3% ^{1/}	Free (A, AU, BH, CL,	49%
		5. 4a 5. 1000 than 500 minimum		3 /0	CO, D, E, IL, JO,	1.575
					KR, MA, OM, P,	
		O(bec. !!!			PA, PE, S, SG)	
	30	Of beryllium copper	. kg Cu kg			
			_			
	60	Other				
			Cu kg			
			1			I

XV	
7/_11	

Subheading	0	Audiele December	Unit		Rates of Duty	
	Suf- fix	Article Description	of Quantity	General	1 Special	2
410		Copper foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0.15 mm: Not backed:	accountry.	Contrai	oposiui -	
410.11.00	00	Of refined copper	kg	1% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, JP, KR, MA, OM, P, PA, PE, S, SG)	6.5%
410.12.00		Of copper alloys		1% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, JP, KR, MA, OM, P, PA, PE, S, SG)	6.5%
	30	Of copper-zinc base alloys (brass)	kg		.,.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	60	Other	kg			
410.21		Backed: Of refined copper:				
7410.21.30		Copper clad laminates		3% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, JP, KR, MA, OM, P, PA, PE, S, SG)	80%
		Having a base wholly of plastics impregnated			, , , ,	
	20	glass: Having copper on one side only	m ²			
			kg			
	40	Having copper on both sides	m ²			
	60	Other	kg m²			
7440 04 00			kg	41		
7410.21.60	00	Other	kg	1.5% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, JP, KR, MA, OM, P, PA, PE, S, SG)	6%
7410.22.00	00	Of copper alloys	kg	1.5% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, JP, KR, MA, OM, P, PA, PE, S, SG)	6% ² /

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
oubilloddillig	fix	7.44.000 2.0001.p4.01.	Quantity	General	Special	_
411		Copper tubes and pipes:				
411.10		Of refined copper:				
411.10.10		Seamless		1.5% ^{1/}	Free (A, AU, BH, CL,	13%
					CO, D, E, IL, JO,	
					KR, MA, OM, P,	
					PA, PE, S, SG)	
	30	Having an outside diameter of 6 mm or more but				
		not exceeding 16 mm, in coils on spools	kg			
	00	-	_			
	90	Other		47	- /A ALL DILL OL	470/
411.10.50	00	Other	kg	3% "	Free (A, AU, BH, CL,	4/%
					CO, D, E, IL, JO,	
					KR, MA, OM, P,	
					PA, PE, S, SG)	
		Of copper alloys:				
411.21		Of copper-zinc base alloys (brass):				
411.21.10	00	Seamless	kg	1.4% ^{1/}	Free (A, AU, BH, CL,	10%
			_		CO, D, E, IL, JO,	
					KR, MA, OM, P,	
					PA, PE, S, SG)	
,,,,,	00	Other	1	1/		400/
411.21.50	UU	Other	кg	3% <u>"</u>	Free (A, AU, BH, CL,	49%
					CO, D, E, IL, JO,	
					KR, MA, OM, P,	
					PA, PE, S, SG)	
411.22.00	00	Of copper-nickel base alloys (cupro-nickel) or		1		
		copper-nickel-zinc base alloys (nickel-silver)	kg	3% ^{1/}	Free (A, AU, BH, CL,	47%
					CO, D, E, IL, JO,	
					KR, MA, OM, P,	
					PA, PE, S, SG)	
411.29		Other:				
411.29.10	00	Seamless	ka	1 40/1/	Free (A*, AU, BH,	10%
411.23.10	00	Seamess	ĸg	1.4%	CL, CO, D, E, IL,	10 76
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
411.29.50	00	Other	kg	3% ^{1/}	Free (A*, AU, BH,	49%
			3	0 70	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
					1 , , , , , , , , , , , , , , ,	

	Χ	٧
74	-1	3

	Stat.	Article Description	Unit		Rates of Duty	
ubheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
412		Copper tube or pipe fittings (for example couplings, elbows,		2 2 2 2 2	-, - · ·	
		sleeves):				
112.10.00	00	Of refined copper	kg	3% ^{1/}	Free (A, AU, B, BH,	46%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM, P, PA, PE, S, SG)	
					•	
412.20.00		Of copper alloys		3% ^{1/}	Free (A*, AU, B, BH,	49%
					CL, CO, D, E, IL, JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	15	For brake hoses for vehicles of subheading 8701.21,			.,.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
		8701.22, 8701.23, 8701.24 or 8701.29 or headings				
		8702, 8703, 8704, or 8705	kg			
		Other:				
		Of copper-zinc base alloys (brass):				
		Threaded:				
	25	Nipples	kg			
	35	Other	kg			
	45	Other	kg			
		Other: Threaded:				
	65	Nipples	ka			
		• •	Ŭ			
	85 90	Other				
	90	Other	кд			
'413.00		Stranded wire, cables, plaited bands and the like, including				
		slings and similar articles, of copper, not electrically insulated: Not fitted with fittings and not made up into articles:				
413.00.10	00	Stranded wire	kg	20/1/	Free (A*, AU, BH,	35%
110.00.10	00	Citaridod Wilcommunication	Kg	3%	CL, CO, D, E, IL,	00 70
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
413.00.50	00	Other	kg	2% ^{1/}	Free (A*, AU, BH,	35%
				270	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
	00			47	P, PA, PE, S, SG)	450/
'413.00.90	00	Fitted with fittings or made up into articles	кд	3% <u>"</u>	Free (A*, AU, B, BH, C, CL, CO, D, E, IL,	45%
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
					, , , , , , , , , , , , ,	
					1	1
l						

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix	·	Quantity	General	Special	
415 10 00		Nails, tacks, drawing pins, staples (other than those of heading 8305) and similar articles, of copper or of iron or steel with heads of copper; screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of copper:				
'415.10.00	00	Nails and tacks, drawing pins, staples and similar articles	kg	2.5% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
415.21.00	00	Other articles, not threaded: Washers (including spring washers)	kg	3% ^{1/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
7415.29.00	00	Other Other threaded articles:	kg	3% ^{1/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
7415.33		Screws, bolts and nuts:				
7415.33.05	00	Screws for wood			Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
7415.33.10	00	Muntz or yellow metal bolts	kg	1.4% ^{1/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	7%
7415.33.80		Other screws and bolts; nuts		3% ^{1/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	10	Having shanks, threads or holes 6 mm or more in diameter			,	
7415.39.00	50 00	Having shanks, threads or holes less than 6 mm in diameter Other	kg kg	3% ^{1/}	Free (A, AU, B, BH,	45%
			J		CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	

	,	X	٧
74	_	1	E

Heading/	Stat. Suf-	Auticle Description	Unit		Rates of Duty	2
Subheading	fix	Article Description	of Quantity	General	1 Special	2
7 418		Table, kitchen or other household articles and parts thereof, of copper; pot scourers and scouring or polishing pads, gloves and the like, of copper; sanitary ware and parts thereof, of copper:			7,	
7418.10.00		Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like		3% ^{3/}	Free (A*, AU, BH, CL, CO, D, E, IL,	40%
		Pot scourers and scouring or polishing pads, gloves and the like:			JO, KR, MA, OM, P, PA, PE, S, SG)	
	02	Of copper-zinc base alloys (brass)	kg			
	04	Other	kg			
	19	Other: Coated or plated with precious metals Other:	kg			
	21	Of copper-zinc base alloys (brass): Cooking or heating apparatus of a kind used for domestic purposes, non- electric and parts thereof				
	23	Cooking and kitchen ware	_			
	25	Other				
	51	Other: Cooking or heating apparatus of a kind used for domestic purposes, non- electric and parts thereof				
	53	Cooking and kitchen ware	_			
	55	Other	kg			
7418.20 7418.20.10	00	Sanitary ware and parts thereof: Of copper-zinc base alloys (brass)	kg	3% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
7418.20.50	00	Other	kg	3% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix	,	Quantity	General	Special	
7419 7419.20.00		Other articles of copper: Cast, molded, stamped or forged, but not further worked		Free ^{1/}		46%
	10	Brass plumbing goods, not elsewhere specified or included				
7419.80	50	Other: Other: Cloth (including endless bands), grill and netting, of copper wire; expanded metal of copper: Cloth:	kg			
419.80.03	00	Fourdrinier wires, seamed or not seamed, suitable for use in papermaking machines, with 94 or more wires to the lineal centimeter	m ²	. Free ^{1/}		75%
7440 00 00		Other	kg	1/	Francia (A. Alli Dill Ol	400/
7419.80.06		Other		3%"	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	43%
	60	Fourdrinier wires, seamed or not seamed, suitable for use in papermaking machines, with fewer than 94 or more wires to the lineal centimeter	m ²			
			kg			
	80	Other	m² kg			
419.80.09	00	Other	kg	3% ^{1/}	Free (A, AU, B, BH,	43%
7419.80.15	00	Containers of a kind normally carried on the person,			CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	
+13.50.15	00	in the pocket or in the handbag	doz	· 3% ^{1/}	Free (AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	110%
7419.80.16	00	Copper springs	kg	· 3% ^{1/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
7419.80.17	00	Chain and parts thereof	kg	. 3% ^{1/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
		Other:				
7419.80.30	00	Coated or plated with precious metal	kg	· 3% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	65%
7419.80.50	10	OtherBrass plumbing goods not elsewhere specified or included		Free ^{1/}		46%
	50	Other	kg			

XV Endnotes--page 74 - 17

1/ See 9903.88.03. 2/ See 9903.90.09. 3/ See 9903.88.15.