

---

---

# Week 2 - Linked Lists

— Brenden West - 2023 —

---

---

# Contents

## *Learning Outcomes*

- Linked Lists

## *Reading & Videos*

- LaFore - Ch. 5
- <https://www.geeksforgeeks.org/data-structures/linked-list/> (review)


# Linked List

Linked Lists are a common alternative to arrays for structuring a data collection and are independent of any specific programming language.

Each item in a linked list is an object with data and a **pointer** to the next item in the list. Lists are **traversed** by following these pointers from the **head** item.

Linked lists have some key differences from arrays:

- Items are not stored in contiguous memory locations
- The list can be defined without knowing the list size
- List items do not have an **index position** and can only be accessed by traversing the list
- List items can be added or removed more easily




# Linked Lists - construction

To build a linked list, we


- Define a Node object
- Create a Node for each item,
- Set the item (or data) field to the desired value
- Set the **next** field to the next node in the list

```
public class Main {  
    private static class Node {  
        private String item;  
        private Node next;  
    }  
  
    public static void main(String[]  
args) {  
  
        // list operations  
    }  
}
```


```
Node first = new Node();  
first.item = "to";
```



```
Node second = new Node();  
second.item = "be";  
first.next = second;
```



```
Node third = new Node();  
third.item = "or";  
second.next = third;
```



# Linked List - traversing

Linked lists are traversed from the head node until reaching the desired node or the end of the list.

Traversing can use a **loop** or a **recursive** method.

```
Node first = new Node();  
first.item = "to";  
  
Node second = new Node();  
second.item = "be";  
first.next = second;  
  
Node current = first;  
while (current != null) {  
  
    System.out.println(current.item);  
    current = current.next;  
}
```

# Linked List - inserting items

Inserting a list item involves creating a new item and setting values for this and related list items.

The process differs slightly for these scenarios:

- Insert at start
- Insert at end
- Insert in the middle

```
Node newItem = new Node();

// insert item at start
newItem.next = first;
first = newItem;

// insert item at end
Node current = first;
while (current != null) {
    current = current.next;
}
current.next = newItem
```

# Linked List - inserting items

Inserting a list item involves creating a new item and setting values for this and related list items.

The process differs slightly for these scenarios:

- Insert at start
- Insert at end
- Insert in the middle

```
Node newItem = new Node();

// insert after target node
String target = "target value";
Node current = first;
while (current != null) {
    if (current.item == target) {
        Node oldNext = current.next;
        current.next = newItem;
        newItem.next = oldNext;
        break;
    }
    current = current.next;
}
```