

Implement Client Script & UI Policy (Incident)

Milestone 1: Create UI Policy on Incident

Description

Create a UI Policy on the Incident table to dynamically control the behavior of form fields based on specific conditions. Configure the UI Policy to make selected fields mandatory, read-only, or visible when the defined condition is met. This helps ensure that users provide the required information and follow consistent data-entry practices while creating or updating Incident records.

Activity 1: Create UI Policy

Description

1. Log in to the **ServiceNow instance** with administrative or configuration access.
2. Navigate to:
System UI → UI Policies
3. Click **New** to create a new UI Policy record.
4. Fill in the following details:
 - **Name:** High Impact Control
This name clearly represents the purpose of the policy, which is to apply additional controls when an Incident has a high impact.
 - **Table:** Incident
Specifies that the UI Policy applies to Incident records.
 - **Active:** true
Enables the UI Policy so it is enforced on the Incident form.

5. Configure the **Conditions** section as follows:

- **Field:** Impact
- **Operator:** is
- **Value:** 1 – High

6. This condition ensures the UI Policy is triggered only when the Incident impact is set to High.

7. And Ui policy action Assignment group

8. Check mandatory

9. Set **Reverse if false** to **true**.

This ensures that when the condition is not met, any field changes applied by the policy are automatically reverted.

10. Review the configuration to ensure accuracy.

11. Click **Submit** to save the UI Policy.

Short description	Table	Conditions	Reverse if false	On load	Updated	Order
(empty)	Email Filter [sys_email_filter]		true	true	2026-06-13 02:36:26	100
(empty)	Service commitment [service_commitment]	type=maintenance_window^EQ	true	true	2010-04-30 10:37:35	100
(empty)	Dictionary Entry [sys_dictionary]	dynamic_creation=true^EQ	true	true	2008-10-03 13:02:45	100
(empty)	Service commitment [service_commitment]	type=availability^EQ	true	true	2010-02-18 17:26:05	100
Max entries only available for multi entry parameters	UI parameter [sys_sg_ui_parameter]	multi_entry=false^EQ	true	true	2019-07-16 10:57:04	110
Set value for reference and make it readonly for requested_for type			true	true	2024-09-16 00:52:17	150
UI policy to hide the dependent route table	UX App linked routes [sys_ux_dependent_route]		true	true	2025-03-11 02:58:21	100
"Script type" field is visible only when "Supports stand request" is true	PAR Metadata [par_metadata]	supports_standard_request=true	true	true	2024-08-27 05:39:02	100

servicenow

AllFavoritesHistoryAdmin

UI Policy - High Impact Control

Search

UpdateDelete

UI PolicyHigh Impact Control

UpdateDelete

UI policies change fields on a form based on a set of conditions. Use UI policies to show or hide fields, or to make fields mandatory or read-only based on these conditions. A UI policy specifies one or more actions to take when the policy is triggered. First, create the policy. Then add as many actions as necessary. UI policy actions are applied only if all of the following conditions are met:

- The UI Policy is **Active**
- The items in the **Conditions** field evaluate to true
- The field specified in the UI policy action is present on the specified form

[More info](#)

TableIncident [incident]

ApplicationGlobal

Active☒

* Short description

High Impact Control

When to Apply

Conditions

Add Filter ConditionAdd OR Clause

Impactis1 - HighANDOR

UpdateDelete

Related Links

servicenow

AllFavoritesHistoryAdmin

UI Policy Action - New Record

Search

Submit

UI Policy ActionNew record

Submit

UI policy actions specify exactly what actions to take on a specified field. The conditions specified in the UI policy determine when these actions are triggered. [More Info](#)

UI policyHigh Impact Control

ApplicationGlobal

TableIncident [incident]

MandatoryTrue

* Field nameAssignment group

VisibleLeave alone

Read onlyFalse

Clear the field value☐

Submit