



# OpenAPI definition v0 OAS3

/v3/api-docs

## Servers

http://localhost:8080 - Generated server url

## pedido-controller

PUT

/api/pedidos/{id}/rejeitar

### Parameters

Try it out

Name	Description
------	-------------

**id** \* required

integer(\$int64)  
(path)

id

### Responses

Code	Description	Links
200	OK	No links

PUT

/api/pedidos/{id}/aprovar

### Parameters

Try it out

Name	Description
<b>id</b> * required integer(\$int64) (path)	<div>id</div>

Responses

Code	Description	Links
200	OK	No links

GET /api/pedidos

^

Parameters

Try it out

No parameters

Responses		
-----------	--	--

Code	Description	Links
200	OK	No links
<div>Media type</div> <div><input type="text" value="*/"/></div> <div>Controls Accept header.</div> <div>Example Value   Schema</div> <div><pre>[   {     "id": 0,     "move1": {       "id": 0,       "nome": "string",       "materiais": {         "additionalProp1": 0,         "additionalProp2": 0,         "additionalProp3": 0       }     },     "quantidade": 0,     "status": "PENDENTE"   } ]</pre></div>		

POST

/api/pedidos



## Parameters

Try it out

No parameters

Request body required

application/json



Example Value | Schema

```
{
  "moveId": 0,
  "quantidade": 0
}
```

## Responses

Code	Description	Links
200	OK	No links

Media type

\*/\*



Controls Accept header.

Example Value | Schema

```
{
  "id": 0,
  "move": {
    "id": 0,
    "nome": "string",
    "materiais": {
      "additionalProp1": 0,
      "additionalProp2": 0,
      "additionalProp3": 0
    }
  },
  "quantidade": 0,
  "status": "PENDENTE"
}
```

GET

/api/pedidos/{id}



## Parameters

Try it out

Name	Description
------	-------------

id \* required

integer(\$int64)

id

Name	Description
(path)	

Responses

Code	Description	Links
200	OK	No links

Media type

\*/\*

Controls Accept header.

Example Value | Schema

```
{
  "id": 0,
  "movel": {
    "id": 0,
    "nome": "string",
    "materials": {
      "additionalProp1": 0,
      "additionalProp2": 0,
      "additionalProp3": 0
    }
  },
  "quantidade": 0,
  "status": "PENDENTE"
}
```

movel-controller

GET	/api/moveis/{id}	
Parameters		Try it out
Name	Description	
id * required integer(\$int64) (path)	id	

Responses

Code	Description	Links
200	OK	No links
<div>Media type</div> <div><div>*/*</div><div>▼</div></div> <div>Controls Accept header.</div> <div>Example Value   Schema</div> <div><pre>{   "id": 0,   "nome": "string",   "materiais": {     "additionalProp1": 0,     "additionalProp2": 0,     "additionalProp3": 0   } }</pre></div>		

PUT /api/moveis/{id} ^

Parameters Try it out

Name	Description
id * required	
integer(\$int64)	id
(path)	

Request body required application/json ▼

Example Value | Schema

```
{
  "nome": "string",
  "materiais": {
    "additionalProp1": 0,
    "additionalProp2": 0,
    "additionalProp3": 0
  }
}
```

Responses

Code	Description	Links
200	OK	No links

Code	Description	Links
	<div>Media type</div> <div><div>*/*</div><div>▼</div></div> <div>Controls Accept header.</div> <div>Example Value   Schema</div> <div><pre>{   "id": 0,   "nome": "string",   "materialais": {     "additionalProp1": 0,     "additionalProp2": 0,     "additionalProp3": 0   } }</pre></div>	

DELETE

/api/moveis/{id}

⌵

Parameters

Try it out

Name	Description
<div><div>id * required</div><div>integer(\$int64)</div><div>(path)</div></div>	<div>id</div>

Responses

Code	Description	Links
200	OK	No links

GET

/api/moveis

⌵

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value   Schema<div><pre>[   {     "id": 0,     "nome": "string",     "materials": {       "additionalProp1": 0,       "additionalProp2": 0,       "additionalProp3": 0     }   } ]</pre></div></div>	No links

POST

/api/moveis

^

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "nome": "string",
  "materials": {
    "additionalProp1": 0,
    "additionalProp2": 0,
    "additionalProp3": 0
  }
}
```

Responses		
Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div>	No links

Code

Description

Links

Example Value | Schema

```
{
  "id": 0,
  "nome": "string",
  "materiais": {
    "additionalProp1": 0,
    "additionalProp2": 0,
    "additionalProp3": 0
  }
}
```

material-controller

^

GET

/api/materiais/{id}

^

Parameters

Try it out

Name	Description
<b>id</b> * required integer(\$int64) (path)	<div>id</div>

Responses

Code	Description	Links
200	OK	No links

Media type

\*/\*

^

Controls Accept header.

Example Value | Schema

```
{
  "id": 0,
  "nome": "string",
  "quantidade": 0
}
```

PUT

/api/materiais/{id}

^

Parameters

Try it out



Name	Description
<b>id</b> * required	
integer(\$int64)	<input type="text" value="id"/>
(path)	

Request body required

application/json

Example Value | Schema

```
{  "nome": "string",  "quantidade": 0}
```

Responses

Code	Description	Links
200	OK	No links

Media type

Controls Accept header.

Example Value | Schema

```
{  "id": 0,  "nome": "string",  "quantidade": 0}
```

DELETE /api/materiais/{id}

Parameters

Try it out

Name	Description
<b>id</b> * required	
integer(\$int64)	<input type="text" value="id"/>
(path)	

Responses

Code	Description	Links
200	OK	No links

GET /api/materiais

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK	No links

Media type

\*/\*

Controls Accept header.

Example Value | Schema

```
[
  {
    "id": 0,
    "nome": "string",
    "quantidade": 0
  }
]
```

POST /api/materiais

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "nome": "string",
  "quantidade": 0
}
```

Responses

Code	Description	Links
200	OK	No links
<div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value   Schema<div><pre>{  "id": 0,  "nome": "string",  "quantidade": 0}</pre></div></div>		

auth-controller

POST

/api/auth/signup

^

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{  "username": "string",  "password": "string",  "role": "string"}
```

Responses

Code	Description	Links
200	OK	No links
<div>Media type<div>*/*</div></div>		

Code	Description	Links
	Controls Accept header.	
	Example Value   Schema	
	<pre>{}</pre>	

POST

/api/auth/login

^

Parameters

Try it out

No parameters

Request body required

application/json

▼

Example Value | Schema

```
{  
  "username": "string",  
  "password": "string"  
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

\*/\*

▼

Controls Accept header.

Example Value | Schema

```
{}
```

Schemas

^

MoveIDTO ▾ {

nome

materiais

string

▾ {

< \* >:

integer(\$int32)

}

}

Movel ▾ {

id

nome

materiais

integer(\$int64)

string

▾ {

< \* >:

integer(\$int32)

}

}

MaterialDTO ▾ {

nome

quantidade

string

integer(\$int32)

}

Material ▾ {

id

nome

quantidade

integer(\$int64)

string

integer(\$int32)

}

PedidoDTO ▾ {

movelId

quantidade

integer(\$int64)

integer(\$int32)

}

Pedido ▾ {

id

movel

integer(\$int64)

Movel ▾ {

id

nome

materiais

integer(\$int64)

string

▾ {

< \* >:

integer(\$int32)

}

}

quantidade

status

integer(\$int32)

string

Enum:

> Array [ 3 ]

}

## SignupRequest ▾ {

```
  username      string
  password      string
  role          string
}
```

## AuthRequest ▾ {

```
  username      string
  password      string
}
```