



OpenAPI definition v0 OAS3

/v3/api-docs

Servers

http://localhost:8080 - Generated server url

pedido-controller

PUT

/api/pedidos/{id}/rejeitar

Parameters

Try it out

Name	Description
------	-------------

id * required

integer(\$int64)
(path)

id

Responses

Code	Description	Links
200	OK	No links

PUT

/api/pedidos/{id}/aprovar

Parameters

Try it out

Name	Description
id * required integer(\$int64) (path)	<div>id</div>

Responses

Code	Description	Links
200	OK	No links

GET /api/pedidos

Parameters

Try it out

No parameters

Responses		
-----------	--	--

Code	Description	Links
200	OK	No links
<div>Media type</div> <div><input type="text" value="*/"/></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>[{ "id": 0, "move1": { "id": 0, "nome": "string", "materiais": { "additionalProp1": 0, "additionalProp2": 0, "additionalProp3": 0 } }, "quantidade": 0, "status": "PENDENTE" }]</pre></div>		

POST

/api/pedidos



Parameters

Try it out

No parameters

Request body required

application/json



Example Value | Schema

```
{
  "moveId": 0,
  "quantidade": 0
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/



Controls Accept header.

Example Value | Schema

```
{
  "id": 0,
  "move": {
    "id": 0,
    "nome": "string",
    "materiais": {
      "additionalProp1": 0,
      "additionalProp2": 0,
      "additionalProp3": 0
    }
  },
  "quantidade": 0,
  "status": "PENDENTE"
}
```

GET

/api/pedidos/{id}



Parameters

Try it out

Name	Description
------	-------------

id * required

integer(\$int64)

id

Name	Description
(path)	

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id": 0,
  "movel": {
    "id": 0,
    "nome": "string",
    "materials": {
      "additionalProp1": 0,
      "additionalProp2": 0,
      "additionalProp3": 0
    }
  },
  "quantidade": 0,
  "status": "PENDENTE"
}
```

movel-controller

GET	/api/moveis/{id}	
Parameters		Try it out
Name	Description	
id * required integer(\$int64) (path)	id	

Responses

Code	Description	Links
200	OK	No links
<div>Media type</div> <div><div>*/*</div><div>▼</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "id": 0, "nome": "string", "materiais": { "additionalProp1": 0, "additionalProp2": 0, "additionalProp3": 0 } }</pre></div>		

PUT

/api/moveis/{id}

Parameters

Try it out

Name	Description
<div><div>id * required</div><div>integer(\$int64)</div><div>(path)</div></div>	<div>id</div>

Request body required

application/json

Example Value

Schema

```
{  "nome": "string",  "materiais": {    "additionalProp1": 0,    "additionalProp2": 0,    "additionalProp3": 0  } }
```

Responses

Code	Description	Links
200	OK	No links

Code	Description	Links
	<div>Media type</div> <div><div>*/*</div><div>▼</div></div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "id": 0, "nome": "string", "materialais": { "additionalProp1": 0, "additionalProp2": 0, "additionalProp3": 0 } }</pre></div>	

DELETE

/api/moveis/{id}

⌵

Parameters

Try it out

Name	Description
<div><div>id * required</div><div>integer(\$int64)</div><div>(path)</div></div>	<div>id</div>

Responses

Code	Description	Links
200	OK	No links

GET

/api/moveis

⌵

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema<div><pre>[{ "id": 0, "nome": "string", "materials": { "additionalProp1": 0, "additionalProp2": 0, "additionalProp3": 0 } }]</pre></div></div>	No links

POST

/api/moveis

⌵

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "nome": "string",
  "materials": {
    "additionalProp1": 0,
    "additionalProp2": 0,
    "additionalProp3": 0
  }
}
```

Responses		
Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div>	No links

Code

Description

Links

Example Value | Schema

```
{
  "id": 0,
  "nome": "string",
  "materiais": {
    "additionalProp1": 0,
    "additionalProp2": 0,
    "additionalProp3": 0
  }
}
```

material-controller

^

GET

/api/materiais/{id}

^

Parameters

Try it out

Name	Description
id * required integer(\$int64) (path)	<div>id</div>

Responses

Code	Description	Links
200	OK	No links

Media type

/

^

Controls Accept header.

Example Value | Schema

```
{
  "id": 0,
  "nome": "string",
  "quantidade": 0
}
```

PUT

/api/materiais/{id}

^

Parameters

Try it out

Name	Description
id * required	
integer(\$int64)	<input type="text" value="id"/>
(path)	

Request body required

application/json

Example Value | Schema

```
{  "nome": "string",  "quantidade": 0}
```

Responses

Code	Description	Links
200	OK	No links
Media type <div><div>*/*</div></div> Controls Accept header.		
Example Value Schema		
<pre>{ "id": 0, "nome": "string", "quantidade": 0}</pre>		

DELETE /api/materiais/{id}

Parameters

Try it out

Name	Description
id * required	
integer(\$int64)	<input type="text" value="id"/>
(path)	

Responses

Code	Description	Links
200	OK	No links

GET /api/materiais ^

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

[
 {
 "id": 0,
 "nome": "string",
 "quantidade": 0
 }
]

POST /api/materiais ^

Parameters Try it out

No parameters

Request body required application/json

Example Value | Schema

{
 "nome": "string",
 "quantidade": 0
}

Responses

Code	Description	Links
200	OK	No links
<div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value Schema<div><pre>{ "id": 0, "nome": "string", "quantidade": 0}</pre></div></div>		

auth-controller

POST

/api/auth/signup

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{  "username": "string",  "password": "string",  "role": "string"}
```

Responses

Code	Description	Links
200	OK	No links
<div>Media type<div>*/*</div></div>		

Code	Description	Links
	Controls Accept header.	
	Example Value Schema	
	<pre>{}</pre>	

POST

/api/auth/login

^

Parameters

Try it out

No parameters

Request body required

application/json

▼

Example Value | Schema

```
{  
  "username": "string",  
  "password": "string"  
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

▼

Controls Accept header.

Example Value | Schema

```
{}
```

Schemas

^

MoveIDTO ▾ {

nome
materiais

string

▾ {
 < * >:
}

integer(\$int32)

}

Move ▾ {

id
nome
materiais

integer(\$int64)

string

▾ {
 < * >:
}

integer(\$int32)

}

MaterialDTO ▾ {

nome
quantidade

string

integer(\$int32)

}

Material ▾ {

id
nome
quantidade

integer(\$int64)

string

integer(\$int32)

}

PedidoDTO ▾ {

moveId
quantidade

integer(\$int64)

integer(\$int32)

}

Pedido ▾ {

id
move

integer(\$int64)

Move ▾ {

id
nome
materiais

integer(\$int64)

string

▾ {
 < * >:
}

integer(\$int32)

}

quantidade
status

integer(\$int32)

string

Enum:

> Array [3]

}

SignupRequest ▾ {

```
  username      string
  password      string
  role          string
}
```

AuthRequest ▾ {

```
  username      string
  password      string
}
```