

# Group\_9\_Analysis

Brent Strong, Enyu Li, Haotian Wang, Honjin Ren, Mu He

3/7/2022

#Setup and Data Import

Rows: 1,145

Columns: 8

```
$ country_of_origin <chr> "Myanmar", "Uganda", "Ethiopia", "Mexico", "Burun~  
$ aroma <dbl> 7.25, 8.33, 8.42, 7.17, 7.75, 7.92, 7.92, 7.83, 7~  
$ flavor <dbl> 7.42, 7.92, 8.00, 7.08, 7.67, 7.75, 7.83, 7.67, 6~  
$ acidity <dbl> 7.50, 7.92, 8.00, 7.25, 7.50, 7.75, 7.67, 7.58, 7~  
$ category_two_defects <dbl> 4, 1, 7, 3, 5, 0, 1, 2, 2, 1, 0, 8, 0, 2, 0, 0, 2~  
$ altitude_mean_meters <dbl> 1219.20, 1600.00, 1700.00, 1300.00, 1880.00, 1400~  
$ harvested <dbl> 2015, 2013, 2014, 2012, 2012, 2014, NA, 2015, 201~  
$ Qualityclass <chr> "Poor", "Good", "Good", "Poor", "Good", "Good", "~
```

[1] 0.5135371

#Exploratory Data Analysis

Table 1: Summary statistics of continuous variables in the data set.

Variable	Mean	SD	Min.	1st Q.	Median	3rd Q.	Max.
aroma	7.57	0.39	0	7.42	7.58	7.75	8.75
flavor	7.52	0.40	0	7.33	7.58	7.75	8.67
acidity	7.54	0.39	0	7.33	7.50	7.75	8.58
category_two_defects	3.67	5.41	0	0.00	2.00	5.00	55.00
altitude_mean_meters	1850.69	9392.09	1	1100.00	1310.64	1600.00	190164.00
harvested	2013.67	1.81	2010	2012.00	2014.00	2015.00	2018.00

Table 2: Summary statistics of the sepal length by species of irises

country_of_origin	number_of_batch	Proportion_of_good_quality
Brazil	116	0.47
Burundi	2	0.50
China	14	0.64
Colombia	158	0.80
Costa Rica	41	0.56
Cote d'Ivoire	1	0.00
Ecuador	3	0.33
El Salvador	20	0.70
Ethiopia	38	0.92
Guatemala	152	0.50
Haiti	5	0.20
Hawaii	62	0.55
Honduras	48	0.25
India	10	0.50
Indonesia	16	0.56
Japan	1	1.00
Kenya	24	0.92
Laos	2	0.00
Malawi	11	0.09
Mauritius	1	0.00
Mexico	203	0.27
Myanmar	6	0.00
Nicaragua	23	0.22
Panama	4	0.75
Peru	9	0.56
Philippines	5	0.40
Puerto Rico	3	0.33
Taiwan	62	0.42
Tanzania	32	0.50
Thailand	23	0.70
Uganda	32	0.78
United States	9	0.67
Vietnam	8	0.50
Zambia	1	0.00




Figure 1: Boxplots of good quality rate for each country.

\begin{table}[H]

\caption{ Origins with 20% good quality rate before and after}

country_of_origin	good_quality_porportion	number_of_batch
Cote d'Ivoire	0.00	1
Laos	0.00	2
Mauritius	0.00	1
Myanmar	0.00	6
Zambia	0.00	1
Malawi	0.09	11
Haiti	0.20	5
El Salvador	0.70	20
Thailand	0.70	23
Panama	0.75	4
Uganda	0.78	32
Colombia	0.80	158
Ethiopia	0.92	38
Kenya	0.92	24
Japan	1.00	1

\end{table}

Table 3: Summary statistics of the sepal length by species of irises

Variable	Qualityclass	n	Mean	SD	Min	Median	Max	IQR
aroma	Good	588	7.76	0.23	7.08	7.75	8.75	0.08
aroma	Poor	557	7.37	0.41	0.00	7.42	8.25	0.16
flavor	Good	588	7.74	0.23	7.00	7.67	8.67	0.16
flavor	Poor	557	7.29	0.42	0.00	7.33	8.08	0.17
acidity	Good	588	7.72	0.25	6.75	7.67	8.58	0.16
acidity	Poor	557	7.34	0.40	0.00	7.33	8.33	0.17
category_two_defects	Good	588	2.87	3.82	0.00	2.00	40.00	2.00
category_two_defects	Poor	557	4.52	6.60	0.00	2.00	55.00	4.00
altitude_mean_meters	Good	588	1431.04	629.05	1.00	1450.00	11000.00	255.16
altitude_mean_meters	Poor	557	2281.15	13346.02	1.00	1250.00	190164.00	200.00
harvested	Good	588	2013.74	1.90	2010.00	2014.00	2018.00	1.00
harvested	Poor	557	2013.59	1.71	2010.00	2013.00	2018.00	2.00




Figure 2: Boxplots of countinuous features on different quality class.




Figure 3: Histogram and boxplot for aroma.




Figure 4: Histogram and boxplot for flavor.




Figure 5: Histogram and boxplot for acidity.

```
# A tibble: 1 x 8
  country_of_origin aroma flavor acidity category_two_defects altitude_mean_met~
  <chr>          <dbl> <dbl> <dbl>          <dbl>          <dbl>
1 Honduras            0      0      0              2            1400
# ... with 2 more variables: harvested <dbl>, Qualityclass <chr>
```




Figure 6: Histogram and boxplot for category two defects.

```

Rows: 1,145
Columns: 9
$ country_of_origin <chr> "Myanmar", "Uganda", "Ethiopia", "Mexico", "Burun~
$ aroma <dbl> 7.25, 8.33, 8.42, 7.17, 7.75, 7.92, 7.92, 7.83, 7~
$ flavor <dbl> 7.42, 7.92, 8.00, 7.08, 7.67, 7.75, 7.83, 7.67, 6~
$ acidity <dbl> 7.50, 7.92, 8.00, 7.25, 7.50, 7.75, 7.67, 7.58, 7~
$ category_two_defects <dbl> 4, 1, 7, 3, 5, 0, 1, 2, 2, 1, 0, 8, 0, 2, 0, 0, 2~
$ altitude_mean_meters <dbl> 1219.20, 1600.00, 1700.00, 1300.00, 1880.00, 1400~
$ harvested <dbl> 2015, 2013, 2014, 2012, 2012, 2014, NA, 2015, 201~
$ Qualityclass <chr> "Poor", "Good", "Good", "Poor", "Good", "Good", "~
$ defects_log <dbl> 1.6094379, 0.6931472, 2.0794415, 1.3862944, 1.791~

```




Figure 7: Histogram and boxplot for category two defects after log transformation.




Figure 8: Histogram for category two defects and its log transformation.




Figure 9: Histogram and boxplot for altitude.




Figure 10: Histogram and boxplot for altitude after removing implausible observations.




Figure 11: Histogram for altitude befor and after removing implausuble observations.




Figure 12: Histogram and boxplot for harvested.

Table 4: Summary statistics of the sepal length by species of irises

Variable	Qualityclass	n	Mean	SD	Min	Median	Max	IQR
aroma	Good	477	7.76	0.23	7.17	7.75	8.75	0.08
aroma	Poor	463	7.38	0.43	0.00	7.42	8.25	0.16
flavor	Good	477	7.74	0.22	7.25	7.67	8.67	0.16
flavor	Poor	463	7.30	0.43	0.00	7.33	8.08	0.17
acidity	Good	477	7.72	0.24	7.08	7.67	8.58	0.16
acidity	Poor	463	7.33	0.43	0.00	7.33	8.33	0.17
category_two_defects	Good	477	2.83	3.84	0.00	2.00	40.00	2.00
category_two_defects	Poor	463	4.43	6.43	0.00	2.00	47.00	4.00
altitude_mean_meters	Good	477	1410.98	451.40	1.00	1450.00	3850.00	250.00
altitude_mean_meters	Poor	463	1236.91	500.90	1.00	1250.00	4287.00	200.00
harvested	Good	477	2013.76	1.90	2010.00	2014.00	2018.00	1.00
harvested	Poor	463	2013.63	1.72	2010.00	2013.00	2018.00	2.00







Figure 13: Boxplots2 of countinuous features on different quality class.



```

Rows: 1,140
Columns: 8
$ country_of_origin <chr> "Myanmar", "Uganda", "Ethiopia", "Mexico", "Burundi"~
$ aroma              <dbl[,1]> <matrix[26 x 1]>
$ flavor             <dbl[,1]> <matrix[26 x 1]>
$ acidity            <dbl[,1]> <matrix[26 x 1]>
$ defects_log        <dbl> 1.6094379, 0.6931472, 2.0794415, 1.3862944, 1.79~
$ year               <fct> 2015, 2013, 2014, 2012, 2012, 2014, NA, 2015, 20~
$ level              <chr> "3", "3", "3", "3", "3", "3", NA, "3", "3", "3",~
$ Qualityclass       <dbl> 0, 1, 1, 0, 1, 1, 1, 1, 0, 0, 1, 0, 1, 0, 1, 1, 0, 1~


```

# A tibble: 10 x 2

	year	n
	<fct>	<int>
1	2010	32
2	2011	33
3	2012	307
4	2013	161
5	2014	216
6	2015	125
7	2016	131
8	2017	57
9	2018	18
10	<NA>	60

Qualityclass	Brazil	Burundi	China	Colombia	Costa Rica	Cote d'Ivoire
0	11.0% (61)	0.2% (1)	0.9% (5)	5.8% (32)	3.3% (18)	0.2% (1)
1	9.2% (54)	0.2% (1)	1.5% (9)	21.5% (126)	3.9% (23)	0.0% (0)
Ecuador	El Salvador	Ethiopia	Guatemala	Haiti	Hawaii	Honduras
0.4% (2)	1.1% (6)	0.5% (3)	13.4% (74)	0.7% (4)	5.1% (28)	6.3% (35)
0.2% (1)	2.4% (14)	6.0% (35)	12.9% (76)	0.2% (1)	5.8% (34)	2.0% (12)
India	Indonesia	Japan	Kenya	Laos	Malawi	Mauritius
0.9% (5)	1.3% (7)	0.0% (0)	0.4% (2)	0.4% (2)	1.8% (10)	0.2% (1)
0.9% (5)	1.5% (9)	0.2% (1)	3.7% (22)	0.0% (0)	0.2% (1)	0.0% (0)
9.2% (54)						
Myanmar	Nicaragua	Panama	Peru	Philippines	Puerto Rico	Taiwan
1.1% (6)	3.1% (17)	0.2% (1)	0.7% (4)	0.5% (3)	0.4% (2)	6.5% (36)
0.0% (0)	0.9% (5)	0.5% (3)	0.9% (5)	0.3% (2)	0.2% (1)	4.4% (26)
Tanzania	Thailand	Uganda	United States	Vietnam	Zambia	
2.9% (16)	1.3% (7)	1.3% (7)	0.5% (3)	0.7% (4)	0.2% (1)	
2.7% (16)	2.7% (16)	4.3% (25)	1.0% (6)	0.7% (4)	0.0% (0)	

Qualityclass	2010	2011	2012	2013	2014	2015
0	1.4% (8)	1.6% (9)	32.5% (180)	14.3% (79)	19.5% (108)	9.9% (55)
1	4.1% (24)	4.1% (24)	21.6% (127)	14.0% (82)	18.4% (108)	11.9% (70)
2016	2017	2018	NA_			
10.3% (57)	5.1% (28)	0.9% (5)	4.3% (24)			
12.6% (74)	4.9% (29)	2.2% (13)	6.1% (36)			



## Formal Analysis Using Logistic Regression

```
Call:
glm(formula = Qualityclass ~ level - 1, family = binomial(link = "logit"),
    data = coffee_final)
```

```
Deviance Residuals:
    Min       1Q   Median       3Q      Max
-1.294  -1.294   1.065   1.065   1.360
```

```
Coefficients:
            Estimate Std. Error z value Pr(>|z|)
level1 -0.41871     0.18209  -2.299 0.021481 *
level2 -0.41376     0.14410  -2.871 0.004087 **
level3  0.26959     0.08158   3.305 0.000951 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
(Dispersion parameter for binomial family taken to be 1)
```

```
Null deviance: 1301.7 on 939 degrees of freedom
Residual deviance: 1276.9 on 936 degrees of freedom
(201 observations deleted due to missingness)
AIC: 1282.9
```

```
Number of Fisher Scoring iterations: 4
```

```
Call:
glm(formula = Qualityclass ~ year, family = binomial(link = "logit"),
```

```

data = coffee_final)

Deviance Residuals:
    Min       1Q   Median       3Q      Max
-1.6651  -1.1774   0.7585   1.1616   1.3287

Coefficients:
            Estimate Std. Error z value Pr(>|z|)
(Intercept)   1.0986    0.4082   2.691 0.007123 **
year2011     -0.1178    0.5652  -0.208 0.834921
year2012     -1.4474    0.4244  -3.411 0.000648 ***
year2013     -1.0613    0.4376  -2.425 0.015300 *
year2014     -1.0986    0.4303  -2.553 0.010682 *
year2015     -0.8575    0.4462  -1.921 0.054671 .
year2016     -0.8376    0.4447  -1.884 0.059609 .
year2017     -1.0635    0.4867  -2.185 0.028872 *
year2018     -0.1431    0.6660  -0.215 0.829878
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

(Dispersion parameter for binomial family taken to be 1)

Null deviance: 1496.7 on 1079 degrees of freedom
Residual deviance: 1464.8 on 1071 degrees of freedom
(60 observations deleted due to missingness)
AIC: 1482.8

Number of Fisher Scoring iterations: 4

Call:
glm(formula = Qualityclass ~ country_of_origin, family = binomial(link = "logit"),
    data = coffee_final)

Deviance Residuals:
    Min       1Q   Median       3Q      Max
-2.2534  -1.0427   0.4056   1.0961   2.1899

Coefficients:
            Estimate Std. Error z value Pr(>|z|)
(Intercept)   -0.1219    0.1868  -0.652 0.514176
country_of_originBurundi    0.1219    1.4265   0.085 0.931906
country_of_originChina     0.7097    0.5882   1.206 0.227646
country_of_originColombia   1.4924    0.2722   5.483 4.19e-08 ***
country_of_originCosta Rica  0.3670    0.3660   1.003 0.315955
country_of_originCote d'Ivoire -15.4442  1455.3975 -0.011 0.991533
country_of_originEcuador   -0.5713    1.2389  -0.461 0.644731
country_of_originEl Salvador  0.9692    0.5225   1.855 0.063610 .
country_of_originEthiopia   2.5786    0.6299   4.093 4.25e-05 ***
country_of_originGuatemala  0.1486    0.2482   0.599 0.549414
country_of_originHaiti     -1.2644    1.1335  -1.115 0.264658
country_of_originHawaii     0.3160    0.3163   0.999 0.317681
country_of_originHonduras  -0.9486    0.3832  -2.476 0.013303 *
country_of_originIndia      0.1219    0.6595   0.185 0.853364
country_of_originIndonesia  0.3732    0.5375   0.694 0.487453
country_of_originJapan     15.6880  1455.3975  0.011 0.991400
country_of_originKenya      2.5198    0.7618   3.308 0.000941 ***
country_of_originLaos      -15.4442  1029.1215 -0.015 0.988026
country_of_originMalawi     -2.1807    1.0653  -2.047 0.040660 *
country_of_originMauritius  -15.4442  1455.3975 -0.011 0.991533
country_of_originMexico     -0.8931    0.2452  -3.642 0.000271 ***
country_of_originMyanmar    -15.4442  594.1636  -0.026 0.979263
country_of_originNicaragua  -1.1019    0.5420  -2.033 0.042043 *
country_of_originPanama     1.2205    1.1697   1.043 0.296757
country_of_originPeru       0.3450    0.6964   0.495 0.620259

```

country_of_originPhilippines	-0.2836	0.9318	-0.304	0.760875
country_of_originPuerto Rico	-0.5713	1.2389	-0.461	0.644731
country_of_originTaiwan	-0.2035	0.3180	-0.640	0.522203
country_of_originTanzania	0.1219	0.3999	0.305	0.760512
country_of_originThailand	0.9486	0.4902	1.935	0.052969 .
country_of_originUganda	1.3949	0.4667	2.989	0.002799 **
country_of_originUnited States	0.8150	0.7314	1.114	0.265113
country_of_originVietnam	0.1219	0.7314	0.167	0.867639
country_of_originZambia	-15.4442	1455.3975	-0.011	0.991533

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

(Dispersion parameter for binomial family taken to be 1)

Null deviance: 1579.4 on 1139 degrees of freedom  
Residual deviance: 1352.0 on 1106 degrees of freedom  
AIC: 1420

Number of Fisher Scoring iterations: 14

Call:

```
glm(formula = Qualityclass ~ Colombia + Mexico + Honduras + Kenya -
    1, family = binomial(link = "logit"), data = coffee_final)
```

Deviance Residuals:

Min	1Q	Median	3Q	Max
-2.2293	-1.1774	0.4172	1.1774	1.6524

Coefficients:

	Estimate	Std. Error	z value	Pr(> z )
Colombia	1.3705	0.1980	6.923	4.41e-12 ***
Mexico	-1.0150	0.1588	-6.390	1.66e-10 ***
Honduras	-1.0704	0.3345	-3.200	0.00137 **
Kenya	2.3979	0.7382	3.248	0.00116 **

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

(Dispersion parameter for binomial family taken to be 1)

Null deviance: 1580.4 on 1140 degrees of freedom  
Residual deviance: 1443.1 on 1136 degrees of freedom  
AIC: 1451.1

Number of Fisher Scoring iterations: 4

Call:

```
glm(formula = Qualityclass ~ country_of_origin + year, family = binomial(link = "logit"),
    data = coffee_final)
```

Deviance Residuals:

Min	1Q	Median	3Q	Max
-2.2542	-0.9979	0.4052	1.0378	2.1899

Coefficients:

	Estimate	Std. Error	z value	Pr(> z )
(Intercept)	-6.651e-03	5.136e-01	-0.013	0.989669
country_of_originBurundi	2.191e-01	1.436e+00	0.153	0.878744
country_of_originChina	7.420e-01	6.232e-01	1.191	0.233757
country_of_originColombia	1.771e+00	3.042e-01	5.821	5.86e-09 ***
country_of_originCosta Rica	4.790e-01	3.910e-01	1.225	0.220603
country_of_originCote d'Ivoire	-1.550e+01	1.455e+03	-0.011	0.991502
country_of_originEcuador	-4.227e-01	1.260e+00	-0.336	0.737240
country_of_originEl Salvador	1.073e+00	5.391e-01	1.989	0.046648 *
country_of_originEthiopia	2.465e+00	6.611e-01	3.729	0.000192 ***

```

country_of_originGuatemala      3.416e-01  2.798e-01  1.221 0.222123
country_of_originHaiti          -8.781e-01  1.148e+00 -0.765 0.444300
country_of_originHawaii         5.486e-01  3.821e-01  1.436 0.151063
country_of_originHonduras       -9.530e-01  4.051e-01 -2.353 0.018641 *
country_of_originIndia           2.318e-01  6.836e-01  0.339 0.734498
country_of_originIndonesia       3.926e-01  5.598e-01  0.701 0.483101
country_of_originKenya           2.650e+00  7.824e-01  3.387 0.000708 ***
country_of_originLaos            -1.559e+01  1.028e+03 -0.015 0.987904
country_of_originMalawi          -1.928e+00  1.085e+00 -1.777 0.075511 .
country_of_originMauritius       -1.550e+01  1.455e+03 -0.011 0.991502
country_of_originMexico          -6.438e-01  2.907e-01 -2.215 0.026779 *
country_of_originMyanmar         -1.559e+01  5.914e+02 -0.026 0.978966
country_of_originNicaragua       -1.475e+00  6.737e-01 -2.189 0.028621 *
country_of_originPanama          1.445e+00  1.181e+00  1.223 0.221412
country_of_originPeru            5.849e-01  7.559e-01  0.774 0.439090
country_of_originPhilippines     -1.290e-01  9.479e-01 -0.136 0.891743
country_of_originPuerto Rico     4.107e-02  1.260e+00  0.033 0.973987
country_of_originTaiwan          -6.318e-02  3.494e-01 -0.181 0.856514
country_of_originTanzania        2.934e-01  4.282e-01  0.685 0.493234
country_of_originThailand         1.036e+00  5.472e-01  1.894 0.058276 .
country_of_originUganda          1.797e+00  4.983e-01  3.605 0.000312 ***
country_of_originUnited States    1.068e+00  7.551e-01  1.414 0.157262
country_of_originVietnam         3.899e-01  7.499e-01  0.520 0.603108
country_of_originZambia          -1.519e+01  1.455e+03 -0.010 0.991672
year2011                        3.703e-01  6.341e-01  0.584 0.559245
year2012                        -3.664e-01  4.939e-01 -0.742 0.458170
year2013                        -7.276e-01  5.043e-01 -1.443 0.149064
year2014                        -3.683e-01  4.996e-01 -0.737 0.460985
year2015                        1.082e-01  5.187e-01  0.209 0.834784
year2016                        -5.850e-02  5.123e-01 -0.114 0.909095
year2017                        -2.518e-01  5.579e-01 -0.451 0.651666
year2018                        7.945e-01  7.396e-01  1.074 0.282718
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

(Dispersion parameter for binomial family taken to be 1)

```

Null deviance: 1496.7 on 1079 degrees of freedom
Residual deviance: 1262.1 on 1039 degrees of freedom
(60 observations deleted due to missingness)
AIC: 1344.1

```

Number of Fisher Scoring iterations: 14

```

Call:
glm(formula = Qualityclass ~ level + Colombia + Mexico + Honduras +
     Kenya, family = binomial(link = "logit"), data = coffee_final)

```

```

Deviance Residuals:
    Min       1Q   Median       3Q      Max
-2.2692  -0.9892   0.3981   1.0264   1.9184

```

```

Coefficients:
            Estimate Std. Error z value Pr(>|z|)
(Intercept)  -0.4603    0.1935  -2.379 0.017356 *
level2         0.3747    0.2458   1.524 0.127456
level3         0.8263    0.2132   3.876 0.000106 ***
Colombia       1.3099    0.2543   5.152 2.58e-07 ***
Mexico        -1.2070    0.1856  -6.502 7.91e-11 ***
Honduras      -1.3988    0.3520  -3.974 7.06e-05 ***
Kenya          2.1294    0.7506   2.837 0.004556 **
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

(Dispersion parameter for binomial family taken to be 1)

Null deviance: 1301.5 on 938 degrees of freedom  
Residual deviance: 1146.5 on 932 degrees of freedom  
(201 observations deleted due to missingness)  
AIC: 1160.5

Number of Fisher Scoring iterations: 4

Call:

```
glm(formula = Qualityclass ~ level + country_of_origin + year -  
1, family = binomial(link = "logit"), data = coffee_final)
```

Deviance Residuals:

Min	1Q	Median	3Q	Max
-2.24878	-0.87349	0.00031	0.98739	2.12047

Coefficients:

	Estimate	Std. Error	z value	Pr(> z )
level1	-6.057e-01	6.460e-01	-0.938	0.34842
level2	6.539e-02	6.237e-01	0.105	0.91650
level3	4.660e-01	6.327e-01	0.736	0.46144
country_of_originBurundi	-3.436e-01	1.454e+00	-0.236	0.81321
country_of_originChina	4.626e-01	6.421e-01	0.721	0.47119
country_of_originColombia	1.525e+00	3.612e-01	4.223	2.42e-05 ***
country_of_originCosta Rica	2.346e-01	4.355e-01	0.539	0.59011
country_of_originCote d'Ivoire	-1.606e+01	2.400e+03	-0.007	0.99466
country_of_originEcuador	9.024e-01	1.481e+00	0.609	0.54239
country_of_originEl Salvador	7.797e-01	5.933e-01	1.314	0.18874
country_of_originEthiopia	1.639e+01	4.970e+02	0.033	0.97369
country_of_originGuatemala	-2.782e-03	3.394e-01	-0.008	0.99346
country_of_originHaiti	-7.446e-01	1.185e+00	-0.628	0.52988
country_of_originHawaii	1.717e+01	2.400e+03	0.007	0.99429
country_of_originHonduras	-1.345e+00	4.471e-01	-3.008	0.00263 **
country_of_originIndia	3.083e-01	7.105e-01	0.434	0.66438
country_of_originIndonesia	4.157e-03	6.167e-01	0.007	0.99462
country_of_originKenya	2.400e+00	8.037e-01	2.986	0.00283 **
country_of_originLaos	-1.707e+01	1.696e+03	-0.010	0.99197
country_of_originMalawi	-2.146e+00	1.097e+00	-1.957	0.05035 .
country_of_originMauritius	-1.606e+01	2.400e+03	-0.007	0.99466
country_of_originMexico	-9.546e-01	3.255e-01	-2.933	0.00336 **
country_of_originMyanmar	-1.682e+01	9.735e+02	-0.017	0.98622
country_of_originNicaragua	-1.245e+00	7.120e-01	-1.748	0.08044 .
country_of_originPanama	1.155e+00	1.192e+00	0.969	0.33234
country_of_originPeru	-1.669e+01	2.400e+03	-0.007	0.99445
country_of_originPhilippines	-2.897e-01	9.557e-01	-0.303	0.76183
country_of_originPuerto Rico	6.030e-01	1.289e+00	0.468	0.63987
country_of_originTaiwan	2.949e-01	3.980e-01	0.741	0.45863
country_of_originTanzania	-1.655e-01	4.788e-01	-0.346	0.72962
country_of_originThailand	7.166e-01	6.329e-01	1.132	0.25752
country_of_originUganda	1.292e+00	5.338e-01	2.420	0.01554 *
country_of_originUnited States	8.490e-01	7.818e-01	1.086	0.27750
country_of_originVietnam	4.664e-01	8.165e-01	0.571	0.56787
country_of_originZambia	-1.658e+01	2.400e+03	-0.007	0.99449
year2011	2.581e-01	7.296e-01	0.354	0.72350
year2012	-3.418e-01	6.032e-01	-0.567	0.57092
year2013	-6.905e-01	6.106e-01	-1.131	0.25814
year2014	-4.561e-01	6.076e-01	-0.751	0.45289
year2015	-1.422e-02	6.148e-01	-0.023	0.98154
year2016	9.710e-02	6.157e-01	0.158	0.87469
year2017	-4.201e-01	6.555e-01	-0.641	0.52156
year2018	1.284e+00	8.242e-01	1.557	0.11939

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

(Dispersion parameter for binomial family taken to be 1)

Null deviance: 1289.3 on 930 degrees of freedom

Residual deviance: 1047.4 on 887 degrees of freedom

(210 observations deleted due to missingness)

AIC: 1133.4

Number of Fisher Scoring iterations: 15

Call:

```
glm(formula = Qualityclass ~ aroma + flavor + acidity + country_of_origin +  
  defects_log + level + year, family = binomial(link = "logit"),  
  data = coffee_final)
```

Deviance Residuals:

Min	1Q	Median	3Q	Max
-4.5914	-0.2397	0.0000	0.2843	3.5781

Coefficients:

	Estimate	Std. Error	z value	Pr(> z )
(Intercept)	-1.52175	1.09510	-1.390	0.16465
aroma	1.62814	0.26590	6.123	9.18e-10 ***
flavor	2.89136	0.36116	8.006	1.19e-15 ***
acidity	1.67688	0.26327	6.369	1.90e-10 ***
country_of_originBurundi	1.88240	5.12830	0.367	0.71357
country_of_originChina	0.49916	1.08844	0.459	0.64652
country_of_originColombia	1.84638	0.57358	3.219	0.00129 **
country_of_originCosta Rica	0.26961	0.76612	0.352	0.72491
country_of_originCote d'Ivoire	-12.11826	6522.63865	-0.002	0.99852
country_of_originEcuador	-1.02265	1.52999	-0.668	0.50388
country_of_originEl Salvador	0.32640	0.96977	0.337	0.73644
country_of_originEthiopia	13.49329	894.76317	0.015	0.98797
country_of_originGuatemala	-0.75268	0.57572	-1.307	0.19108
country_of_originHaiti	2.27451	2.16150	1.052	0.29267
country_of_originHawaii	4.41740	6522.63880	0.001	0.99946
country_of_originHonduras	-0.72501	0.71286	-1.017	0.30913
country_of_originIndia	-2.55120	1.07559	-2.372	0.01770 *
country_of_originIndonesia	-0.38258	1.01141	-0.378	0.70524
country_of_originKenya	0.52684	1.54516	0.341	0.73313
country_of_originLaos	-15.24675	4515.00054	-0.003	0.99731
country_of_originMalawi	-0.65398	1.30094	-0.503	0.61518
country_of_originMauritius	-11.76872	6522.63865	-0.002	0.99856
country_of_originMexico	-0.80196	0.52029	-1.541	0.12323
country_of_originMyanmar	-15.49786	2401.00369	-0.006	0.99485
country_of_originNicaragua	0.53829	1.98308	0.271	0.78605
country_of_originPanama	3.27141	1.79738	1.820	0.06874 .
country_of_originPeru	-14.50164	6522.63864	-0.002	0.99823
country_of_originPhilippines	2.89981	2.57307	1.127	0.25975
country_of_originPuerto Rico	-2.65794	1.78541	-1.489	0.13657
country_of_originTaiwan	1.18951	0.70762	1.681	0.09276 .
country_of_originTanzania	0.91717	0.75964	1.207	0.22729
country_of_originThailand	2.87480	0.99592	2.887	0.00389 **
country_of_originUganda	-1.53625	0.79415	-1.934	0.05306 .
country_of_originUnited States	0.19578	1.52935	0.128	0.89814
country_of_originVietnam	2.24627	1.15874	1.939	0.05256 .
country_of_originZambia	-13.96552	6522.63865	-0.002	0.99829
defects_log	0.33145	0.17162	1.931	0.05345 .
level2	0.52403	0.48450	1.082	0.27943
level3	1.03968	0.48225	2.156	0.03109 *
year2011	-0.22625	1.12956	-0.200	0.84125
year2012	0.03098	0.98109	0.032	0.97481
year2013	0.48471	0.98717	0.491	0.62342
year2014	-0.07904	0.99385	-0.080	0.93661



```

year2015      -0.14258    0.98571  -0.145  0.88499
year2016      0.78470    1.03677   0.757  0.44913
year2017      0.46753    1.03839   0.450  0.65254
year2018      2.35570    1.32235   1.781  0.07484 .
---

```

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

(Dispersion parameter for binomial family taken to be 1)

```

Null deviance: 1289.15 on 929 degrees of freedom
Residual deviance: 448.42 on 883 degrees of freedom
(210 observations deleted due to missingness)
AIC: 542.42

```

Number of Fisher Scoring iterations: 17

```

Rows: 930
Columns: 12
$ country_of_origin <chr> "Myanmar", "Uganda", "Ethiopia", "Mexico", "Burundi"~
$ aroma             <dbl[,1]> <matrix[26 x 1]>
$ flavor            <dbl[,1]> <matrix[26 x 1]>
$ acidity           <dbl[,1]> <matrix[26 x 1]>
$ defects_log       <dbl> 1.6094379, 0.6931472, 2.0794415, 1.3862944, 1.79~
$ year              <fct> 2015, 2013, 2014, 2012, 2012, 2014, 2015, 2013, ~
$ level             <chr> "3", "3", "3", "3", "3", "3", "3", "3", "3", "3"~
$ Qualityclass      <dbl> 0, 1, 1, 0, 1, 1, 1, 0, 0, 1, 0, 1, 0, 1, 1, 0, 1, 1~
$ Colombia          <dbl> 0, 0, 0, 0, 0, 0, 1, 0, 1, 1, 0, 1, 0, 0, 0, 0, 0, 0~
$ Mexico            <dbl> 0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0~
$ Honduras          <dbl> 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 1, 0, 0~
$ Kenya           <dbl> 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0~

```

```

Call:
glm(formula = Qualityclass ~ aroma + flavor + acidity + Colombia +
     Mexico + Honduras + Kenya + defects_log + level + year, family = binomial(link = "logit"),
     data = coffee_final_nomiss)

```

```

Deviance Residuals:
    Min       1Q   Median       3Q      Max
-4.2576 -0.2933  0.0010  0.3296  3.6482

```

```

Coefficients:
            Estimate Std. Error z value Pr(>|z|)
(Intercept) -1.2894    0.9358  -1.378  0.1683
aroma         1.3883    0.2328   5.964 2.47e-09 ***
flavor        2.4519    0.3004   8.162 3.30e-16 ***
acidity       1.4874    0.2352   6.324 2.55e-10 ***
Colombia      1.9282    0.4095   4.708 2.50e-06 ***
Mexico       -0.7003    0.3512  -1.994  0.0461 *
Honduras     -0.5767    0.5473  -1.054  0.2920
Kenya         0.8497    1.3961   0.609  0.5427
defects_log   0.3119    0.1509   2.067  0.0387 *
level2        0.4545    0.4188   1.085  0.2779
level3        0.6754    0.3769   1.792  0.0731 .
year2011     -0.1599    1.0447  -0.153  0.8783
year2012      0.1019    0.8983   0.113  0.9097
year2013      0.1358    0.8937   0.152  0.8793
year2014      0.4155    0.8995   0.462  0.6441
year2015     -0.1081    0.9090  -0.119  0.9054
year2016      0.8173    0.9402   0.869  0.3847
year2017      0.2811    0.9682   0.290  0.7716
year2018      2.0529    1.1977   1.714  0.0865 .
---

```

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

(Dispersion parameter for binomial family taken to be 1)

Null deviance: 1289.15 on 929 degrees of freedom  
Residual deviance: 493.82 on 911 degrees of freedom  
AIC: 531.82

Number of Fisher Scoring iterations: 7

Start: AIC=531.82

Qualityclass ~ aroma + flavor + acidity + Colombia + Mexico +  
Honduras + Kenya + defects\_log + level + year

	Df	Deviance	AIC
- year	8	503.11	525.11
- Kenya	1	494.24	530.24
- Honduras	1	494.97	530.97
- level	2	497.14	531.14
<none>		493.82	531.82
- Mexico	1	497.85	533.85
- defects_log	1	498.16	534.16
- Colombia	1	520.03	556.03
- acidity	1	543.95	579.95
- aroma	1	544.44	580.44
- flavor	1	584.68	620.68

Step: AIC=525.11

Qualityclass ~ aroma + flavor + acidity + Colombia + Mexico +  
Honduras + Kenya + defects\_log + level

	Df	Deviance	AIC
- level	2	503.99	521.99
- Kenya	1	503.79	523.79
- Honduras	1	504.15	524.15
<none>		503.11	525.11
- defects_log	1	508.43	528.43
+ year	8	493.82	531.82
- Mexico	1	511.95	531.95
- Colombia	1	530.49	550.49
- aroma	1	551.81	571.81
- acidity	1	557.40	577.40
- flavor	1	593.89	613.89

Step: AIC=521.99

Qualityclass ~ aroma + flavor + acidity + Colombia + Mexico +  
Honduras + Kenya + defects\_log

	Df	Deviance	AIC
- Honduras	1	504.71	520.71
- Kenya	1	504.78	520.78
<none>		503.99	521.99
+ level	2	503.11	525.11
- defects_log	1	509.68	525.68
- Mexico	1	512.91	528.91
+ year	8	497.14	531.14
- Colombia	1	535.47	551.47
- aroma	1	554.81	570.81
- acidity	1	560.36	576.36
- flavor	1	593.96	609.96

Step: AIC=520.71

Qualityclass ~ aroma + flavor + acidity + Colombia + Mexico +  
Kenya + defects\_log

	Df	Deviance	AIC
--	----	----------	-----

```

- Kenya      1  505.57 519.57
<none>         504.71 520.71
+ Honduras     1  503.99 521.99
- defects_log  1  509.97 523.97
+ level        2  504.15 524.15
- Mexico       1  513.00 527.00
+ year         8  497.78 529.78
- Colombia     1  538.07 552.07
- aroma        1  556.11 570.11
- acidity      1  561.95 575.95
- flavor       1  594.88 608.88

```

Step: AIC=519.57

```

Qualityclass ~ aroma + flavor + acidity + Colombia + Mexico +
  defects_log

```

	Df	Deviance	AIC
<none>		505.57	519.57
+ Kenya	1	504.71	520.71
+ Honduras	1	504.78	520.78
+ level	2	504.92	522.92
- defects_log	1	510.96	522.96
- Mexico	1	514.26	526.26
+ year	8	498.34	528.34
- Colombia	1	538.58	550.58
- aroma	1	556.46	568.46
- acidity	1	563.79	575.79
- flavor	1	597.26	609.26

```

Call: glm(formula = Qualityclass ~ aroma + flavor + acidity + Colombia +
  Mexico + defects_log, family = binomial(link = "logit"),
  data = coffee_final_nomiss)

```

Coefficients:

(Intercept)	aroma	flavor	acidity	Colombia	Mexico
-0.4878	1.3231	2.3850	1.5695	1.8858	-0.8483
defects_log					
0.3276					

Degrees of Freedom: 929 Total (i.e. Null); 923 Residual

Null Deviance: 1289

Residual Deviance: 505.6 AIC: 519.6

Start: AIC=542.42

```

Qualityclass ~ aroma + flavor + acidity + country_of_origin +
  defects_log + level + year

```

	Df	Deviance	AIC
- year	8	459.25	537.25
<none>		448.42	542.42
- level	2	453.47	543.47
- defects_log	1	452.20	544.20
- country_of_origin	32	535.78	565.78
- acidity	1	500.70	592.70
- aroma	1	502.69	594.69
- flavor	1	542.34	634.34

Step: AIC=537.25

```

Qualityclass ~ aroma + flavor + acidity + country_of_origin +
  defects_log + level

```

	Df	Deviance	AIC
- level	2	462.09	536.09
<none>		459.25	537.25

```

- defects_log      1    463.42 539.42
+ year             8    448.42 542.42
- country_of_origin 32   550.27 564.27
- aroma            1    511.50 587.50
- acidity           1    517.53 593.53
- flavor           1    549.37 625.37

```

Step: AIC=536.09

```

Qualityclass ~ aroma + flavor + acidity + country_of_origin +
  defects_log

```

	Df	Deviance	AIC
<none>		462.09	536.09
+ level	2	459.25	537.25
- defects_log	1	465.99	537.99
+ year	8	453.47	543.47
- country_of_origin	32	556.03	566.03
- aroma	1	514.97	586.97
- acidity	1	520.89	592.89
- flavor	1	550.89	622.89

```

Call: glm(formula = Qualityclass ~ aroma + flavor + acidity + country_of_origin +
  defects_log, family = binomial(link = "logit"), data = coffee_final_nomiss)

```

Coefficients:

(Intercept)	aroma
-0.49464	1.54145
flavor	acidity
2.67737	1.74281
country_of_originBurundi	country_of_originChina
2.24831	0.23578
country_of_originColombia	country_of_originCosta Rica
1.95260	0.27247
country_of_originCote d'Ivoire	country_of_originEcuador
-12.45975	-1.38917
country_of_originEl Salvador	country_of_originEthiopia
0.73415	14.15194
country_of_originGuatemala	country_of_originHaiti
-0.50408	1.95150
country_of_originHawaii	country_of_originHonduras
4.02828	-0.34806
country_of_originIndia	country_of_originIndonesia
-2.81421	-0.27768
country_of_originKenya	country_of_originLaos
1.15187	-15.21210
country_of_originMalawi	country_of_originMauritius
-0.82095	-12.20142
country_of_originMexico	country_of_originMyanmar
-0.89212	-15.87952
country_of_originNicaragua	country_of_originPanama
0.31308	2.86942
country_of_originPeru	country_of_originPhilippines
-14.58670	2.49771
country_of_originPuerto Rico	country_of_originTaiwan
-3.00034	0.54159
country_of_originTanzania	country_of_originThailand
0.93913	2.25693
country_of_originUganda	country_of_originUnited States
-1.19901	-0.05301
country_of_originVietnam	country_of_originZambia
2.17863	-14.23631
defects_log	
0.32329	

Degrees of Freedom: 929 Total (i.e. Null); 893 Residual  
Null Deviance: 1289  
Residual Deviance: 462.1 AIC: 536.1

1 2 3  
126 201 612

2010 2011 2012 2013 2014 2015 2016 2017 2018  
32 33 307 161 216 125 131 57 18

Rows: 1,140  
Columns: 12  
\$ country\_of\_origin <chr> "Myanmar", "Uganda", "Ethiopia", "Mexico", "Burundi"~  
\$ aroma <dbl[,1]> <matrix[26 x 1]>  
\$ flavor <dbl[,1]> <matrix[26 x 1]>  
\$ acidity <dbl[,1]> <matrix[26 x 1]>  
\$ defects\_log <dbl> 1.6094379, 0.6931472, 2.0794415, 1.3862944, 1.79~  
\$ year <dbl> 6, 4, 5, 3, 3, 5, 5, 6, 4, 4, 3, 7, 3, 6, 6, 5, ~  
\$ level <chr> "3", "3", "3", "3", "3", "3", "3", "3", "3", "3"~  
\$ Qualityclass <dbl> 0, 1, 1, 0, 1, 1, 1, 0, 0, 1, 0, 1, 0, 1, 1, 0, 1~  
\$ Colombia <dbl> 0, 0, 0, 0, 0, 0, 1, 1, 0, 1, 1, 0, 1, 0, 0, 0, 0~  
\$ Mexico <dbl> 0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0~  
\$ Honduras <dbl> 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 1, 0~  
\$ Kenya <dbl> 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0~

1 2 3 4 5 6 7 8 9  
32 33 307 161 276 125 131 57 18

Call:  
glm(formula = Qualityclass ~ aroma + flavor + acidity + Colombia +  
Mexico + Honduras + Kenya + defects\_log + level + year, family = binomial(link = "logit"),  
data = coffee\_final\_nomiss)

Deviance Residuals:  
Min 1Q Median 3Q Max  
-4.2576 -0.2933 0.0010 0.3296 3.6482

Coefficients:  
Estimate Std. Error z value Pr(>|z|)  
(Intercept) -1.2894 0.9358 -1.378 0.1683  
aroma 1.3883 0.2328 5.964 2.47e-09 \*\*\*  
flavor 2.4519 0.3004 8.162 3.30e-16 \*\*\*  
acidity 1.4874 0.2352 6.324 2.55e-10 \*\*\*  
Colombia 1.9282 0.4095 4.708 2.50e-06 \*\*\*  
Mexico -0.7003 0.3512 -1.994 0.0461 \*  
Honduras -0.5767 0.5473 -1.054 0.2920  
Kenya 0.8497 1.3961 0.609 0.5427  
defects\_log 0.3119 0.1509 2.067 0.0387 \*  
level2 0.4545 0.4188 1.085 0.2779  
level3 0.6754 0.3769 1.792 0.0731 .  
year2011 -0.1599 1.0447 -0.153 0.8783  
year2012 0.1019 0.8983 0.113 0.9097  
year2013 0.1358 0.8937 0.152 0.8793  
year2014 0.4155 0.8995 0.462 0.6441  
year2015 -0.1081 0.9090 -0.119 0.9054  
year2016 0.8173 0.9402 0.869 0.3847  
year2017 0.2811 0.9682 0.290 0.7716  
year2018 2.0529 1.1977 1.714 0.0865 .  
---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

(Dispersion parameter for binomial family taken to be 1)

Null deviance: 1289.15 on 929 degrees of freedom  
 Residual deviance: 493.82 on 911 degrees of freedom  
 AIC: 531.82

Number of Fisher Scoring iterations: 7

Start: AIC=682.29

Qualityclass ~ aroma + flavor + acidity + Colombia + Mexico +  
 Honduras + Kenya + defects\_log + level + year

	Df	Deviance	AIC
- level	2	660.94	680.94
- Kenya	1	659.20	681.20
- year	1	659.91	681.91
<none>		658.29	682.29
- defects_log	1	660.50	682.50
- Honduras	1	660.75	682.75
- Mexico	1	664.26	686.26
- Colombia	1	679.44	701.44
- acidity	1	707.71	729.71
- aroma	1	720.74	742.74
- flavor	1	780.07	802.07

Step: AIC=680.94

Qualityclass ~ aroma + flavor + acidity + Colombia + Mexico +  
 Honduras + Kenya + defects\_log + year

	Df	Deviance	AIC
- Kenya	1	662.03	680.03
- year	1	662.09	680.09
- Honduras	1	662.65	680.65
<none>		660.94	680.94
- defects_log	1	663.63	681.63
+ level	2	658.29	682.29
- Mexico	1	667.72	685.72
- Colombia	1	685.20	703.20
- acidity	1	713.05	731.05
- aroma	1	724.84	742.84
- flavor	1	780.58	798.58

Step: AIC=680.03

Qualityclass ~ aroma + flavor + acidity + Colombia + Mexico +  
 Honduras + defects\_log + year

	Df	Deviance	AIC
- year	1	663.40	679.40
- Honduras	1	663.88	679.88
<none>		662.03	680.03
- defects_log	1	664.80	680.80
+ Kenya	1	660.94	680.94
+ level	2	659.20	681.20
- Mexico	1	668.97	684.97
- Colombia	1	686.08	702.08
- acidity	1	715.04	731.04
- aroma	1	725.78	741.78
- flavor	1	783.23	799.23

Step: AIC=679.4

Qualityclass ~ aroma + flavor + acidity + Colombia + Mexico +  
 Honduras + defects\_log

	Df	Deviance	AIC
- Honduras	1	664.76	678.76

```

<none>          663.40 679.40
+ year          1   662.03 680.03
+ Kenya       1   662.09 680.09
- defects_log   1   666.23 680.23
+ level         2   661.06 681.06
- Mexico        1   673.96 687.96
- Colombia      1   686.09 700.09
- acidity       1   716.17 730.17
- aroma         1   725.99 739.99
- flavor        1   785.34 799.34

```

Step: AIC=678.76

```

Qualityclass ~ aroma + flavor + acidity + Colombia + Mexico +
  defects_log

```

```

          Df Deviance   AIC
<none>          664.76 678.76
- defects_log   1   667.20 679.20
+ Kenya       1   663.36 679.36
+ Honduras      1   663.40 679.40
+ year          1   663.88 679.88
+ level         2   662.94 680.94
- Mexico        1   674.44 686.44
- Colombia      1   689.05 701.05
- acidity       1   718.88 730.88
- aroma         1   727.99 739.99
- flavor        1   786.93 798.93

```

```

Call: glm(formula = Qualityclass ~ aroma + flavor + acidity + Colombia +
  Mexico + defects_log, family = binomial(link = "logit"),
  data = coffee_final_imputed)

```

Coefficients:

```

(Intercept)      aroma      flavor      acidity      Colombia      Mexico
   -0.2442      1.2827      2.2675      1.2183      1.4034     -0.8231
defects_log
   0.1857

```

Degrees of Freedom: 1139 Total (i.e. Null); 1133 Residual

Null Deviance: 1579

Residual Deviance: 664.8 AIC: 678.8

##Final Model

Call:

```

glm(formula = Qualityclass ~ aroma + flavor + acidity + Colombia +
  Mexico + defects_log, family = binomial(link = "logit"),
  data = coffee_final)

```

Deviance Residuals:

```

      Min       1Q   Median       3Q      Max
-3.8880  -0.3570   0.0092   0.4077   3.2372

```

Coefficients:

```

          Estimate Std. Error z value Pr(>|z|)
(Intercept) -0.2442     0.1672  -1.461  0.14404
aroma        1.2827     0.1842   6.964 3.31e-12 ***
flavor       2.2675     0.2399   9.451 < 2e-16 ***
acidity      1.2183     0.1768   6.891 5.56e-12 ***
Colombia     1.4034     0.3017   4.651 3.30e-06 ***
Mexico      -0.8231     0.2683  -3.068 0.00215 **
defects_log  0.1857     0.1192   1.559 0.11903
---

```

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

(Dispersion parameter for binomial family taken to be 1)

Null deviance: 1579.36 on 1139 degrees of freedom  
Residual deviance: 664.76 on 1133 degrees of freedom  
AIC: 678.76

Number of Fisher Scoring iterations: 7

```
[1] "Myanmar"      "Uganda"      "Ethiopia"    "Mexico"
[5] "Burundi"     "Tanzania"    "Colombia"    "Guatemala"
[9] "Honduras"     "Nicaragua"   "Vietnam"     "Indonesia"
[13] "Taiwan"      "Costa Rica"  "Brazil"      "Malawi"
[17] "Kenya"       "Laos"        "El Salvador" "Thailand"
[21] "China"       "United States" "Puerto Rico" "Philippines"
[25] "India"       "Haiti"       "Zambia"      "Peru"
[29] "Ecuador"     "Cote d'Ivoire" "Panama"      "Hawaii"
[33] "Mauritius"
```

# A tibble: 6 x 43

	country_of_origin	aroma	flavor	acidity	category_two_defects	altitude_mean_met-
<chr>	<dbl>	<dbl>	<dbl>		<dbl>	<dbl>
1 Myanmar	7.25	7.42	7.5		4	1219.
2 Uganda	8.33	7.92	7.92		1	1600
3 Ethiopia	8.42	8	8		7	1700
4 Mexico	7.17	7.08	7.25		3	1300
5 Burundi	7.75	7.67	7.5		5	1880
6 Tanzania	7.92	7.75	7.75		0	1400

# ... with 37 more variables: harvested <dbl>, Qualityclass <dbl>,  
# defects\_log <dbl>, year <fct>, Myanmar <dbl>, Uganda <dbl>, Ethiopia <dbl>,  
# Mexico <dbl>, Burundi <dbl>, Tanzania <dbl>, Colombia <dbl>,  
# Guatemala <dbl>, Honduras <dbl>, Nicaragua <dbl>, Vietnam <dbl>,  
# Indonesia <dbl>, Taiwan <dbl>, Costa Rica <dbl>, Brazil <dbl>,  
# Malawi <dbl>, Kenya <dbl>, Laos <dbl>, El Salvador <dbl>, Thailand <dbl>,  
# China <dbl>, United States <dbl>, Puerto Rico <dbl>, Philippines <dbl>, ...

Call:

```
glm(formula = Qualityclass ~ country_of_origin - 1, family = binomial(link = "logit"),  
data = coffee_all_variables)
```

Deviance Residuals:

Min	1Q	Median	3Q	Max
-2.14597	-1.01655	0.00036	1.08424	2.18993

Coefficients:

	Estimate	Std. Error	z value	Pr(> z )
country_of_originBrazil	6.596e-02	2.098e-01	0.314	0.75320
country_of_originBurundi	0.000e+00	1.414e+00	0.000	1.00000
country_of_originChina	5.878e-01	5.578e-01	1.054	0.29197
country_of_originColombia	1.563e+00	2.345e-01	6.666	2.64e-11 ***
country_of_originCosta Rica	2.231e-01	3.354e-01	0.665	0.50587
country_of_originCote d'Ivoire	-1.657e+01	2.400e+03	-0.007	0.99449
country_of_originEcuador	1.570e-16	1.414e+00	0.000	1.00000
country_of_originEl Salvador	9.555e-01	5.262e-01	1.816	0.06941 .
country_of_originEthiopia	1.657e+01	5.003e+02	0.033	0.97359
country_of_originGuatemala	7.878e-02	1.776e-01	0.444	0.65736
country_of_originHaiti	-1.386e+00	1.118e+00	-1.240	0.21500
country_of_originHawaii	1.657e+01	2.400e+03	0.007	0.99449
country_of_originHonduras	-1.041e+00	3.358e-01	-3.102	0.00192 **
country_of_originIndia	0.000e+00	6.325e-01	0.000	1.00000
country_of_originIndonesia	2.877e-01	5.401e-01	0.533	0.59425
country_of_originKenya	2.197e+00	7.454e-01	2.948	0.00320 **



country_of_originLaos	-1.657e+01	1.697e+03	-0.010	0.99221
country_of_originMalawi	-2.303e+00	1.049e+00	-2.195	0.02813 *
country_of_originMauritius	-1.657e+01	2.400e+03	-0.007	0.99449
country_of_originMexico	-1.046e+00	1.612e-01	-6.488	8.68e-11 ***
country_of_originMyanmar	-1.657e+01	9.796e+02	-0.017	0.98651
country_of_originNicaragua	-1.204e+00	6.583e-01	-1.829	0.06740 .
country_of_originPanama	1.099e+00	1.155e+00	0.951	0.34139
country_of_originPeru	-1.657e+01	2.400e+03	-0.007	0.99449
country_of_originPhilippines	-4.055e-01	9.129e-01	-0.444	0.65692
country_of_originPuerto Rico	-6.931e-01	1.225e+00	-0.566	0.57143
country_of_originTaiwan	-3.909e-01	2.700e-01	-1.448	0.14769
country_of_originTanzania	-6.899e-02	3.716e-01	-0.186	0.85271
country_of_originThailand	2.877e-01	5.401e-01	0.533	0.59425
country_of_originUganda	1.190e+00	4.317e-01	2.756	0.00585 **
country_of_originUnited States	6.931e-01	7.071e-01	0.980	0.32696
country_of_originVietnam	2.877e-01	7.638e-01	0.377	0.70642
country_of_originZambia	-1.657e+01	2.400e+03	-0.007	0.99449

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

(Dispersion parameter for binomial family taken to be 1)

Null deviance: 1289.3 on 930 degrees of freedom  
Residual deviance: 1072.1 on 897 degrees of freedom  
AIC: 1138.1

Number of Fisher Scoring iterations: 15

Call:

```
glm(formula = Qualityclass ~ aroma + flavor + acidity + altitude_mean_meters +
    harvested + defects_log + Colombia + Honduras + Kenya + Malawi +
    Mexico + Uganda, family = binomial(link = "logit"), data = coffee_all_variables)
```

Deviance Residuals:

Min	1Q	Median	3Q	Max
-4.2034	-0.3073	0.0010	0.3324	3.4829

Coefficients:

	Estimate	Std. Error	z value	Pr(> z )
(Intercept)	-3.346e+02	1.462e+02	-2.289	0.0221 *
aroma	4.623e+00	7.362e-01	6.279	3.40e-10 ***
flavor	7.041e+00	8.685e-01	8.107	5.20e-16 ***
acidity	4.803e+00	7.265e-01	6.610	3.84e-11 ***
altitude_mean_meters	2.727e-04	2.449e-04	1.113	0.2655
harvested	1.041e-01	7.203e-02	1.445	0.1486
defects_log	2.994e-01	1.463e-01	2.047	0.0407 *
Colombia	1.826e+00	3.970e-01	4.600	4.22e-06 ***
Honduras	-6.779e-01	5.323e-01	-1.273	0.2029
Kenya	8.213e-01	1.329e+00	0.618	0.5366
Malawi	-1.069e+00	1.148e+00	-0.931	0.3517
Mexico	-7.517e-01	3.312e-01	-2.270	0.0232 *
Uganda	-1.160e+00	6.223e-01	-1.865	0.0622 .

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

(Dispersion parameter for binomial family taken to be 1)

Null deviance: 1289.15 on 929 degrees of freedom  
Residual deviance: 496.96 on 917 degrees of freedom  
AIC: 522.96

Number of Fisher Scoring iterations: 7

Start: AIC=522.96

Qualityclass ~ aroma + flavor + acidity + altitude\_mean\_meters +  
harvested + defects\_log + Colombia + Honduras + Kenya + Malawi +  
Mexico + Uganda

	Df	Deviance	AIC
- Kenya	1	497.39	521.39
- Malawi	1	498.02	522.02
- altitude_mean_meters	1	498.19	522.19
- Honduras	1	498.66	522.66
<none>		496.96	522.96
- harvested	1	499.06	523.06
- Uganda	1	500.24	524.24
- defects_log	1	501.21	525.21
- Mexico	1	502.21	526.21
- Colombia	1	521.56	545.56
- acidity	1	550.88	574.88
- aroma	1	552.30	576.30
- flavor	1	584.78	608.78

Step: AIC=521.39

Qualityclass ~ aroma + flavor + acidity + altitude\_mean\_meters +  
harvested + defects\_log + Colombia + Honduras + Malawi +  
Mexico + Uganda

	Df	Deviance	AIC
- Malawi	1	498.46	520.46
- altitude_mean_meters	1	498.71	520.71
- Honduras	1	499.19	521.19
<none>		497.39	521.39
- harvested	1	499.68	521.68
- Uganda	1	500.71	522.71
+ Kenya	1	496.96	522.96
- defects_log	1	501.68	523.68
- Mexico	1	502.73	524.73
- Colombia	1	521.83	543.83
- acidity	1	551.94	573.94
- aroma	1	552.48	574.48
- flavor	1	586.58	608.58

Step: AIC=520.46

Qualityclass ~ aroma + flavor + acidity + altitude\_mean\_meters +  
harvested + defects\_log + Colombia + Honduras + Mexico +  
Uganda

	Df	Deviance	AIC
- altitude_mean_meters	1	499.59	519.59
- Honduras	1	500.15	520.15
<none>		498.46	520.46
- harvested	1	500.82	520.82
+ Malawi	1	497.39	521.39
- Uganda	1	501.62	521.62
+ Kenya	1	498.02	522.02
- defects_log	1	503.45	523.45
- Mexico	1	503.59	523.59
- Colombia	1	524.48	544.48
- aroma	1	553.62	573.62
- acidity	1	553.83	573.83
- flavor	1	589.74	609.74

Step: AIC=519.59

Qualityclass ~ aroma + flavor + acidity + harvested + defects\_log +  
Colombia + Honduras + Mexico + Uganda

	Df	Deviance	AIC
- Honduras	1	501.06	519.06

<none>		499.59	519.59
- harvested	1	501.68	519.68
- Uganda	1	502.34	520.34
+ altitude_mean_meters	1	498.46	520.46
+ Malawi	1	498.71	520.71
+ Kenya	1	499.06	521.06
- Mexico	1	504.97	522.97
- defects_log	1	505.21	523.21
- Colombia	1	529.78	547.78
- aroma	1	554.96	572.96
- acidity	1	557.04	575.04
- flavor	1	589.81	607.81

Step: AIC=519.06

Qualityclass ~ aroma + flavor + acidity + harvested + defects\_log +  
Colombia + Mexico + Uganda

	Df	Deviance	AIC
- harvested	1	502.63	518.63
<none>		501.06	519.06
+ Honduras	1	499.59	519.59
- Uganda	1	503.66	519.66
+ altitude_mean_meters	1	500.15	520.15
+ Malawi	1	500.25	520.25
+ Kenya	1	500.43	520.43
- Mexico	1	505.97	521.97
- defects_log	1	506.05	522.05
- Colombia	1	532.39	548.39
- aroma	1	556.42	572.42
- acidity	1	559.78	575.78
- flavor	1	591.76	607.76

Step: AIC=518.63

Qualityclass ~ aroma + flavor + acidity + defects\_log + Colombia +  
Mexico + Uganda

	Df	Deviance	AIC
<none>		502.63	518.63
+ harvested	1	501.06	519.06
- Uganda	1	505.57	519.57
+ Honduras	1	501.68	519.68
+ Malawi	1	501.75	519.75
+ Kenya	1	501.82	519.82
+ altitude_mean_meters	1	501.90	519.90
- defects_log	1	507.92	521.92
- Mexico	1	512.34	526.34
- Colombia	1	532.82	546.82
- aroma	1	556.43	570.43
- acidity	1	561.11	575.11
- flavor	1	594.72	608.72

Call:

```
glm(formula = Qualityclass ~ aroma + flavor + acidity + defects_log +  
Colombia + Mexico + Uganda, family = binomial(link = "logit"),  
data = coffee_all_variables)
```

Deviance Residuals:

Min	1Q	Median	3Q	Max
-4.1629	-0.3116	0.0011	0.3408	3.5210

Coefficients:

	Estimate	Std. Error	z value	Pr(> z )
(Intercept)	-125.7756	9.2952	-13.531	< 2e-16 ***
aroma	4.4946	0.7234	6.213	5.19e-10 ***

```

flavor      7.1317      0.8609      8.284 < 2e-16 ***
acidity     4.9842      0.7223      6.900 5.19e-12 ***
defects_log 0.3247      0.1425      2.279 0.02267 *
Colombia    1.8317      0.3617      5.065 4.09e-07 ***
Mexico     -0.9074      0.2961     -3.064 0.00218 **
Uganda     -1.0808      0.6117     -1.767 0.07722 .
---

```

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

(Dispersion parameter for binomial family taken to be 1)

```

Null deviance: 1289.15 on 929 degrees of freedom
Residual deviance: 502.63 on 922 degrees of freedom
AIC: 518.63

```

Number of Fisher Scoring iterations: 7

#### Analysis of Deviance Table

Model 1: Qualityclass ~ aroma + flavor + acidity + defects\_log + Colombia + Mexico + Uganda

Model 2: Qualityclass ~ aroma + flavor + acidity + defects\_log + Colombia + Mexico

	Resid. Df	Resid. Dev	Df	Deviance
1	922	502.63		
2	923	505.57	-1	-2.9425

[1] 0.8815789

[1] 0.8904022

[1] 0.8731034

#### ##Sensitivity Analysis

```

Generalized linear mixed model fit by maximum likelihood (Laplace
Approximation) [glmerMod]
Family: binomial ( logit )
Formula: Qualityclass ~ 1 + aroma + flavor + acidity + defects_log + (1 |
country_of_origin)
Data: coffee_final

```

AIC	BIC	logLik	deviance	df.resid
681.5	711.7	-334.8	669.5	1134

#### Scaled residuals:

Min	1Q	Median	3Q	Max
-51.267	-0.239	0.004	0.268	13.385

#### Random effects:

Groups	Name	Variance	Std.Dev.
country_of_origin	(Intercept)	0.6285	0.7928

Number of obs: 1140, groups: country\_of\_origin, 34

#### Fixed effects:

	Estimate	Std. Error	z value	Pr(> z )
(Intercept)	-0.2502	0.2443	-1.024	0.3059
aroma	1.3733	0.1950	7.043	1.88e-12 ***
flavor	2.4130	0.2562	9.418	< 2e-16 ***
acidity	1.2662	0.1872	6.765	1.33e-11 ***
defects_log	0.2338	0.1279	1.828	0.0675 .

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1


[1] 0.8701754

[1] 0.8823189

[1] 0.8592056

## Classification boundry

Area under the curve: 0.949



	cut	fpr	tpr	dif
555	0.5091171	0.1175407	0.8909710	0.7734304
559	0.5041421	0.1211573	0.8943782	0.7732209
561	0.5024577	0.1229656	0.8960818	0.7731161
554	0.5132069	0.1175407	0.8892675	0.7717268
556	0.5079264	0.1193490	0.8909710	0.7716220
558	0.5063213	0.1211573	0.8926746	0.7715173

[1] 0.5091171

	cut	fpr	tpr	dif
555	0.5091171	0.1175407	0.8909710	0.7734304
559	0.5041421	0.1211573	0.8943782	0.7732209
561	0.5024577	0.1229656	0.8960818	0.7731161
554	0.5132069	0.1175407	0.8892675	0.7717268
556	0.5079264	0.1193490	0.8909710	0.7716220
558	0.5063213	0.1211573	0.8926746	0.7715173

[1] 0.8798246

[1] 0.8855754

[1] 0.8750265

[1] 0.8824561

[1] 0.8917863

[1] 0.8731034

[1] 0.8763441

[1] 0.897054

[1] 0.8594719

Generalized linear mixed model fit by maximum likelihood (Laplace  
Approximation) [glmerMod]  
Family: binomial ( logit )  
Formula: Qualityclass ~ 1 + aroma + flavor + acidity + defects\_log + (1 |  
country\_of\_origin)  
Data: coffee\_all\_variables

AIC	BIC	logLik	deviance	df.resid
525.4	554.4	-256.7	513.4	924

Scaled residuals:

Min	1Q	Median	3Q	Max
-90.757	-0.200	0.000	0.235	21.028

Random effects:

Groups	Name	Variance	Std.Dev.
country_of_origin	(Intercept)	0.8233	0.9074

Number of obs: 930, groups: country\_of\_origin, 33

Fixed effects:

	Estimate	Std. Error	z value	Pr(> z )
(Intercept)	-131.5202	10.2343	-12.851	< 2e-16 ***
aroma	4.6274	0.7523	6.151	7.70e-10 ***
flavor	7.5103	0.9278	8.094	5.75e-16 ***
acidity	5.2468	0.7647	6.861	6.83e-12 ***
defects_log	0.3491	0.1529	2.284	0.0224 *

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1