

Origin, Self, Language, Meaning, Other, Time, and Difference: A Self-Evolving Hypergraph

Brent Hartshorn
brenthartshorn@proton.me

Stage 5 (parent: doi:10.5281/zenodo.20707850)

Abstract

Stage 5 of a self-evolving hypergraph, extended from its parent (doi:10.5281/zenodo.20707850) so the inquiry can look fully back. It declares 7 nodes, each pairing a suggestive Greek glyph with a precise description. Of these, 1 compile via @dslai into small trainable modules (Sigma), making the hypergraph partly differentiable; a module computes, it does not comprehend. It relates them by 11 binary relations and 2 hyperedges, and may trigger gated actions whose output is recorded as data, never as an answer. The engine, introspected from its own source, exposes `act_coherence`, `act_neural`, `compile_module`, `forward`, `train`, `act_train`, `act_infer`, `parse`, `to_questions`, `title`, `abstract`, `run_actions`, `build_tex`, `build_pdf`, `evolve`. It poses questions and enacts computations beside them; it makes no claim to resolve what a self is.

Symbolic core (inherited relations)

$$\Omega \longrightarrow \Sigma$$

$$\Sigma \models \Sigma$$

$$\Sigma \otimes \Lambda$$

$$\partial \Sigma \stackrel{?}{=} \mu$$

$$\Sigma \not\prec \Omega$$

$$\Phi \longrightarrow \Sigma$$

$$\Phi \rightsquigarrow \Sigma$$

$$\mathbf{T} \Rightarrow \Lambda$$

$$\partial \Lambda \rightsquigarrow \mu$$

$$\Delta \dashrightarrow \mu$$

$$\partial \mathbf{T} \otimes \Delta$$

Nodes (suggestive glyph + precise description)

Ω origin — *that from which the self is said to come*

Σ self — *the locus that poses and is altered by the question* $\rightarrow$ module 3->8->3 (sigmoid), trainable

Λ language — *the finite medium any self must pass through*
 μ meaning — *what a reader supplies, or finds, in the passage*
 Φ other — *the one whose regard first gives the self to itself*
 T time — *the direction in which the self cannot return*
 Δ difference — *the gap that lets one thing be told from another*

Hypergraph (questions, and the data actions returned)

- $\{\Sigma\}$? Can the self reconstruct itself from its own compression? [train]
 $\hookrightarrow$ recorded data (not an answer): {'node': 'Sigma', 'arch': '3->8->3', 'task': 'autoencode', 'mse_start': 0.1252, 'mse_final': 0.0186, 'is': 'an optimization result over a defined toy objective; not the self learning what it is'}
- $\{\Sigma, \Lambda, \mu\}$? What of the self survives being carried at once into language and meaning? [coherence]
 $\hookrightarrow$ recorded data (not an answer): {'coherence': 0.042, 'shared': ['the']}

Questions this stage poses

- Does Ω give rise to Σ — and what precedes Ω ?
- On what does Σ entailing Σ rest?
- When Σ is carried by Λ , what survives and what is lost?
- Is $\partial\Sigma$ the same as μ , or is μ supplied by the reader?
- If Σ does not reduce to Ω , where is the remainder?
- Does Φ give rise to Σ — and what precedes Φ ?
- Does Φ haunt Σ — present as an absence?
- What residue remains because T leaves a trace upon Λ ?
- Does $\partial\Lambda$ haunt μ — present as an absence?
- What collapses when Δ shatters the structure of μ ?
- When ∂T is carried by Δ , what survives and what is lost?
- Can the self reconstruct itself from its own compression?
- What of the self survives being carried at once into language and meaning?

Lineage and provenance

This model extends its parent self-evolving inquiry, doi:10.5281/zenodo.20707850, ingesting its relations so the series can look fully back [1, 2, 3, 4]. Actions record data beside questions; the document poses and enacts, and makes no claim to resolve what a self is.

Appendix: self-extraction

This PDF carries its engine (introspecter2.py) and DSL (self.dsl) as embedded streams. Requires `pip install pypdf numpy` and a LaTeX install. To produce the next stage, save and run:

```
import base64
exec(base64.b64decode(
    "aW1wb3J0IHN5cywgZ2xvYiIwgb3MKc3lzLnBhdGguaw5zZXJ0KDA5IClIuIi"
    "kKZnJvbSBweXBkZiBpbXBvcnQgUGRmUmVhZGVyCnBkZiA9IG1heChnbG9i"
```

```
"Lmdsb2IoIioucGRmIiksIGtleTlvcy5wYXRoLmdlG10aW1lKQpmb3Igbm"  
"FtZSwgZGF0YSBpbjBQZGZSZWFkZXIocGRmKS5hdHRhY2htZW50cy5pdGVt"  
"cygp0gogICAgb3BlbihuYW1lLCAid2IiKS53cm10ZShkYXRhWzBdIGlmIG"  
"lzaW5zdGFuY2UoZGF0YSwgbGlzdCkgZWxzZSBkYXRhKQppbXBvcnQgaW1w"  
"b3J0bGliLCBpbmRyb3NwZWNoZXIyIGFzIEk7IGltcG9ydGxpYi5yZWxvYW"  
"QoSSk7IEkuZXZvbHZlKCKK" ) )
```

References

- [1] B. Hartshorn, *Origin, Self, Language, Meaning, Other, Time, and Difference: A Self-Evolving Inquiry* (self_3). doi:10.5281/zenodo.20707850
- [2] B. Hartshorn, *Towards Self-Evolving AGI via Emergent DSL*. viXra:2507.0104
- [3] B. Hartshorn, *Emergent Self-Modification and Meta-Programming in Dynamic Systems*. viXra:2507.0036
- [4] B. Hartshorn, *Self-Contained Multi-AI Architecture Definition via DSL*. viXra:2507.0074