Global QCQP Solver

Chuwen Zhang

April 19, 2021

Contents

1	Brai	Branch and Cut Algorithm															_												
	1.1	F	Root	5.			•						•						 							•		•	2
Re	feren	100	es																										2

1 Branch and Cut Algorithm

For $x \in \mathbb{R}^n$, we have: $x^T A_i x = A_i \bullet (xx^T)$

$$\begin{array}{ll} \text{Maximize} & Q \bullet Y \\ \\ \text{s.t.} & Y - xx^T \succeq 0 \text{ or } \begin{bmatrix} 1 & x^T \\ x & Y \end{bmatrix} \succeq 0 \\ \\ & A_i \bullet Y \; (\leq, =, \geq) \; b_i, \forall i \end{array} \tag{1.1}$$

For MINLP and more specifically for QP, see Belotti et al. (2013), Misener and Floudas (2013). More recently, spacial branch-and-cut method Chen et al. (2017) for QP with complex variables.

Branching node and value selection, namely, select which $x_i, i = 1, ..., N$ and value α , for left and right children, for example:

$$x_i \leq \alpha, x_i \geq \alpha$$

• Audet et al. (2000) using RLT relaxation and LP, literally, $W_{ij} \approx x_i x_j, v_i \approx x_i^2$. The branching is essentially based on $\|W_{ij} - x_i x_j\|$, $\|v_i - x_i^2\|$, at each node we solve a linear programming relaxation.

• Linderoth (2005) a B-B based on subdividing the feasible region into the Cartesian product of triangles and rectangles.

Branching value:

Some source code to look at:

• Couenne: https://www.coin-or.org/Couenne/

•

1.1 Root

The root of the problem can selected from different SDPs as we discussed before. It is a question to answer whether we should use the SDP with the tightest bound.

References

- Audet C, Hansen P, Jaumard B, Savard G (2000) A branch and cut algorithm for nonconvex quadratically constrained quadratic programming. *Mathematical Programming* 87(1):131–152, publisher: Springer.
- Belotti P, Kirches C, Leyffer S, Linderoth J, Luedtke J, Mahajan A (2013) Mixed-integer nonlinear optimization. *Acta Numerica* 22:1, publisher: Cambridge University Press.
- Chen C, Atamtürk A, Oren SS (2017) A spatial branch-and-cut method for nonconvex QCQP with bounded complex variables. *Mathematical Programming* 165(2):549–577, publisher: Springer.
- Linderoth J (2005) A simplicial branch-and-bound algorithm for solving quadratically constrained quadratic programs. *Mathematical programming* 103(2):251–282, publisher: Springer.
- Misener R, Floudas CA (2013) GloMIQO: Global mixed-integer quadratic optimizer. *Journal of Global Optimization* 57(1):3–50, publisher: Springer.

Appendix

Chuwen 2