

CO1 ASSESSMENT TOOL 2 – EXPERIMENTS

Q1 Decision Making

10 marks

Write a program to find the Maximum among three numbers

Your Code

```
1 #include<stdio.h>
2 int main() {
3     int a,b,c;
4     scanf("%d %d %d",&a, &b, &c);
5
6     int max=a;
7     if(b>max)max=b;
8     if(c>max)max=c;
9
10    printf("%d",max);
11    return 0;
12 }
```

Input

10 24 6

Output

24

Visible Test Cases

Test Case 1	✓
Test Case 2	✓

10.00 / 10 marks

✓ Submitted

Q2 Decision Making

10 marks

Write a program to find the factorial of a given number

Your Code

```
1 #include<stdio.h>
2 int main() {
3     int n;
4     long long fact = 1;
5     if(scanf("%d",&n)==1){
6         if(n<0){
7             printf("Error");
8         }else{
9             for(int i=1;i<=n;i++){
10                fact*=i;
11            }
12            printf("%lld",fact);
13        }
14    }
15    return 0;
16 }
```

Input

7

Output

5040

Visible Test Cases

Test Case 1	✓
Test Case 2	✓

10.00 / 10 marks

✓ Submitted

Q3 Looping

10 marks

Write a program to generate the fibonacci series upto N terms

Your Code

```
1 #include<stdio.h>
2 int main(){
3     int n;
4     if(scanf("%d",&n)==1){
5         long long a=0,b=1,next;
6
7         for(int i=0;i<n;i++){
8             if(i>0){
9                 printf(" ");
10            }
11            printf("%lld",a);
12            next=a+b;
13            a=b;
14            b=next;
15        }
16    }
17    return 0;
18 }
```

Input

5

Output

0 1 1 2 3

Visible Test Cases

Test Case 1



Test Case 2



10.00 / 10 marks

Submitted

CO1 - AT2 - EXPERIMENTS

← Back

QUESTIONS

Q1

Decision Making
10 marks



Q2

Decision Making
10 marks



Q3

Looping
10 marks



Q4

Looping
10 marks



Q5

Looping
10 marks



5/5 answered

Q4 Looping

10 marks

Write a program to check the given number is Armstrong number or not.

Your Code

```
1 #include <stdio.h>
2 #include <math.h>
3
4 int main() {
5     int num, originalNum, remainder, digits = 0;
6     long sum = 0;
7
8     scanf("%d", &num);
9
10    originalNum = num;
11
12    for (originalNum = num; originalNum != 0; originalNum /= 10) {
13        digits++;
14    }
15
16    originalNum = num;
17
18    while (originalNum != 0) {
19        remainder = originalNum % 10;
20        sum += pow(remainder, digits);
21        originalNum /= 10;
22    }
23
24    if (sum == num)
25        printf("%d is an Armstrong number", num);
26    else
27        printf("%d is not an Armstrong number", num);
28 }
```

Input

stdin input

Output

0 is an Armstrong number

Visible Test Cases

Test Case 1



Test Case 2



10.00 / 10 marks

Q5 Lopping

10 marks

Write a program to print the reverse of the number

Your Code

```
1 #include<stdio.h>
2 int main() {
3     int num, reversed=0, remainder;
4     if (scanf("%d", &num) == 1) {
5         while (num != 0) {
6             remainder = num % 10;
7             reversed = reversed * 10 + remainder;
8             num /= 10;
9         }
10        printf("%d\n", reversed);
11    }
12    return 0;
13 }
```

Input

26789

Output

98762

Visible Test Cases

Test Case 1



Test Case 2



10.00 / 10 marks

Submitted