The Hashtag-Thread Mashup: How Educators Talk to Each Other in Twitter #Edchat

K. Bret Staudt Willet
11/08/2019

Contents

Get set up	1
Load packages	1
Load the data	1
Data analysis	1
RQ1. What volume of #Edchat tweets must participants navigate?	1
RQ2. How do #Edchat tweets demonstrate a mishmash of content, if at all?	2
RQ3. What social interactions occur within the #Edchat hashtag-thread mashup?	3
Version/dependencies	6

Get set up

This section loads the data and packages and starts to process the data, but doesn't calculate any statistics or create any results.

Load packages

Load the data

Having completed the steps in the setup.Rmd file, you now have the dataset stored in your local repository and can load it as usual. This project uses Twitter #Edchat data that have been run through the rtweet R package, which queries the Twitter API to return the most complete set of tweet metadata available, while also removing deleted and protected tweets. See https://rtweet.info/ for details on rtweet.

Data analysis

RQ1. What volume of #Edchat tweets must participants navigate?

Time frame

```
## [1] "Tweets were collected from 2017-10-01 to 2018-06-05 (8.12 months)."
```

Volume of tweeters and tweets

[1] "175474 distinct tweeters created 1111643 unique tweets."


Tweets per month per user

```
## mean sd median min max
## 1 0.78 9.5 0.12 0.12 2636.42
```

Minimal participation. Look at one-time tweeters.

- ## [1] "Tweeters who contributed only one tweet to #Edchat: 96466 (54.97%)"
- ## [1] "Tweeters who tweeted at least monthly to #Edchat: 19363 (11.03%)."
- ## [1] "Tweeters who contributed by retweeting #Edchat tweets: 162034 (92.34%)"
- ## [1] "Tweeters who contributed only one retweet to #Edchat: 93201 (53.11%)"

Visualization of daily volume of tweets and retweets



RQ2. How do #Edchat tweets demonstrate a mishmash of content, if at all?

First, calculate descriptive statistics for the number of hashtags per tweet:

mean sd median min max ## 1 4.13 3.22 3 0 31

Now consider how many tweets have #Edchat only and no other hashtags:

[1] "148099 tweets contain the #Edchat hashtag alone (13.32%)."

Finally, look at the top-20 hashtags that occur alongside # Edchat:

Hashtag	n
	29875100
#edchat	1116201
#edtech	282393
#education	174179

n
81285
69357
59080
50467
47496
44540
44412
43529
42174
41882
38148
35555
34367
29206
26328
24053
23623
20589
19552
18923
18035
17828
17341
16821
16411
15056

RQ3. What social interactions occur within the #Edchat hashtag-thread mashup?

How are participants connected to each other in #Edchat?

```
## [1] "2848 (1.62% of all #Edchat tweeters) replied to someone, in 10381 reply tweets."
## [1] "1136 (0.65% of all #Edchat tweeters) replied more than once."
```

Replies per replier:

```
## mean sd median min max
## 1 3.65 16.29 1 1 637
```

hashtag-thread mashup

Now, reconstruct threads of replies extending beyond #Edchat, starting by looking up tweets that have been replied to but are not in #Edchat.

```
## mean sd median min max
## 1 3.59 15.16 1 1 641
```

Volume of tweets in the hashtag-thread mashup

```
## [1] "Overall, the #Edchat hashtag-thread mashup was made up of 13176 replies from 3672 tweeters."
## # A tibble: 2 x 4
## has_edchat n_tweets p_tweets n_tweeters
## <|g|> <int> <dbl> <int>
```

```
## 1 FALSE 2743 20.8 1308
## 2 TRUE 10433 79.2 2850
```

- ## [1] "2364 (64.38%) contributors always included the #Edchat hashtag in their replies."
- ## [1] "486 (13.24%) contributors sometimes included the hashtag, sometimes not."
- ## [1] "822 (22.39%) contributors never included the #Edchat hashtag in their replies."

Time Frame

[1] "The #Edchat hashtag-thread mashup ranged from 2014-10-13 to 2018-06-05 (43.75 months)."

Create Table 1.

- 1. Compare the proportion of tweets during weekly synchronous chats.
- 2. Compare the proportion of tweets that are self-replies.
- 3. Look at the difference in average number of words per tweet.
- 4. Look at the difference in average number of *characters* per tweet.
- $5.\ \, {\rm Look}$ at the difference in text-polarity $sentiment\ score$ per tweet.
- 6. Look at the difference in average number of *hashtags* per tweet.
- 7. Look at the difference in average number of hyperlinks per tweet.
- 8. Look at the difference in average number of likes per tweet.
- 9. Look at the difference in average number of retweets per tweet.
- 10. Look at the difference in average number of replies per tweet.

```
## Warning: Each time `sentiment` is run it has to do sentence boundary disambiguation when a
## raw `character` vector is passed to `text.var`. This may be costly of time and
## memory. It is highly recommended that the user first runs the raw `character`
## vector through the `get_sentences` function.
```

```
## Warning: Each time `sentiment` is run it has to do sentence boundary disambiguation when a
## raw `character` vector is passed to `text.var`. This may be costly of time and
## memory. It is highly recommended that the user first runs the raw `character`
## vector through the `get_sentences` function.
```

With #Edchat	Sync %	Self-reply %	Words	Characters	Sentiment	Hashtags	Links	Likes	RTs	Replies
TRUE	36.04	15.98	26.53	185.85	0.31	2.51	0.24	2.01	0.48	0.27
FALSE	11.59	29.20	27.90	201.87	0.25	0.57	0.22	26.25	3.66	1.03

Next, create the network graph of #Edchat replies using the igraph package.

Then calculate network statistics.

Note that the diameter is the length of the longest geodesic (i.e., the maximum distance between two vertices). Transitivity is the balance of connections, also called the "clustering coefficient." Transitivity is the probability that the adjacent vertices of a vertex are connected. When the clustering coefficient is large it implies that a graph is highly clustered around a few nodes. When it is low, it implies that the links in the graph are relatively evenly spread among all the nodes (Hogan, 2017). Reciprocity is the proportion of mutual connections (in a directed network). That is, reciprocity is the probability that the opposite counterpart of a directed edge is also included in the graph.

- ## [1] "The network of the #Edchat hashtag-thread mashup has 6171 nodes and 13176 edges."
- ## [1] "The network has a diameter of 18, a transitivity score of 4.72%,"
- ## [1] " and a reciprocity score of 29.19%."
- ## [1] "In addition, the mean degree is 3.47 (SD = 20.15) with a median degree of 1."


[1] " Finally the minimum degree is 0 and the maximum degree is 1053."

Take samples (n = 100) of replies and repliers with keyword #edchat and without.

Visualize these differences in tweet purpose and tweet discourse in replies with and without # Edchat

Purpose

First, calculate margins of error (moe); then display the plot of tweet purposes.



- ## [1] "The two-way table test of association between the presence of the keyword #edchat"
- ## [1] "and tweet purpose had a chi-square value of 11.16,"
- ## [1] "(df = 3), p = 0.0109 and an effect size d = 0.48."


Print the contingency table and the results of the chi-square test.

```
##
                 with without
                    13
                            13
## self
## others
                    11
## mutual
                    70
                            58
## miscellaneous
                            22
##
##
    Pearson's Chi-squared test
## data: matrix_purpose_sums
## X-squared = 11.157, df = 3, p-value = 0.01091
```

Discourse

First, calculate margins of error (moe); then display the plot of tweet discourses.

Now, display the plot.



- ## [1] "The two-way table test of association between the presence of the keyword #edchat"
- ## [1] "and tweet discourse had a chi-square value of 7.31,"
- ## [1] "(df = 2), p = 0.0259 and an effect size d = 0.39."

Print the contingency table and the results of the chi-square test.

```
## with without
## cognitive 13 24
## interactive 75 57
## social 12 19
##
## Pearson's Chi-squared test
##
## data: matrix_discourse_sums
## X-squared = 7.3055, df = 2, p-value = 0.02592
```

Version/dependencies

sessionInfo()

```
## R version 3.5.2 (2018-12-20)
## Platform: x86_64-apple-darwin15.6.0 (64-bit)
```

```
## Running under: macOS Mojave 10.14.6
##
## Matrix products: default
## BLAS: /Library/Frameworks/R.framework/Versions/3.5/Resources/lib/libRblas.0.dylib
## LAPACK: /Library/Frameworks/R.framework/Versions/3.5/Resources/lib/libRlapack.dylib
##
## locale:
## [1] en_US.UTF-8/en_US.UTF-8/en_US.UTF-8/C/en_US.UTF-8/en_US.UTF-8
## attached base packages:
## [1] stats
                 graphics grDevices utils
                                               datasets methods
                                                                    base
## other attached packages:
                         igraph_1.2.4.1
                                          sentimentr_2.7.1 rtweet_0.6.8
  [1] ggraph_1.0.2
   [5] lubridate_1.7.4
                         forcats_0.4.0
                                          stringr_1.4.0
                                                            dplyr_0.8.0.1
## [9] purrr_0.3.2
                         readr_1.3.1
                                          tidyr_0.8.3
                                                            tibble_2.1.1
## [13] ggplot2_3.1.1
                         tidyverse_1.2.1
##
## loaded via a namespace (and not attached):
  [1] ggrepel 0.8.0
                          Rcpp 1.0.1
                                            textshape 1.6.0
##
  [4] lattice_0.20-38
                          clisymbols_1.2.0 utf8_1.1.4
## [7] assertthat_0.2.1
                          rprojroot_1.3-2
                                            digest 0.6.18
## [10] ggforce_0.2.2
                          R6_2.4.0
                                            cellranger_1.1.0
## [13] plyr 1.8.4
                          compute.es 0.2-4
                                            backports 1.1.4
                                            httr 1.4.0
## [16] evaluate 0.13
                          highr_0.8
                                            lazyeval_0.2.2
## [19] pillar_1.3.1
                          rlang 0.4.0
## [22] readxl_1.3.1
                          rstudioapi_0.10
                                            data.table_1.12.2
## [25] textclean_0.9.3
                          rmarkdown_1.12
                                            labeling_0.3
## [28] polyclip_1.10-0
                          munsell_0.5.0
                                            broom_0.5.2
## [31] compiler_3.5.2
                          modelr_0.1.4
                                            xfun_0.6
## [34] pkgconfig_2.0.2
                          qdapRegex_0.7.2
                                            htmltools_0.4.0
## [37] tidyselect_0.2.5
                          gridExtra_2.3
                                            fansi_0.4.0
## [40] viridisLite_0.3.0 crayon_1.3.4
                                            withr_2.1.2
## [43] MASS_7.3-51.4
                          grid_3.5.2
                                            nlme_3.1-139
## [46] isonlite 1.6
                          gtable 0.3.0
                                            magrittr 1.5
## [49] scales_1.0.0
                          cli_1.1.0
                                            stringi_1.4.3
## [52] farver 1.1.0
                          viridis 0.5.1
                                            fs 1.2.7
## [55] syuzhet_1.0.4
                          xm12_1.2.0
                                            generics_0.0.2
## [58] tools_3.5.2
                                            tweenr_1.0.1
                          glue_1.3.1
## [61] hms_0.4.2
                                            colorspace_1.4-1
                          yaml_2.2.0
## [64] lexicon 1.2.1
                          rvest 0.3.3
                                            knitr 1.22
## [67] haven_2.1.0
                          usethis_1.5.0
```