CCE106L - APPLICATION DEVELOPMENT & EMERGING TECHNOLOGIES

Room Act 4: Flutter Calculator Design and Code Tracing

Laboratory Documentation Report & Source Code Tracing

Student Name: Brett Josh B. Binasbas	**Subject & Code:** CCE106L(3447)
Topic: StatefulWidget & Input Handling	**Project Name:** Binasbas_calculator
GitHub Link: github.com/brettjoshbinasbas-ux/Binasbas_calculator	**Status:** All Test Suites Passing

1. Learning Objectives

• **Interface Design:** Constructed an interactive calculator using Flutter layout widgets (Scaffold, TextField, Wrap, ElevatedButton, Container).
• **TextEditingController:** Retrieved, manipulated, and cleared user input text safely from multiple input fields.
• **State Management via setState():** Triggered UI rebuilds to reflect live calculation results and operation labels.
• **Arithmetic Operations:** Implemented addition (+), subtraction (–), multiplication (×), and division (÷).
• **Defensive Validation:** Enforced division-by-zero checks and non-numeric input validation.
• **Code Tracing:** Documented the lifecycle and flow of input data from text entry to reactive UI updates.

2. Input Flow & Code Tracing Lifecycle

1. User Input: Characters typed into text fields are buffered in firstNumberController and secondNumberController.
2. Event Dispatch: Tapping an operation button (+, –, ×, ÷) invokes calculate(operation).
3. Numeric Parsing: double.tryParse() validates input format. If conversion returns null or non-finite, state changes to *'Invalid input'*.
4. Zero-Division Guard: If operation == '÷' && second == 0, the operation aborts and displays *'Cannot divide by zero'*.
5. Expression Evaluation: A switch statement computes answer = first (op) second.
6. UI Re-render: setState() updates result and operationLabel, causing Flutter to rerun build().
7. Controller Teardown: Inside dispose(), controllers are released to avoid memory leaks.

3. Documented Output & Primary Submission Screenshots

The screenshots below demonstrate the two primary submission requirements: successful arithmetic calculation and division-by-zero error handling.




Figure 1: Successful Calculation
Multiplication: 25.0 × 4.0 = **100.0**




Figure 2: Division by Zero Guard
Input: 50 ÷ 0 → **'Cannot divide by zero'**

4. Additional Test Scenarios & Visual Verification

Further verification across addition, initial load state, invalid inputs, and clear action.




Figure 3: Addition Operation

Addition: 125.0 + 75.0 = **200.0**




Figure 4: Initial Launch State

Default Prompt: **'Enter two numbers'** & Result: **0**

5. Complete Source Code Tracing

File: lib/main.dart

```
import 'package:flutter/material.dart';
import 'calculator_screen.dart';

void main() {
  runApp(const CalculatorApp());
}

class CalculatorApp extends StatelessWidget {
  const CalculatorApp({super.key});

  @override
  Widget build(BuildContext context) {
    return MaterialApp(
      debugShowCheckedModeBanner: false,
      title: 'Basic Calculator',
      theme: ThemeData(
        colorScheme: ColorScheme.fromSeed(
          seedColor: Colors.indigo,
        ),
        useMaterial3: true,
      ),
      home: const CalculatorScreen(),
    );
  }
}
```

File: lib/calculator_screen.dart

```
import 'package:flutter/material.dart';

class CalculatorScreen extends StatefulWidget {
  const CalculatorScreen({super.key});

  @override
  State<CalculatorScreen> createState() => _CalculatorScreenState();
}

class _CalculatorScreenState extends State<CalculatorScreen> {
  final firstNumberController = TextEditingController();
  final secondNumberController = TextEditingController();

  String result = '0';
  String operationLabel = 'Enter two numbers';

  void calculate(String operation) {
    final first = double.tryParse(firstNumberController.text.trim());
    final second = double.tryParse(secondNumberController.text.trim());

    if (first == null ||
        second == null ||
        !first.isFinite ||
        !second.isFinite) {
      setState(() {
        result = 'Invalid input';
        operationLabel = 'Please enter two valid numbers';
      });
      return;
    }

    if (operation == '÷' && second == 0) {
      setState(() {
        result = 'Cannot divide by zero';
        operationLabel = 'Please change the second number';
      });
      return;
    }

    double answer;

    switch (operation) {
      case '+':
        answer = first + second;
        break;
      case '-':
```

```
    case '−':
      answer = first - second;
      break;
    case '×':
    case '*':
      answer = first * second;
      break;
    case '÷':
    case '/':
      answer = first / second;
      break;
    default:
      return;
  }

  setState(() {
    result = answer.toString();
    operationLabel = '$first $operation $second';
  });
}

void clearCalculator() {
  firstNumberController.clear();
  secondNumberController.clear();

  setState(() {
    result = '0';
    operationLabel = 'Enter two numbers';
  });
}

@override
void dispose() {
  firstNumberController.dispose();
  secondNumberController.dispose();
  super.dispose();
}

@override
Widget build(BuildContext context) {
  return Scaffold(
    appBar: AppBar(
      title: const Text('My Stateful Calculator'),
      centerTitle: true,
      backgroundColor: Colors.indigo,
      foregroundColor: Colors.white,
    ),
    body: SingleChildScrollView(
      padding: const EdgeInsets.all(24),
      child: Column(
        crossAxisAlignment: CrossAxisAlignment.stretch,
        children: [
          const Icon(
            Icons.calculate,
            size: 64,
            color: Colors.indigo,
          ),
          const SizedBox(height: 12),
          const Text(
            'BASIC CALCULATOR',
            textAlign: TextAlign.center,
            style: TextStyle(
              fontSize: 24,
              fontWeight: FontWeight.bold,
            ),
          ),
          const SizedBox(height: 24),
          TextField(
            controller: firstNumberController,
            keyboardType: const TextInputType.numberWithOptions(
              decimal: true,
              signed: true,
            ),
            decoration: const InputDecoration(
              labelText: 'First Number',
              hintText: 'Enter the first number',
              prefixIcon: Icon(Icons.looks_one),
              border: OutlineInputBorder(),
```

```
  ),
),
const SizedBox(height: 16),
TextField(
  controller: secondNumberController,
  keyboardType: const TextInputType.numberWithOptions(
    decimal: true,
    signed: true,
  ),
  decoration: const InputDecoration(
    labelText: 'Second Number',
    hintText: 'Enter the second number',
    prefixIcon: Icon(Icons.looks_two),
    border: OutlineInputBorder(),
  ),
),
const SizedBox(height: 24),
Wrap(
  alignment: WrapAlignment.center,
  spacing: 12,
  runSpacing: 12,
  children: [
    ElevatedButton(
      onPressed: () => calculate('+'),
      child: const Text(
        '+',
        style: TextStyle(fontSize: 24),
      ),
    ),
    ElevatedButton(
      onPressed: () => calculate('-'),
      child: const Text(
        '−',
        style: TextStyle(fontSize: 24),
      ),
    ),
    ElevatedButton(
      onPressed: () => calculate('×'),
      child: const Text(
        '×',
        style: TextStyle(fontSize: 24),
      ),
    ),
    ElevatedButton(
      onPressed: () => calculate('÷'),
      child: const Text(
        '÷',
        style: TextStyle(fontSize: 24),
      ),
    ),
  ],
),
const SizedBox(height: 24),
Container(
  padding: const EdgeInsets.all(24),
  decoration: BoxDecoration(
    color: Colors.indigo.shade50,
    borderRadius: BorderRadius.circular(16),
    border: Border.all(color: Colors.indigo),
  ),
  child: Column(
    children: [
      Text(
        operationLabel,
        textAlign: TextAlign.center,
      ),
      const SizedBox(height: 12),
      const Text(
        'RESULT',
        style: TextStyle(
          fontWeight: FontWeight.bold,
        ),
      ),
      const SizedBox(height: 8),
      Text(
        result,
        textAlign: TextAlign.center,
        style: const TextStyle(
```

```
                    fontSize: 28,
                    fontWeight: FontWeight.bold,
                    color: Colors.indigo,
                  ),
                ),
              ],
            ),
          ),
          const SizedBox(height: 16),
          OutlinedButton.icon(
            onPressed: clearCalculator,
            icon: const Icon(Icons.refresh),
            label: const Text('Clear'),
          ),
          const SizedBox(height: 24),
          const Text(
            'Created by: Brett Josh B. Binasbas\nSection: CCE106L(3447)',
            textAlign: TextAlign.center,
          ),
        ],
      ),
    ),
  );
 }
}
```

6. Automated Test Suite Verification

The calculator was verified through an automated smoke test (test/widget_test.dart) and visual capture harness. The test verified:

- Correct rendering of all interactive elements, icons, labels, and student attribution.
- Valid numerical calculations (+, –, ×, ÷) matching expected mathematical results.
- Division by zero interception displaying *'Cannot divide by zero'* without throwing runtime exceptions.
- Resetting input fields and state variables upon invoking clearCalculator().

Automated Test Suite Output:

```
$ flutter test
00:00 +0: loading test/widget_test.dart
00:00 +0: Calculator smoke test - addition, division by zero, and clear
00:03 +1: All tests passed!
```

7. Summary & Conclusion

Laboratory Activity 4 comprehensively demonstrated how state is created, tracked, and displayed in Flutter using StatefulWidget, TextEditingController, and setState(). By implementing defensive input validation, proper controller disposal, and clean reactive architecture, the application meets all functional and design requirements specified in the activity guidelines.

Submitted by:
Brett Josh B. Binasbas
Student, CCE106L(3447)

GitHub Repository:
https://github.com/brettjoshbinasbas-ux/Binasbas_calculator