

```
boost::statechart::  
simple_state< S1< M  
>, S0< M >, mpl::list  
< Default0< S1< M > >,  
S11< M >, Default2< S1  
< M > > >, has_no_history >
```

```
- pContext_
```

```
+ outermost_context()  
+ outermost_context()  
+ context()  
+ context()  
+ state_cast()  
+ state_downcast()  
+ state_begin()  
+ state_end()  
+ post_event()  
+ post_event()  
+ discard_event()  
+ forward_event()  
+ defer_event()  
+ transit()  
+ transit()  
+ terminate()  
+ clear_shallow_history()  
+ clear_deep_history()  
+ triggering_event()  
+ BOOST_STATIC_ASSERT()  
+ BOOST_STATIC_ASSERT()  
+ operator new()  
+ operator delete()  
+ outermost_context_base()  
+ outermost_context_base()  
+ outer_state_ptr()  
+ react_impl()  
+ exit_impl()  
+ exit_impl()  
+ set_outermost_unstable  
_state()  
+ context_ptr()  
+ set_context()  
+ store_deep_history_impl()  
+ initial_deep_construct()  
+ deep_construct()  
+ shallow_construct()  
+ deep_construct_inner()  
# simple_state()  
# ~simple_state()  
- transit_impl()  
- local_react()  
- check_store_shallow  
_history()  
- check_store_deep_history()
```



```
boost::statechart::  
state< S1< M >, S0<  
M >, mpl::list< Default0  
< S1< M > >, S11< M >, Default2  
< S1< M > > > >
```

```
+ initial_deep_construct()  
+ deep_construct()  
+ shallow_construct()
```

```
# state()
```

```
# ~state()
```



```
+ Orthogonal1()
```

```
+ ~Orthogonal1()
```

```
+ exit()
```



```
+ S1()
```