

Core Builds

Complete Reference — AIOStreams Templates

Generated June 17, 2026

Authoritative reference for all fields, functions, patterns, and conventions used in the Core Builds template collection for AIOStreams. Pull from **brevityAI/Core-Builds**.

1 Template Schema

All templates are JSON files with two top-level objects: **metadata** and **config**.

1.1 metadata

Field	Type	Notes
id	string	Unique ID — use brevity.core-nexus-* prefix for stable templates
name	string	Display name shown in AIOStreams UI
description	string	Short summary of the template's purpose
source	string	"external" for all user-imported templates
author	string	"Branding-Brevity"
version	string	SemVer — MAJOR.MINOR.PATCH
category	string	"Debrid" "Anime" "Device" "Nightly"
serviceRequired	boolean	false for most templates
setToSaveInstallMenu	boolean	true — saves to install menu on import
sourceUrl	string	raw.githubusercontent.com/brevityA/Core-Builds/refs/heads/main/...
changelogUrl	string	Points to CHANGELOG.md raw URL
changelog	array	[[version, date?, changes:...]] — shown in update dialog

1.2 config — top-level fields

Field	Notes
addonName	Display name of the addon stack
addonLogo	Must use /refs/heads/main/ (not /main/) — stale CDN breakage otherwise
sourceUrl	Same as metadata.sourceUrl — used for in-app update check
parentConfig	Optional — uuid + password + mergeStrategies for parent/child linking
presets	Array of addon/service presets
sortCriteria	{global:[{key,direction}]} — direction must be 'asc' 'desc', never 'order'
maxResults	Max streams returned (default 20)
maxResultsPerResolution	Cap per resolution bucket (default 8)
excludedEncodes	Array of codec strings to hard-exclude
excludedAudioTags	Array of audio format strings to hard-exclude
preferredEncodes	Ranked preferred codecs
preferredVisualTags	Ranked HDR/visual tags
preferredAudioChannels	e.g. ['7.1','5.1','2.0']
preferredResolutions	Ordered list — first = most preferred
preferredRegexPatterns	Template-specific named regex patterns with score (70–100)
rankedRegexPatterns	score ≥50 subset from shared file (48 × 4K, 45 × 1080p, 0 × Anime)
streamExpressions	PSEs — preferred stream expressions (ranking)
excludedStreamExpressions	ESEs — kill/block expressions
includedStreamExpressions	ISEs — passthrough / include expressions
formatter	Formatter config — references a formatter definition by id

1.3 Preset structure

Field	Notes
id	UUID for the preset instance
type	Preset type string — see Known Preset Types
enabled	boolean — false to disable without removing
options	Type-specific config object (URLs, API keys, timeouts)

1.4 Template Directives (Nightly Labs only)

Directive	Effect
__if	Conditional block — evaluates inputs.x, services.x; supports and/or/xor
__value	Replaced with a dynamic value at load time
__switch	Multi-branch conditional
__remove	Removes the containing key/element from the output

2 Known Validator Rules

- **sortCriteria direction** — must be "direction", not "order" — AIOStreams rejects order on import.
- **addonLogo URL** — must use /refs/heads/main/ not /main/ — short form breaks on stale CDN caches.
- **stremthruTorz** — TorBox-specific; stremthruStore is for other debrid services (AllDebrid, RD).
- **torbox-search** — valid TorBox-wrapped search addon; keep enabled: false to opt out per-template.
- **syncdRankedRegexUrls** — blocked on public instances (elfhosted, fortheweak.cloud). Triggers "Forbidden URL" error. Embed patterns inline in rankedRegexPatterns instead.
- **Regex access** — REGEX_FILTER_ACCESS=trusted is the AIOStreams default. Inline rankedRegexPatterns are ALSO blocked for non-trusted users. Self-hosted: set REGEX_FILTER_ACCESS=all.
- **SEL hard limits** — Max 3,000 chars per expression (MAX_SEL_LENGTH); 50,000 chars total (MAX_STREAM_EXPRESSIONS_TOTAL_CHARACTERS); 200 total expressions max. Current peak: 2,953 chars — do not grow the Final Limit ESE.

3 Known Preset Types

Category	type values
Debrid / service	stremthruTorz stremthruStore torrent-io torbox torbox-search
Scrapers	comet mediafusion mediafusion-public jackettio prowlarr orionoid annatar knaben torrentio debridio meteor torrent-galaxy zilean hdhub eztv
Usenet	newznab easynews easynews-plus
Anime-specific	seadex animetosho neko-bt
Subtitles	opensubtitles-v3-plus aiosubtitle
System	library custom

4 SEL Function Reference

All functions available in AIOStreams Stream Expression Language
(`packages/core/src/parser/streamExpression.ts`).

4.1 Statistics functions

Function	Description
<code>max(arr)</code>	Maximum value
<code>min(arr)</code>	Minimum value
<code>avg(arr) / mean(arr)</code>	Arithmetic mean
<code>sum(arr)</code>	Sum of values
<code>percentile(arr,n)</code>	nth percentile
<code>q1(arr)</code>	25th percentile
<code>q2(arr) / median(arr)</code>	50th percentile
<code>q3(arr)</code>	75th percentile
<code>iqr(arr)</code>	Interquartile range ($q3 - q1$)
<code>variance(arr)</code>	Population variance
<code>stddev(arr)</code>	Standard deviation
<code>range(arr)</code>	$\max - \min$
<code>mode(arr)</code>	Most frequent value
<code>skewness(arr)</code>	Pearson skewness
<code>kurtosis(arr)</code>	Excess kurtosis
<code>values(streams, field)</code>	Extract field values from a stream array as a numeric array. Common: 'bitrate', 'size', 'seeders'

4.2 Stream filter functions

Function	Description
<code>resolution(streams, ...res)</code>	Filter by resolution string: '2160p','1080p','720p',...
<code>quality(streams, ...q)</code>	Filter by quality: 'Bluray REMUX','WEB-DL','WEBRip',...
<code>encode(streams, ...enc)</code>	Filter by codec: 'H.265/HEVC','H.264/AVC','AV1','VC-1',...
<code>type(streams, ...t)</code>	Filter by content type: 'movie','series',...
<code>visualTag(streams, ...t)</code>	Filter by HDR tag: 'DV','HDR10+','HDR10','HLG','SDR',...
<code>audioTag(streams, ...t)</code>	Filter by audio format: 'TrueHD','DTS-HD MA','Atmos',...
<code>audioChannels(streams, ...ch)</code>	Filter by channel count: '7.1','5.1','2.0',...
<code>language(streams, ...l)</code>	Filter by language code
<code>subtitle(streams, ...s)</code>	Filter by subtitle language
<code>seeders(streams, min, max?)</code>	Filter by seeder count range
<code>age(streams, maxDays)</code>	Filter streams older than maxDays
<code>size(streams, min, max?)</code>	Filter by file size — accepts '15GB','1TB', etc.
<code>bitrate(streams, min, max?)</code>	Filter by bitrate — accepts '5Mbps','50Mbps', etc.
<code>service(streams, ...svc)</code>	Filter by debrid service: 'torbox','realdebrid',...
<code>cached(streams)</code>	Keep only cached streams
<code>uncached(streams)</code>	Keep only uncached streams

Function	Description
<code>releaseGroup(streams, ...g)</code>	Filter by release group name
<code>seasonPack(streams, mode)</code>	mode: 'onlySeasons' 'onlyEpisodes' 'both'
<code>multiEpisode(streams)</code>	Keep only multi-episode files
<code>addon(streams, ...names)</code>	Filter by addon name
<code>library(streams)</code>	Keep only library/watchlist streams
<code>seadex(streams)</code>	Keep only SeaDex-matched streams
<code>message(streams, msg)</code>	Attach a custom message to streams
<code>passthrough(streams)</code>	Return streams unchanged (identity)
<code>indexer(streams, ...names)</code>	Filter by indexer/scrapper name
<code>keyword(streams, attr, ...kw)</code>	Match by keyword in attr ('filename','releaseGroup','all')

4.3 Score / match functions

Function	Description
<code>seScore(streams)</code>	Score by stream expression match tier
<code>streamExpressionScore(streams)</code>	Alias for <code>seScore</code>
<code>regexScore(streams)</code>	Score by regex pattern match
<code>regexMatched(streams, ...names)</code>	Keep streams matched by named regex pattern(s)
<code>regexMatchedInRange(streams, min, max)</code>	Keep streams whose regex match index is in range
<code>seMatched(streams, ...names)</code>	Keep streams whose SE name matches. No args → all SE-matched
<code>seMatchedInRange(streams, min, max)</code>	Keep streams matched by SE at index in min..max
<code>rseMatched(streams, ...tiers)</code>	Keep streams matched by named RSE tier

4.4 Array / control functions

Function	Signature	Description
<code>count</code>	<code>count(streams)</code>	Number of streams in array
<code>negate</code>	<code>negate(streams)</code>	Invert — exclude these streams from the result set
<code>merge</code>	<code>merge(...arrays)</code>	Concatenate multiple stream arrays
<code>slice</code>	<code>slice(streams, start, end?)</code>	Take a sub-slice of a stream array
<code>perGroup</code>	<code>perGroup(streams, key, max)</code>	Limit to max streams per group key
<code>pin</code>	<code>pin(streams, pos?, returnMatched?)</code>	Register streams for top/bottom pinning. Returns [] (ESE) or matched streams (RSE). pos: 'top' 'bottom'

4.5 Math (expr-eval)

- `pow(base, exp)` — exponentiation. Used in IQR `pow()`-decay: `pow(0.95, daysSinceRelease)`
- `sqrt(x)` — square root
- `random()` — random float [0,1)
- All standard arithmetic operators: `+` `-` `*` `/` `%` `()`

5 SEL Variables

Available as bare names in any PSE / ESE / ISE expression.

5.1 Content metadata

Variable	Type	Values / Notes
queryType	string	'movie' 'series' 'anime.movie' 'anime.series'
isAnime	boolean	true when queryType is anime.*
title	string	Content title
year	number	Release year (start year for series)
yearEnd	number	End year for ended series
season	number	Requested season number
episode	number	Requested episode number
absoluteEpisode	number	Absolute episode count (anime)
genres	string[]	Genre list e.g. ['Action','Drama']
runtime	number	Runtime in minutes
originalLanguage	string	ISO language code e.g. 'en','ja'
hasSeaDex	boolean	true when SeaDex entry exists for this title

5.2 Release timing

Variable	Type	Notes
daysSinceRelease	number	Days since theatrical/streaming release date
daysSinceFirstAired	number	Days since series first aired
daysSinceLastAired	number	Days since most recent episode aired
daysUntilNextEpisode	number	Days until next episode (negative if in future)
hasNextEpisode	boolean	true if there is a scheduled next episode
latestSeason	number	Highest available season number
ongoingSeason	boolean	true if the requested season is currently airing

5.3 Dynamic addon fetching (exit condition only)

Variable	Notes
totalStreams	Total streams collected so far across all queried addons
totalTimeTaken	Elapsed ms since the query started
queriedAddons	Number of addons already queried
allAddons	Total number of addons in the stack

5.4 Groups (group condition only)

Variable	Notes
previousStreams	Streams returned by previous group expressions
previousGroupTimeTaken	Time taken by previous group (ms)

■ hasChapters, editions, regraded, date, dubbed, subbed — formatter DSL only. These are stream.X fields in formatter strings, NOT SEL variables.

6 PSE Architecture

6.1 IQR Tukey Fence (4K full templates)

Three-tier adaptive bitrate selection pattern used in 4K Apex, 4K Hybrid, 4K Essential, 4K AllDebrid:

```
/*LABEL*/ count(PEER_EXPR) >= 4 ? size(bitrate(STREAMS,
    q1(values(bitrate(STREAMS, '5Mbps'), 'bitrate')) - 1.5*iqr(values(...)),
    q3(...) + 1.5*iqr(...)), '15GB') : count(PEER_EXPR) > 0
? size(bitrate(STREAMS, min(values(...))*0.80, max(values(...))*1.20), '15GB')
: (count(bitrate(STREAMS, MEDIAN*(1-0.4*pow(0.95,daysSinceRelease)),
    MEDIAN*(1+0.4*pow(0.95,daysSinceRelease)))) >= 1
? bitrate(STREAMS, MEDIAN*(1-0.4*pow(0.95,daysSinceRelease))) : [])
```

Condition	Strategy
≥ 4 peers	IQR Tukey fence: $q1 - 1.5 \times IQR \dots q3 + 1.5 \times IQR$. Statistically sound; outliers clipped.
1–3 peers	$\min \times 0.80 \dots \max \times 1.20$. Thin pool: $\pm 20\%$ tolerance around observed range.
0 peers	$\text{pow}(0.95, \text{daysSinceRelease})$ exponential decay around median bitrate. $\pm 40\%$ day 0 $\rightarrow \pm 9\%$ day 30 $\rightarrow \pm 2\%$ day 60 $\rightarrow \sim 0\%$ day 90+. Replaces hard 60-day cliff.

6.2 Hybrid TorBox-priority pattern

Each IQR tier is preceded by a TorBox-only twin PSE. Returns [] if no TorBox streams match $\rightarrow$ falls through:

```
service(size(bitrate(STREAMS, IQR_LO, IQR_HI), '15GB'), 'torbox')
```

6.3 ongoingSeason PSE (all active templates)

```
/*ongoingSeasonPack*/ ((queryType=='series' or queryType=='anime.series') and ongoingSeason
    and (daysSinceLastAired < -1 or daysUntilNextEpisode >= 0))
? seasonPack(streams, 'onlySeasons') : []
```

Returns season packs only when the queried season is currently airing and the latest episode has aired. Prevents partial-pack results for completed seasons.

6.4 PSE label convention

```
/* TEMPLATE_LABEL Tier Description */
```

Examples: /* APEX S-Tier 4K Remux – IQR Tukey fence */ /* STREAM A-Tier WEB-DL */

7 Regex Scoring Architecture

Two independent regex systems apply simultaneously. Pattern names must not overlap between them — duplicates cause double-scoring.

7.1 preferredRegexPatterns (template-specific)

Template type	Count	Score	Example patterns
4K templates	7	70–100	Radarr Remux T1, Sonarr Remux T1, Radarr UHD Bluray T1, FraMeSToR, Anime BD T1
1080p templates	8	70–100	Radarr Web T1, Sonarr Web T1, FLUX, hallowed, BHDStudio, SiC, 126811, Web T1
Anime templates	0	—	None — SeaDex ISE handles quality selection

7.2 rankedRegexPatterns (shared high-impact subset)

Source of truth: Filtering/ranked-regex-patterns.json — 149 patterns, 10 score tiers.

Embed only patterns with `|score| ≥ 50`, minus any names already in `preferredRegexPatterns` (prevents double-scoring). Patterns with `|score| < 50` (streaming service tags, edition names, low-tier group labels) add file bulk with no meaningful ranking signal.

Template type		Count	Score tiers kept
4K templates		48	S(+100) A(+80) B(+60) Penalised(−50) Bad(−75) Blacklist(−200)
1080p templates		45	Same tiers — 8 more <code>preferredRegexPatterns</code> overlaps removed
Anime templates		0	Cleared — live-action group names don't match anime naming

Score	Tier	Meaning
+100	S	Elite remix groups (FraMeSToR, FLUX, BHDStudio, hallowed, SiC, etc.)
+80	A	High-quality encode groups
+60	B	Solid scene groups
+40	C	Acceptable — included in <code>preferredRegexPatterns</code> only
+20	D	Marginal — excluded from inline set
0	Neutral	No signal — excluded
−25	Meh	Slightly penalised — excluded
−50	Penalised	Known low-quality encode groups
−75	Bad	Low-effort or scene-nuked groups
−200	Blacklist	Worst offenders — CAM, TS, scene leaks

7.3 *syncedRankedRegexUrls* — do not use

■ Public AIOStreams instances (elfhosted, fortheweak.cloud) block `raw.githubusercontent.com` URLs, throwing "Forbidden URL(s) in regex configuration". Always embed patterns inline. The key should be absent or set to `[]`.

8 Formatter Field Reference

Used in formatter name/description strings as `{stream.fieldName::operator[...]}`.

Field	Type	Notes / Example
hasChapters	boolean	<code>{stream.hasChapters::istru["■ " ""]}</code> — REMUX chapter badge
editions	string[]	<code>{stream.editions::join(" · ")}</code> — Director's Cut, Extended, IMAX
edition	string	First edition only
regraded	boolean	<code>{stream.regraded::istru["■ " ""]}</code> — colour regrade flag
repack	boolean	<code>{stream.repack::istru["■ REPACK" ""]}</code> — REPACK/PROPER flag
date	string	Release date parsed from filename
dubbed	boolean	Audio is dubbed
subbed	boolean	Has subtitles
uSubtitleEmojis	string[]	Per-language flag emojis (■■ ■■ ■■ etc.)
seMatched	string	Name of the stream expression that matched
rseMatched	string[]	Regex set expression tier(s) matched
nSeScore	number	Normalised stream expression score (0–1)
nRegexScore	number	Normalised regex score (0–1)
folderSeasons	string[]	Season folders in multi-season packs
folderEpisodes	string[]	Episode entries in folder-based releases

8.1 Formatter String Modifiers

Appended after `::` in `{stream.field::modifier}` expressions:

Modifier	Effect
smallcaps	Renders text in small capitals
rsort	Reverse-sort array before joining
lsort	Logical (natural) sort of array
slice(start,end)	Trim array to index range
remove(val)	Remove a value from array / string
star	Star rating display (filled stars)
pstar	Partial-star rating display
istru[a b]	If truthy return a else b — used for boolean fields
join('sep')	Join array with separator string

8.2 Formatter structure

Field	Notes
id	All Core Builds formatters use id: "tamtarο"
definitions.overrides['tamtarο']	Override block — name and description template strings

9 Parent / Child Config Linking (v2.28.0+)

```
{  "parentConfig": {    "uuid": "parent-config-uuid",    "password": "parent-config-password",    "mergeStrategies": {      "presets":    "inherit" | "extend" | "override",
```

```
"services": "inherit" | "extend" | "override",
"filters": "inherit" | "override",      "sorting": "inherit" | "override",
"formatter": "inherit" | "override",    "branding": "inherit" | "override",
"fieldOverrides": { "addonName": "override" } }
```

Strategy	Available on	Effect
inherit	all sections	Child uses parent's value entirely
extend	presets, services	Merge parent + child lists
override	all sections	Child's value takes priority
fieldOverrides	individual fields	Override one field while inheriting the rest of the section

- Runtime resolution — parent fetched and merged on every getUser() call; only child stored.
- Minimum child: just { parentConfig: { uuid, password } } — all sections inherit.
- Graceful fallback: if parent unreachable, child loads unmerged.

10 Conventions

Rule	Detail
Version scheme	MAJOR.MINOR.PATCH — minor bump for new features/PSE logic, patch for fixes
PSE labels	<i>/* TEMPLATE_LABEL Tier Description */</i> e.g. <i>/* APEX S-Tier 4K Remux — IQR Tukey fence */</i>
ESE labels	<i>/* Plain English description */</i>
1080p resolution guard	MUST have a hard resolution exclusion ESE: resolution(streams,'2160p','1440p') — PSEs rank but do not exclude
Samsung templates	DV-Only Kill ESE enabled; excludedAudioTags: [TrueHD, DTS-HD MA, DTS:X, FLAC]
AllDebrid templates	stremthruStore replaces stremthruTorz; no torbox-search
Nightly commit	Files are gitignored — use git add -f to stage
Import URLs	All URLs use brevityA/Core-Builds (not Branding-Brevity)
API keys	NEVER commit real keys. Personal templates: Templates/Personal/ — do not document
PR workflow	Create a new PR for every task — even small changes

11 Active Template Inventory (v2.8.2)

Single (TorBox Pro)

File	Ver	Description
core-nexus-4k-apex.json	v0.4.4	Flagship 4K — DV/HDR REMUX · IQR Tukey fence PSEs · pow() decay
core-nexus-4k-apex-torbox.json	v2.8.2	TorBox-cached-only 4K Apex variant
core-nexus-stream.json	v2.8.2	1080p streaming quality · strict res guard
core-nexus-stream-lite.json	v2.8.2	Lite variant of Stream
core-nexus-stream-firestick.json	v2.8.2	Fire Stick optimised — SDR-first, SDR audio
core-nexus-stream-firestick-lite.json	v2.8.2	Lite Fire Stick variant

Essential (TorBox Essential)

File	Ver	Description
core-nexus-4k-essential.json	v2.8.2	4K Essential with IQR PSEs and pow() decay
core-nexus-4k-essential-lite.json	v2.8.2	4K Essential — CB-style PSEs (simpler)
core-nexus-essential.json	v2.8.2	1080p Essential
core-nexus-essential-lite.json	v2.8.2	1080p Essential lite

Flash (cached-only)

File	Ver	Description
core-nexus-flash-4k.json	v2.8.2	Instant play — cached 4K only
core-nexus-flash.json	v2.8.2	Instant play — cached 1080p only

Speed — TorBox

File	Ver	Description
core-nexus-speed-4k.json	v2.8.2	Fast cached 4K — library + Zilean + TorBox Search, exit at 3 cached or 4s
core-nexus-speed-4k-lite.json	v2.8.2	Speed 4K lite
core-nexus-speed.json	v2.8.2	Fast cached 1080p — same stack
core-nexus-speed-lite.json	v2.8.2	Speed 1080p lite

Speed — EasyNews

File	Ver	Description
core-nexus-speed-4k-plus.json	v2.8.2	EasyNews + TorBox 4K
core-nexus-speed-easynews.json	v2.8.2	EasyNews 1080p

AllDebrid

File	Ver	Description
core-nexus-4k-alldebrid.json	v0.1.2	4K AllDebrid with IQR PSEs — stremthruStore
core-nexus-4k-alldebrid-lite.json	v0.1.0	4K AllDebrid — CB-style PSEs
core-nexus-alldebrid.json	v0.1.0	1080p AllDebrid

File	Ver	Description
core-nexus-alldebrid-lite.json	v0.1.0	1080p AllDebrid lite

Hybrid (TorBox Pro + NZBGeek)

File	Ver	Description
core-nexus-4k-hybrid.json	v2.8.2	4K hybrid — TorBox priority PSEs + IQR
core-nexus-hybrid.json	v2.8.2	1080p hybrid
core-nexus-hybrid-lite.json	v2.8.2	1080p hybrid lite

Device — Samsung TV

File	Ver	Description
core-nexus-samsung-tv.json	v0.2.2	1080p · DV-Only Kill · AV1/VC-1 excluded
core-nexus-samsung-tv-4k.json	v0.2.2	4K · HDR10+/HDR10/HLG priority · DV-Only Kill · AV1/VC-1 excluded

Anime

File	Ver	Description
core-nexus-anime-4k.json	v2.8.3	4K anime — SeaDex + AnimeTosho
core-nexus-anime-4k-lite.json	v2.8.3	4K anime lite
core-nexus-anime.json	v2.8.3	1080p anime
core-nexus-anime-lite.json	v2.8.3	1080p anime lite
core-nexus-anime-dub.json	v2.8.3	Dubbed anime variant
core-nexus-anime-dub-lite.json	v2.8.3	Dubbed lite

Nightly ■ gitignored — git add -f to stage

File	Ver	Description
core-nexus-apple-tv-4k.json	v0.1.0	Apple TV 4K — DV Profile 5/8 · AV1 excluded · Atmos preferred
core-nexus-4k-apex-labs.json	v0.6.0	Labs — dynamicAddonFetching · template directives · scraper toggles
core-nexus-stream-labs.json	v0.4.0	Labs 1080p variant
core-nexus-essential-labs.json	v0.1.0	Labs Essential 1080p — debrid-only · TorBox Search toggle
core-nexus-4k-essential-labs.json	v0.1.0	Labs Essential 4K — debrid-only
core-nexus-samsung-tv-4k.json	v0.2.4	Samsung RU7100 (2019) 4K — FLAC/AAC native · APEX IQR PSEs

12 Sort Criteria Keys

Used in `config.sortCriteria.global` as `{"key":"...", "direction":"asc"|"desc"}`.

Key	Sorts by
resolution	Stream resolution (2160p > 1080p > ...)
quality	Stream quality tier (Bluray REMUX > WEB-DL > ...)
visualTag	HDR format (DV > HDR10+ > HDR10 > HLG > SDR)
audioTag	Audio format (TrueHD Atmos > TrueHD > DTS:X > ...)
audioChannels	Channel count (7.1 > 5.1 > 2.0 > ...)
encode	Video codec (AV1 > H.265 > H.264 > ...)

Key	Sorts by
size	File size
bitrate	Bitrate
seeders	Seeder count (torrent)
cached	Cached status (cached first when asc)
service	Debrid service priority
seScore	Stream expression match score (use when streamExpressions present)
regexScore	Regex pattern match score (use when rankedRegexPatterns/preferredRegexPatterns present)
age	Stream/release age
languagePreference	Language match preference

■ Both seScore and regexScore must appear in sortCriteria when using both stream expressions and regex patterns. Omitting one causes the other's scores to be ignored.

13 Repo Structure

Path	Contents
Templates/Torbox/Single/	TorBox Pro templates (4K Apex, Stream + Lite variants)
Templates/Torbox/Essential/	TorBox Essential templates
Templates/Torbox/Flash/	Cached-only instant play
Templates/Torbox/Speed/TorBox/	TorBox-only fast cached play
Templates/Torbox/Speed/EasyNews/	EasyNews dual-source variants
Templates/Torbox/Anime/	Anime-optimised templates
Templates/Torbox/Hybrid/	TorBox + RD hybrid templates
Templates/Torbox/AllDebrid/	AllDebrid variants
Templates/Torbox/Device/Samsung/	Samsung TV device templates
Templates/Torbox/Nightly/	Pre-release / nightly builds (gitignored)
Templates/Torbox/Deprecated/	Retired templates kept for reference
Templates/Personal/	Personal/experimental — do not document or expose
Community-Templates/	Community-contributed templates (Mightylcyy, RB3)
Formatters/	14 custom stream layout formatters
Filtering/	Shared filter expression files (ESEs, ISEs, PSEs) + ranked-regex-patterns.json
Regex/	Excluded regex pattern lists
Assets/	Banners, icons, formatter preview images
Guides/	Import guide, troubleshooting, device profiles, FAQ
tests/	pytest test suite (template validation, integration)
scripts/	One-off maintenance scripts — not imported by templates

14 Links

Resource	URL
This repo (mirror)	github.com/brevityA/Core-Builds
Main repo	github.com/Branding-Brevity/Core-Builds-By-Brevity
AIOStreams	github.com/Viren070/AIOStreams

Resource	URL
AIOStreams docs	docs.aiostreams.viren070.me
Offline archive	mega.nz/folder/DvQGwYYJ#eAnBSID9nc4Nkr8eQfZ2Lg