

Register new GitHub App

GitHub App name *

The name of your GitHub App.

Write

Preview

 Markdown supported

Manage your content easily with official Brevoza CMS

Homepage URL *

The full URL to your GitHub App's website.

Identifying and authorizing users

[Add Callback URL](#)

The full URL to redirect to after a user authorizes an installation.

Read our [Callback URL documentation](#) for more information.

Callback URL

Delete

☒ Expire user authorization tokens

This will provide a `refresh_token` which can be used to request an updated access token when this access token expires.

☒ Request user authorization (OAuth) during installation

Requests that the installing user grants access to their identity during installation of your App

Read our [Identifying and authorizing users for GitHub Apps documentation](#) for more information.

☐ Enable Device Flow

Allow this GitHub App to authorize users via the Device Flow.

Read the [Device Flow documentation](#) for more information.

Post installation

Setup URL (optional)

Users will be redirected to this URL after installing your GitHub App to complete additional setup.

☐ Redirect on update

Redirect users to the 'Setup URL' after installations are updated (E.g. repositories added/removed).

Webhook

Active

We will deliver event details when this hook is triggered.

Webhook URL *

https://brevoza-cms.vercel.app/webhook

Events will POST to this URL. Read our [webhook documentation](#) for more information.

Secret

Read our [webhook secret documentation](#) for more information.

SSL verification

 By default, we verify SSL certificates when delivering payloads.

☒ Enable SSL verification ☐ Disable (not recommended)

Permissions

User permissions are granted on an individual user basis as part of the [User authorization flow](#).
Read our [permissions documentation](#) for information about specific permissions.

Repository permissions

3 selected

1 mandatory

Repository permissions permit access to repositories and related resources.



Actions

Workflows, workflow runs and artifacts. [Learn more.](#)

Access: No access ▾

Administration

Repository creation, deletion, settings, teams, and collaborators. [Learn more.](#)

Access: No access ▾

Artifact metadata

Create and retrieve artifact metadata for a repository. [Learn more.](#)

Access: No access ▾

Attestations

Create and retrieve attestations for a repository. [Learn more.](#)

Access: No access ▾

Checks

Checks on code. [Learn more.](#)

Access: No access ▾

Code scanning alerts

View and manage code scanning alerts. [Learn more.](#)

Access: No access ▾

Codespaces

Create, edit, delete and list Codespaces. [Learn more.](#)

Access: No access ▾

Codespaces lifecycle admin

Manage the lifecycle of Codespaces, including starting and stopping. [Learn more.](#)

Access: No access ▾

Codespaces metadata

Access Codespaces metadata including the devcontainers and machine type. [Learn more.](#)

Access: No access ▾

Codespaces secrets

Restrict Codespaces user secrets modifications to specific repositories. [Learn more.](#)

Access: No access ▾

Commit statuses

Commit statuses. [Learn more.](#)

Access: No access ▾

Contents

Selected

Repository contents, commits, branches, downloads, releases, and merges. [Learn more.](#)

Access: Read and write ▾

Custom properties

Read and write repository custom properties values at the repository level, when allowed by the property. [Learn more.](#)

Access: No access ▾

Dependabot alerts Retrieve Dependabot alerts. Learn more.	Access: No access ▾
Dependabot secrets Manage Dependabot repository secrets. Learn more.	Access: No access ▾
Deployments Deployments and deployment statuses. Learn more.	Access: No access ▾
Discussions Discussions and related comments and labels. Learn more.	Access: No access ▾
Environments Manage repository environments. Learn more.	Access: No access ▾
Issues Selected Issues and related comments, assignees, labels, and milestones. Learn more.	Access: Read and write ▾
Merge queues Manage a repository's merge queues Learn more.	Access: No access ▾
Metadata Mandatory Search repositories, list collaborators, and access repository metadata. Learn more.	Access: Read-only ▾
Packages Packages published to the GitHub Package Platform. Learn more.	Access: No access ▾
Pages Retrieve Pages statuses, configuration, and builds, as well as create new builds. Learn more.	Access: No access ▾
Projects Manage classic projects within a repository. Learn more.	Access: No access ▾
Pull requests Selected Pull requests and related comments, assignees, labels, milestones, and merges. Learn more.	Access: Read and write ▾
Repository security advisories View and manage repository security advisories. Learn more.	Access: No access ▾
Secret scanning alert dismissal requests View and manage secret scanning alert dismissal requests Learn more.	Access: No access ▾
Secret scanning alerts View and manage secret scanning alerts. Learn more.	Access: No access ▾
Secret scanning push protection bypass requests Review and manage repository secret scanning push protection bypass requests. Learn more.	Access: No access ▾
Secrets Manage Actions repository secrets. Learn more.	Access: No access ▾
Single file Manage just a single file. Learn more.	Access: No access ▾
Variables Manage Actions repository variables. Learn more.	Access: No access ▾
Webhooks Manage the post-receive hooks for a repository. Learn more.	Access: No access ▾
Workflows	Access: No access ▾

Update GitHub Action workflow files. [Learn more.](#)

Organization permissions

Organization permissions permit access to organization related resources.

Account permissions 2 selected

These permissions are granted on an individual user basis as part of the User authorization flow.

Block another user

View and manage users blocked by the user. [Learn more.](#)

Access: No access

Codespaces user secrets

Manage Codespaces user secrets. [Learn more.](#)

Access: No access

Copilot Chat

This application will receive your GitHub ID, your GitHub Copilot Chat session messages (not including messages sent to another application), and timestamps of provided GitHub Copilot Chat session messages. This permission must be enabled for Copilot Extensions. [Learn more.](#)

Access: No access

Copilot Editor Context

This application will receive bits of Editor Context (e.g. currently opened file) whenever you send it a message through Copilot Chat. [Learn more.](#)

Access: No access

Email addresses Selected

Manage a user's email addresses. [Learn more.](#)

Access: Read-only

Events Selected

View events triggered by a user's activity. [Learn more.](#)

Access: Read-only

Followers

A user's followers [Learn more.](#)

Access: No access

GPG keys

View and manage a user's GPG keys. [Learn more.](#)

Access: No access

Gists

Create and modify a user's gists and comments. [Learn more.](#)

Access: No access

Git SSH keys

Git SSH keys [Learn more.](#)

Access: No access

Interaction limits

Interaction limits on repositories [Learn more.](#)

Access: No access

Models

Allows access to GitHub Models. [Learn more.](#)

Access: No access

Plan

View a user's plan. [Learn more.](#)

Access: No access

Profile

Manage a user's profile settings. [Learn more.](#)

Access: No access

SSH signing keys

View and manage a user's SSH signing keys. [Learn more.](#)

Access: No access

Starring

List and manage repositories a user is starring. [Learn more.](#)

Access: No access

Watching

List and change repositories a user is subscribed to. [Learn more.](#)

Access: No access

Subscribe to events

Based on the permissions you've selected, what events would you like to subscribe to?

- | | |
|---|--|
| <input checked="" type="checkbox"/> Installation target ⓘ
A GitHub App installation target is renamed. | <input checked="" type="checkbox"/> Meta ⓘ
When this App is deleted and the associated hook is removed. |
| <input checked="" type="checkbox"/> Security advisory ⓘ
Security advisory published, updated, or withdrawn. | <input checked="" type="checkbox"/> Commit comment ⓘ
Commit or diff commented on. |
| <input checked="" type="checkbox"/> Create ⓘ
Branch or tag created. | <input checked="" type="checkbox"/> Delete ⓘ
Branch or tag deleted. |
| <input checked="" type="checkbox"/> Fork ⓘ
Repository forked. | <input type="checkbox"/> Gollum ⓘ
Wiki page updated. |
| <input type="checkbox"/> Issue comment ⓘ
Issue comment created, edited, or deleted. | <input type="checkbox"/> Issues ⓘ
Issue opened, edited, deleted, transferred, pinned, unpinned, closed, reopened, assigned, unassigned, labeled, unlabeled, milestoned, demilestoned, locked, unlocked, typed, untyped, field_added, or field_removed. |
| <input type="checkbox"/> Label ⓘ
Label created, edited or deleted. | <input type="checkbox"/> Milestone ⓘ
Milestone created, closed, opened, edited, or deleted. |
| <input type="checkbox"/> Merge queue entry ⓘ
Merge Queue entry added | <input checked="" type="checkbox"/> Public ⓘ
Repository changes from private to public. |
| <input checked="" type="checkbox"/> Pull request ⓘ
Pull request assigned, auto merge disabled, auto merge enabled, closed, converted to draft, demilestoned, dequeued, edited, enqueued, labeled, locked, milestoned, opened, ready for review, reopened, review request removed, review requested, synchronized, unassigned, unlabeled, or unlocked. | <input type="checkbox"/> Pull request review ⓘ
Pull request review submitted, edited, or dismissed. |
| | <input checked="" type="checkbox"/> Pull request review comment ⓘ
Pull request diff comment created, edited, or deleted. |
| | <input type="checkbox"/> Pull request review thread ⓘ
A pull request review thread was resolved or unresolved. |
| <input checked="" type="checkbox"/> Push ⓘ
Git push to a repository. | <input type="checkbox"/> Release ⓘ
Release created, edited, published, unpublished, or deleted. |
| <input checked="" type="checkbox"/> Repository ⓘ
Repository created, deleted, archived, unarchived, publicized, privatized, edited, renamed, or transferred. | <input type="checkbox"/> Repository dispatch ⓘ
When a message is dispatched from a repository. |
| | <input type="checkbox"/> Star ⓘ
A star is created or deleted from a repository. |
| <input type="checkbox"/> Watch ⓘ
User stars a repository. | <input type="checkbox"/> Workflow dispatch ⓘ
A manual workflow run is requested. |
| <input type="checkbox"/> Sub issues ⓘ
Sub-issues added or removed, and parent issues added or removed. | |

Where can this GitHub App be installed?

- ☐ **Only on this account**
Only allow this GitHub App to be installed on the @brevoza account.
- ☒ **Any account**
Allow this GitHub App to be installed by any user or organization.

[Create GitHub App](#)[Cancel](#)