Typing rules for MiniC

1 Declarations

$$\text{VarDecl}(\mathbf{v} : \mathbf{T}) \; \frac{\mathbf{T} \notin \{\mathbf{void}\}}{add \; \langle v : \mathbf{T} \rangle \; to \; \Gamma}$$

FunDecl(f)
$$add \langle f : (U_1, \dots, U_n) \to \mathbf{T} \rangle \text{ to } \Gamma$$
 FunDef(f) $add \langle f : (U_1, \dots, U_n) \to \mathbf{T} \rangle \text{ to } \Gamma$

2 Expressions

$$\text{IntLiteral(i)} \ \frac{}{\Gamma \vdash i : \mathbf{int}} \qquad \text{StrLiteral(s)} \ \frac{}{\Gamma \vdash s : \mathbf{char[s.length+1]}} \qquad \text{ChrLiteral(c)} \ \frac{}{\Gamma \vdash c : \mathbf{char}}$$

$$VAREXPR(v) \frac{\vdash \langle v : \mathbf{T} \rangle \in \Gamma}{\Gamma \vdash v : \mathbf{T}}$$

FunCall(f)
$$\frac{\Gamma \vdash f : (U_1, \dots, U_n) \to \mathbf{T} \qquad \Gamma \vdash x_1 : U_1 \qquad \dots \qquad \Gamma \vdash x_n : U_n}{\Gamma \vdash f(x_1, \dots, x_n) : \mathbf{T}}$$

$$\texttt{BinOp}(\texttt{e1},\texttt{e2},\texttt{Op} = \{\texttt{ADD},\texttt{SUB},\texttt{MUL},\texttt{DIV},\texttt{MOD},\texttt{OR},\texttt{AND},\texttt{GT},\texttt{LT},\texttt{GE},\texttt{LE}\}) \\ \\ \frac{\Gamma \vdash e_1 : \textbf{int} \qquad \vdash e_2 : \textbf{int}}{\Gamma \vdash e_1Op \ e_2 : \textbf{int}}$$

$$\text{BinOp(e1,e2,Op={NE,EQ})} \ \frac{\Gamma \vdash e_1 : \mathbf{T} \notin \{\mathbf{StructType}, \ \mathbf{ArrayType}, \ \mathbf{void}\} \qquad \vdash e_2 : \mathbf{T}}{\Gamma \vdash e_1 \ Op \ e_2 : \mathbf{int}}$$

$$\frac{\Gamma \vdash e_1 : \mathbf{T} \in \{\mathbf{ArrrayType_{elemType}}, \mathbf{PointerType_{elemType}}\} \qquad \vdash e_2 : \mathbf{int}}{\Gamma \vdash e_1[e_2] : \mathbf{elemType}}$$

$$\frac{\Gamma \vdash e : \mathbf{StructType}_{fieldName} : \mathbf{T}}{\Gamma \vdash e : fieldName} : \mathbf{T}}$$

$$\text{ValueAtExpr(e)} \; \frac{\Gamma \vdash e : \mathbf{PointerType_T}}{\Gamma \vdash *e : \mathbf{T}}$$

$$\frac{\Gamma \vdash e : \mathbf{T}}{\Gamma \vdash \&e : \mathbf{PointerType_T}}$$

SizeOf(t)
$$\frac{}{\Gamma \vdash sizeof(t) : \mathbf{int}}$$

$$\text{TypeCastExpr(Char to int)} \; \frac{\Gamma \vdash e : \mathbf{char}}{\Gamma \vdash \; (\mathbf{int})e : \mathbf{int}}$$

$$\frac{\Gamma \vdash e : \mathbf{ArrayType_{elemType}}}{\Gamma \vdash (\mathbf{*elemType})e : \mathbf{PointerType_{elemType}}}$$

$$\frac{\Gamma \vdash e : \mathbf{PointerType_{elemType1}}}{\Gamma \vdash (\mathbf{*elemType2})e : \mathbf{PointerType_{elemType2}}}$$

$$\text{Assign } \frac{\Gamma \vdash e_1 : \mathbf{T} \notin \{\mathbf{void}, \ \mathbf{ArrayType}\} \qquad \Gamma \vdash e_2 : \mathbf{T} }{\Gamma \vdash e_1 = e_2 : \mathbf{T} }$$

3 Statements

WHILE
$$\frac{\Gamma \vdash e : \mathbf{int}}{\Gamma \vdash while(e) \ s}$$

$$\text{If(no else)} \ \frac{\Gamma \vdash e : \mathbf{int}}{\Gamma \vdash if(e) \ s} \qquad \qquad \text{If(with else)} \ \frac{\Gamma \vdash e : \mathbf{int}}{\Gamma \vdash if(e) \ s_1 \ else \ s_2}$$

RETURN(FROM f)
$$\frac{\Gamma \vdash f : (U_1, \dots, U_n) \to \mathbf{T} \qquad \Gamma \vdash e : \mathbf{T}}{\Gamma \vdash return \ e}$$

Return(nothing from f)
$$\frac{\Gamma \vdash f : (U_1, \dots, U_n) \to \mathbf{void}}{\Gamma \vdash return \varnothing}$$