

BB35 PILOT 1 - MOSKEE BUNSCHOTEN CONCEPT REPORT

CONCEPT - NOT FOR EXECUTION OR SUBMISSION

Bickersweg 88 - authoritative 7.00 x 10.00 m two-storey extension

Project basis

Project: Uitbreiding Haci Bayram Moskee

Address: Bickersweg 88, 3752 WV Bunschoten-Spakenburg

Footprint: 70.00 m²

Storeys: 2

Gross extension: 140.00 m²

Release statement

This package is a coordinated concept evidence set. It is not a structural design, permit submission, tender package or construction document. Final outputs remain blocked by external technical evidence.

Key unresolved evidence

- Unknown existing load path and connection capacity
- Unknown soil and settlement behaviour
- No original cadastral/survey base in controlled evidence
- Occupancy and fire strategy not agreed
- Parking capacity and public/private rights are not field verified
- Construction and operational activity data unavailable

ASSUMPTIONS AND PERMIT GATES

CONCEPT - NOT FOR EXECUTION OR SUBMISSION

A-001: CONCEPT - NOT FOR EXECUTION OR SUBMISSION

A-002: Extension footprint is 7.00 x 10.00 m.

A-003: Two extension storeys provide approximately 140 m² gross floor area.

A-004: Concept floor-to-floor height is 3.30 m.

A-005: Concept roof is a low-slope roof behind a 0.60 m parapet.

A-006: Preliminary structural option is a steel frame on a 3 x 3 column grid.

A-007: Floor system is provisionally a lightweight composite or precast floor.

A-008: Foundation type is unresolved pending structural survey and geotechnical evidence.

A-009: No load is transferred to the existing building until the connection is professionally verified.

A-010: Fire resistance, compartmentation and escape routes require Bbl/fire-safety assessment.

A-011: Occupancy and prayer-place capacity remain external verified inputs.

A-012: Available parking information is preliminary and not field-verified.

PERMIT AND RESEARCH REGISTER

CONCEPT - NOT FOR EXECUTION OR SUBMISSION

-
- P-001 - planning: BOPA/ETFAL and Omgevingsplan assessment for 140 m2 scope | brief available; report pending
 - P-002 - building_code: Bbl assessment: use, occupancy, escape, fire, daylight, ventilation, accessibility | brief available; assessment pending
 - P-003 - structure: Structural calculations and report | blocked by survey and geotechnical inputs
 - P-004 - traffic: Parking, traffic generation and participation | preliminary only; field evidence pending
 - P-005 - nitrogen: AERIUS construction and operation phases | activity data pending
 - P-006 - site: Definitive site plan and parcel boundaries | original cadastral DWG pending
 - P-007 - coordination: Complete Omgevingsloket submission dossier | not ready