

Using GREP in Paragraph Styles

Create new Paragraph GREP style & Character style => (works in XMPie)

* Can also apply styles variably when used in conjunction with Text-with-Style ADOR.

1. The quick **brown** fox jumps over the **lazy** dog. (GREP) (If statement with 2 styles)

1. The quick brawny dog jumps over the sleazy fox. (No GREP) (Switch statement)

1. The quick brown fox jumps over the **lazy** dog. (GREP) (If statement with alternating styles)

[GREP_Parstyle_digits] applies [GREP_charsytle] only to digits using **RegEx** -> [**1**]

Brooke, thank you for your generous support. (**GREP** using **RegEx**: from start to first comma)

Thank you for your support, **Brooke**, in 2023. (GREP using RegEx: variable in the middle of copy)

1.11 to \$1¹¹

Use **RegEx in GREP** to apply individual styles to the **symbol**, **main number** and **fractional** sections of currency values.

Edit -> Find/Change... -> GREP (doesn't work in XMPie)

1. The quick brown fox jumps over the lazy dog.

Using GREP in Paragraph Styles

Create new Paragraph GREP style & Character style => (works in XMPie)

* Can also apply styles variably when used in conjunction with Text-with-Style ADOR.

2. The quick brown fox jumps over the lazy dog. (No GREP) (If statement with 2 styles)

2. The quick **brown** dog jumps over the **crazy** fox. (GREP) (Switch statement)

2. The quick **brown** fox jumps over the lazy dog. (GREP) (If statement with alternating styles)

[GREP_Parstyle_digits] applies [GREP_charsytle] only to digits using **RegEx** -> **[2]**

Jenn, thank you for your generous support. (GREP using **RegEx**: from start to first comma)

Thank you for your support, **Jenn**, in 2023. (GREP using RegEx: variable in the middle of copy)

2.22 to ¥2²²

Use **RegEx in GREP** to apply individual styles to the **symbol**, **main number** and **fractional** sections of currency values.

Edit -> Find/Change... -> GREP (doesn't work in XMPie)

2. The quick brown fox jumps over the lazy dog.

Using GREP in Paragraph Styles

Create new Paragraph GREP style & Character style => (works in XMPie)

* Can also apply styles variably when used in conjunction with Text-with-Style ADOR.

3. The quick **brown** fox jumps over the **lazy** dog. (GREP) (If statement with 2 styles)

3. The quick brawny dog jumps over the sleazy fox. (No GREP) (Switch statement)

3. The quick brown fox jumps over the **lazy** dog. (GREP) (If statement with alternating styles)

[GREP_Parstyle_digits] applies [GREP_charsytle] only to digits using **RegEx** -> **[3]**

Thank you for your generous support. (**GREP** using **RegEx**: from start to first comma)

Thank you for your support in 2023. (GREP using RegEx: variable in the middle of copy)

3.33 to ₱3³³

Use **RegEx in GREP** to apply individual styles to the **symbol**, **main number** and **fractional** sections of currency values.

Edit -> Find/Change... -> GREP (doesn't work in XMPie)

3. The quick brown fox jumps over the lazy dog.

Using GREP in Paragraph Styles

Create new Paragraph GREP style & Character style => (works in XMPie)

* Can also apply styles variably when used in conjunction with Text-with-Style ADOR.

4. The quick brown fox jumps over the lazy dog. (No GREP) (If statement with 2 styles)

4. The quick brown dog jumps over the crazy fox. (GREP) (Switch statement)

4. The quick brown fox jumps over the lazy dog. (GREP) (If statement with alternating styles)

[GREP_Parstyle_digits] applies [GREP_charsytle] only to digits using RegEx -> [4]

John, thank you for your generous support. (GREP using RegEx: from start to first comma)

Thank you for your support, John, in 2023. (GREP using RegEx: variable in the middle of copy)

4.44 to 4⁴⁴

Use RegEx in GREP to apply individual styles to the **symbol**, **main number** and **fractional** sections of currency values.

Edit -> Find/Change... -> GREP (doesn't work in XMPie)

4. The quick brown fox jumps over the lazy dog.

Using GREP in Paragraph Styles

Create new Paragraph GREP style & Character style => (works in XMPie)

* Can also apply styles variably when used in conjunction with Text-with-Style ADOR.

5. The quick **brown** fox jumps over the **lazy** dog. (GREP) (If statement with 2 styles)

5. The quick brawny dog jumps over the sleazy fox. (No GREP) (Switch statement)

5. The quick brown fox jumps over the **lazy** dog. (GREP) (If statement with alternating styles)

[GREP_Parstyle_digits] applies [GREP_charsytle] only to digits using **RegEx** -> **[5]**

Brooke, thank you for your generous support. (**GREP** using **RegEx**: from start to first comma)

Thank you for your support, **Brooke**, in 2023. (GREP using RegEx: variable in the middle of copy)

5.55 to **\$5⁵⁵**

Use **RegEx in GREP** to apply individual styles to the **symbol**, **main number** and **fractional** sections of currency values.

Edit -> Find/Change... -> GREP (doesn't work in XMPie)

5. The quick brown fox jumps over the lazy dog.

Using GREP in Paragraph Styles

Create new Paragraph GREP style & Character style => (works in XMPie)

* Can also apply styles variably when used in conjunction with Text-with-Style ADOR.

6. The quick brown fox jumps over the lazy dog. (No GREP) (If statement with 2 styles)

6. The quick **brown** dog jumps over the **crazy** fox. (GREP) (Switch statement)

6. The quick **brown** fox jumps over the lazy dog. (GREP) (If statement with alternating styles)

[GREP_Parstyle_digits] applies [GREP_charsytle] only to digits using **RegEx** -> **[6]**

Jenn, thank you for your generous support. (GREP using **RegEx**: from start to first comma)

Thank you for your support, **Jenn**, in 2023. (GREP using RegEx: variable in the middle of copy)

6.66 to ¥6⁶⁶

Use **RegEx in GREP** to apply individual styles to the **symbol**, **main number** and **fractional** sections of currency values.

Edit -> Find/Change... -> GREP (doesn't work in XMPie)

6. The quick brown fox jumps over the lazy dog.

Using GREP in Paragraph Styles

Create new Paragraph GREP style & Character style => (works in XMPie)

* Can also apply styles variably when used in conjunction with Text-with-Style ADOR.

7. The quick **brown** fox jumps over the **lazy** dog. (GREP) (If statement with 2 styles)

7. The quick brawny dog jumps over the sleazy fox. (No GREP) (Switch statement)

7. The quick brown fox jumps over the **lazy** dog. (GREP) (If statement with alternating styles)

[GREP_Parstyle_digits] applies [GREP_charsytle] only to digits using **RegEx** -> [**7**]

Thank you for your generous support. (**GREP** using **RegEx**: from start to first comma)

Thank you for your support in 2023. (GREP using RegEx: variable in the middle of copy)

7.77 to ₪7⁷⁷

Use **RegEx in GREP** to apply individual styles to the **symbol**, **main number** and **fractional** sections of currency values.

Edit -> Find/Change... -> GREP (doesn't work in XMPie)

7. The quick brown fox jumps over the lazy dog.

Using GREP in Paragraph Styles

Create new Paragraph GREP style & Character style => (works in XMPie)

* Can also apply styles variably when used in conjunction with Text-with-Style ADOR.

8. The quick brown fox jumps over the lazy dog. (No GREP) (If statement with 2 styles)

8. The quick brown dog jumps over the crazy fox. (GREP) (Switch statement)

8. The quick brown fox jumps over the lazy dog. (GREP) (If statement with alternating styles)

[GREP_Parstyle_digits] applies [GREP_charsytle] only to digits using RegEx -> [8]

John, thank you for your generous support. (GREP using RegEx: from start to first comma)

Thank you for your support, John, in 2023. (GREP using RegEx: variable in the middle of copy)

8.88 to 8⁸⁸

Use RegEx in GREP to apply individual styles to the **symbol**, **main number** and **fractional** sections of currency values.

Edit -> Find/Change... -> GREP (doesn't work in XMPie)

8. The quick brown fox jumps over the lazy dog.

Using GREP in Paragraph Styles

Create new Paragraph GREP style & Character style => (works in XMPie)

* Can also apply styles variably when used in conjunction with Text-with-Style ADOR.

9. The quick **brown** fox jumps over the **lazy** dog. (GREP) (If statement with 2 styles)

9. The quick brawny dog jumps over the sleazy fox. (No GREP) (Switch statement)

9. The quick brown fox jumps over the **lazy** dog. (GREP) (If statement with alternating styles)

[GREP_Parstyle_digits] applies [GREP_charsytle] only to digits using **RegEx** -> **[9]**

Brooke, thank you for your generous support. (**GREP** using **RegEx**: from start to first comma)

Thank you for your support, **Brooke**, in 2023. (GREP using RegEx: variable in the middle of copy)

9.99 to \$9⁹⁹

Use **RegEx in GREP** to apply individual styles to the **symbol**, **main number** and **fractional** sections of currency values.

Edit -> Find/Change... -> GREP (doesn't work in XMPie)

9. The quick brown fox jumps over the lazy dog.

Using GREP in Paragraph Styles

Create new Paragraph GREP style & Character style => (works in XMPie)

* Can also apply styles variably when used in conjunction with Text-with-Style ADOR.

10. The quick brown fox jumps over the lazy dog. (No GREP) (If statement with 2 styles)

10. The quick **brown** dog jumps over the **crazy** fox. (GREP) (Switch statement)

10. The quick **brown** fox jumps over the lazy dog. (GREP) (If statement with alternating styles)

[GREP_Parstyle_digits] applies [GREP_charsytle] only to digits using **RegEx** -> [**10**]

Jenn, thank you for your generous support. (GREP using **RegEx**: from start to first comma)

Thank you for your support, **Jenn**, in 2023. (GREP using RegEx: variable in the middle of copy)

10.10 to **¥10¹⁰**

Use **RegEx in GREP** to apply individual styles to the **symbol**, **main number** and **fractional** sections of currency values.

Edit -> Find/Change... -> GREP (doesn't work in XMPie)

10. The quick brown fox jumps over the lazy dog.