

Using **GREP** in Paragraph Styles

g/re/p (**g**lobal **r**egular **e**xpression search and **p**rint)

Create new Paragraph GREP style & Character style => (works in XMPie)

* Can also apply styles variably when used in conjunction with Text-with-Style ADOR.

1. The quick **brown** fox jumps over the **lazy** dog. (GREP) (If statement with 2 styles)

1. The quick brawny dog jumps over the sleazy fox. (No GREP) (Switch statement)

1. The quick brown fox jumps over the **lazy** dog. (GREP) (If statement with alternating styles)

[GREP_Parstyle_digits] applies **[GREP_charsytle]** only to digits using **RegEx** -> **[1]**

Brooke, thank you for your generous support. (**GREP** using **RegEx**: from start to first comma)

Thank you for your
support, **Brooke**, in 2023.
(GREP, option 1: variable in the
middle of copy using non-breaking
space)

Thank you for your support,
Brooke, in 2023.
(GREP, option 2: using "pipe"
instead of non-breaking space and
knockout style for better flow)

1.11 to **\$1¹¹**

Use **RegEx in GREP** to apply individual styles
to the **symbol**, **main number** and **fractional**
sections of currency values.

Edit -> Find/Change... -> GREP (doesn't work in XMPie; only works on-screen and export)

1. The quick brown fox jumps over the lazy dog.

Using **GREP** in Paragraph Styles

g/re/p (**g**lobal **r**egular **e**xpression search and **p**rint)

Create new Paragraph GREP style & Character style => (works in XMPie)

* Can also apply styles variably when used in conjunction with Text-with-Style ADOR.

2. The quick brown fox jumps over the lazy dog. (No GREP) (If statement with 2 styles)

2. The quick **brown** dog jumps over the **crazy** fox. (GREP) (Switch statement)

2. The quick **brown** fox jumps over the lazy dog. (GREP) (If statement with alternating styles)

[GREP_Parstyle_digits] applies **[GREP_charsytle]** only to digits using **RegEx** -> **[2]**

Jenn, thank you for your generous support. (**GREP** using **RegEx**: from start to first comma)

Thank you for your support, **Jenn**, in 2023.
(GREP, option 1: variable in the middle of copy using non-breaking space)

Thank you for your support, **Jenn**, in 2023.
(GREP, option 2: using "pipe" instead of non-breaking space and knockout style for better flow)

2.22 to **¥2²²**

Use **RegEx in GREP** to apply individual styles to the **symbol**, **main number** and **fractional** sections of currency values.

Edit -> Find/Change... -> GREP (doesn't work in XMPie; only works on-screen and export)

2. The quick brown fox jumps over the lazy dog.

Using **GREP** in Paragraph Styles

g/re/p (**g**lobal **r**egular **e**xpression search and **p**rint)

Create new Paragraph GREP style & Character style => (works in XMPie)

* Can also apply styles variably when used in conjunction with Text-with-Style ADOR.

3. The quick **brown** fox jumps over the **lazy** dog. (GREP) (If statement with 2 styles)

3. The quick brawny dog jumps over the sleazy fox. (No GREP) (Switch statement)

3. The quick brown fox jumps over the **lazy** dog. (GREP) (If statement with alternating styles)

[GREP_Parstyle_digits] applies **[GREP_charsytle]** only to digits using **RegEx** -> **[3]**

Thank you for your generous support. (**GREP** using **RegEx**: from start to first comma)

Thank you for your support in
2023.
(GREP, option 1: variable in the
middle of copy using non-breaking
space)

Thank you for your support in
2023.
(GREP, option 2: using "pipe"
instead of non-breaking space and
knockout style for better flow)

3.33 to **₱3³³**

Use **RegEx in GREP** to apply individual styles
to the **symbol**, **main number** and **fractional**
sections of currency values.

Edit -> Find/Change... -> GREP (doesn't work in XMPie; only works on-screen and export)

3. The quick brown fox jumps over the lazy dog.

Using **GREP** in Paragraph Styles

g/re/p (**g**lobal **r**egular **e**xpression search and **p**rint)

Create new Paragraph GREP style & Character style => (works in XMPie)

* Can also apply styles variably when used in conjunction with Text-with-Style ADOR.

4. The quick brown fox jumps over the lazy dog. (No GREP) (If statement with 2 styles)

4. The quick **brown** dog jumps over the **crazy** fox. (GREP) (Switch statement)

4. The quick **brown** fox jumps over the lazy dog. (GREP) (If statement with alternating styles)

[GREP_Parstyle_digits] applies **[GREP_charsytle]** only to digits using **RegEx** -> **[4]**

John, thank you for your generous support. (**GREP** using **RegEx**: from start to first comma)

Thank you for your support, **John**, in 2023.
(GREP, option 1: variable in the middle of copy using non-breaking space)

Thank you for your support, **John**, in 2023.
(GREP, option 2: using "pipe" instead of non-breaking space and knockout style for better flow)

4.44 to **₿4⁴⁴**

Use **RegEx in GREP** to apply individual styles to the **symbol**, **main number** and **fractional** sections of currency values.

Edit -> Find/Change... -> GREP (doesn't work in XMPie; only works on-screen and export)

4. The quick brown fox jumps over the lazy dog.

Using **GREP** in Paragraph Styles

g/re/p (**g**lobal **r**egular **e**xpression search and **p**rint)

Create new Paragraph GREP style & Character style => (works in XMPie)

* Can also apply styles variably when used in conjunction with Text-with-Style ADOR.

5. The quick **brown** fox jumps over the **lazy** dog. (GREP) (If statement with 2 styles)

5. The quick brawny dog jumps over the sleazy fox. (No GREP) (Switch statement)

5. The quick brown fox jumps over the **lazy** dog. (GREP) (If statement with alternating styles)

[**GREP_Parstyle_digits**] applies [**GREP_charsstyle**] only to digits using **RegEx** -> [**5**]

Brooke, thank you for your generous support. (**GREP** using **RegEx**: from start to first comma)

Thank you for your support, **Brooke**, in 2023.
(GREP, option 1: variable in the middle of copy using non-breaking space)

Thank you for your support, **Brooke**, in 2023.
(GREP, option 2: using "pipe" instead of non-breaking space and knockout style for better flow)

5.55 to **\$5⁵⁵**

Use **RegEx in GREP** to apply individual styles to the **symbol**, **main number** and **fractional** sections of currency values.

Edit -> Find/Change... -> GREP (doesn't work in XMPie; only works on-screen and export)

5. The quick brown fox jumps over the lazy dog.

Using **GREP** in Paragraph Styles

g/re/p (**g**lobal **r**egular **e**xpression search and **p**rint)

Create new Paragraph GREP style & Character style => (works in XMPie)

* Can also apply styles variably when used in conjunction with Text-with-Style ADOR.

6. The quick brown fox jumps over the lazy dog. (No GREP) (If statement with 2 styles)

6. The quick **brown** dog jumps over the **crazy** fox. (GREP) (Switch statement)

6. The quick **brown** fox jumps over the lazy dog. (GREP) (If statement with alternating styles)

[GREP_Parstyle_digits] applies **[GREP_charsytle]** only to digits using **RegEx** -> **[6]**

Jenn, thank you for your generous support. (**GREP** using **RegEx**: from start to first comma)

Thank you for your support, **Jenn**, in 2023.
(GREP, option 1: variable in the middle of copy using non-breaking space)

Thank you for your support, **Jenn**, in 2023.
(GREP, option 2: using "pipe" instead of non-breaking space and knockout style for better flow)

6.66 to **¥6⁶⁶**

Use **RegEx in GREP** to apply individual styles to the **symbol**, **main number** and **fractional** sections of currency values.

Edit -> Find/Change... -> GREP (doesn't work in XMPie; only works on-screen and export)

6. The quick brown fox jumps over the lazy dog.

Using **GREP** in Paragraph Styles

g/re/p (**g**lobal **r**egular **e**xpression search and **p**rint)

Create new Paragraph GREP style & Character style => (works in XMPie)

* Can also apply styles variably when used in conjunction with Text-with-Style ADOR.

7. The quick **brown** fox jumps over the **lazy** dog. (GREP) (If statement with 2 styles)

7. The quick brawny dog jumps over the sleazy fox. (No GREP) (Switch statement)

7. The quick brown fox jumps over the **lazy** dog. (GREP) (If statement with alternating styles)

[GREP_Parstyle_digits] applies **[GREP_charsytle]** only to digits using **RegEx** -> **[7]**

Thank you for your generous support. (**GREP** using **RegEx**: from start to first comma)

Thank you for your support in
2023.
(GREP, option 1: variable in the
middle of copy using non-breaking
space)

Thank you for your support in
2023.
(GREP, option 2: using "pipe"
instead of non-breaking space and
knockout style for better flow)

7.77 to €7⁷⁷

Use **RegEx in GREP** to apply individual styles
to the **symbol**, **main number** and **fractional**
sections of currency values.

Edit -> Find/Change... -> GREP (doesn't work in XMPie; only works on-screen and export)

7. The quick brown fox jumps over the lazy dog.

Using **GREP** in Paragraph Styles

g/re/p (**g**lobal **r**egular **e**xpression search and **p**rint)

Create new Paragraph GREP style & Character style => (works in XMPie)

* Can also apply styles variably when used in conjunction with Text-with-Style ADOR.

8. The quick brown fox jumps over the lazy dog. (No GREP) (If statement with 2 styles)

8. The quick **brown** dog jumps over the **crazy** fox. (GREP) (Switch statement)

8. The quick **brown** fox jumps over the lazy dog. (GREP) (If statement with alternating styles)

[GREP_Parstyle_digits] applies **[GREP_charsytle]** only to digits using **RegEx** -> **[8]**

John, thank you for your generous support. (**GREP** using **RegEx**: from start to first comma)

Thank you for your
support, **John**, in 2023.
(GREP, option 1: variable in the
middle of copy using non-breaking
space)

Thank you for your support, **John**,
in 2023.
(GREP, option 2: using "pipe"
instead of non-breaking space and
knockout style for better flow)

8.88 to **₿8⁸⁸**

Use **RegEx in GREP** to apply individual styles
to the **symbol**, **main number** and **fractional**
sections of currency values.

Edit -> Find/Change... -> GREP (doesn't work in XMPie; only works on-screen and export)

8. The quick brown fox jumps over the lazy dog.

Using **GREP** in Paragraph Styles

g/re/p (**g**lobal **r**egular **e**xpression search and **p**rint)

Create new Paragraph GREP style & Character style => (works in XMPie)

* Can also apply styles variably when used in conjunction with Text-with-Style ADOR.

9. The quick **brown** fox jumps over the **lazy** dog. (GREP) (If statement with 2 styles)

9. The quick brawny dog jumps over the sleazy fox. (No GREP) (Switch statement)

9. The quick brown fox jumps over the **lazy** dog. (GREP) (If statement with alternating styles)

[GREP_Parstyle_digits] applies **[GREP_charsytle]** only to digits using **RegEx** -> **[9]**

Brooke, thank you for your generous support. (**GREP** using **RegEx**: from start to first comma)

Thank you for your support, **Brooke**, in 2023.
(GREP, option 1: variable in the middle of copy using non-breaking space)

Thank you for your support, **Brooke**, in 2023.
(GREP, option 2: using "pipe" instead of non-breaking space and knockout style for better flow)

9.99 to **\$9⁹⁹**

Use **RegEx in GREP** to apply individual styles to the **symbol**, **main number** and **fractional** sections of currency values.

Edit -> Find/Change... -> GREP (doesn't work in XMPie; only works on-screen and export)

9. The quick brown fox jumps over the lazy dog.

Using **GREP** in Paragraph Styles

g/re/p (**g**lobal **r**egular **e**xpression search and **p**rint)

Create new Paragraph GREP style & Character style => (works in XMPie)

* Can also apply styles variably when used in conjunction with Text-with-Style ADOR.

10. The quick brown fox jumps over the lazy dog. (No GREP) (If statement with 2 styles)

10. The quick **brown** dog jumps over the **crazy** fox. (GREP) (Switch statement)

10. The quick **brown** fox jumps over the lazy dog. (GREP) (If statement with alternating styles)

[GREP_Parstyle_digits] applies **[GREP_charsytle]** only to digits using **RegEx** -> **[10]**

Jenn, thank you for your generous support. (**GREP** using **RegEx**: from start to first comma)

Thank you for your support, **Jenn**, in 2023.
(GREP, option 1: variable in the middle of copy using non-breaking space)

Thank you for your support, **Jenn**, in 2023.
(GREP, option 2: using "pipe" instead of non-breaking space and knockout style for better flow)

10.10 to **¥10¹⁰**

Use **RegEx in GREP** to apply individual styles to the **symbol**, **main number** and **fractional** sections of currency values.

Edit -> Find/Change... -> GREP (doesn't work in XMPie; only works on-screen and export)

10. The quick brown fox jumps over the lazy dog.