Adding a task with a valid name to the list

SeverityPriorityBehaviorType♠ Critical↑ HighPositiveSmoke

Layer Is Flaky Milestone Automation

Manual

Status Is Muted

Actual No

Module

Not set

Task Management

Post-conditions

Added task is removed from the list of tasks.

Tags

Mobile App

Parameters

Device: Samsung Galaxy A52s 5G OS: Android 13, One UI Version: 5.1

Steps to reproduce

Expected result

Step	1
Action	Open the app "shopping-list".
Input data	
Expected result	The main and only page with the input field and the add button is displayed.
Step	2
Action	Tap on the input field.
Input data	
Expected result	The keyboard is displayed.
Step	3
Action	Enter the data using the keyboard.
Input data	Тест

The entered data is displayed in the input field.

Step	4
Action	Click the add button.
Input data	
Expected result	The task is created and it's name is displayed under the add button.
	Ann pagacruposavus agazem survivos exakarus era neik. human mares her MLETE.

Editing and saving an existing task as a set of Cyrillic characters

SeverityPriorityBehaviorType^ MajorO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Manual

Status Is Muted

Actual No

Module

Task Management

Post-conditions

Added task is removed from the list of tasks.

Tags

Mobile App

Input data

Тест

Expected result The entered data is displayed in the input field.

Parameters

Device: Samsung Galaxy A52s 5G OS: Android 13, One UI Version: 5.1

Step	1
Action	Open the app "shopping-list".
Input data	
Expected result	The main and only page with the input field and the add button is displayed.
Step	2
Action	Tap on the input field.
Input data	
Expected result	The keyboard is displayed.
Step	3
Action	Enter the data using the keyboard.

Step	4
Action	Click the add button.
Input data	
Expected result	The task is created and its name is displayed under the add button.
Step	5
Action	Tap and hold on the task in the list.
Input data	
Expected result	A dialog window for editing is displayed.
Step	6
Step	Tap on the input field in the edit dialog window. Delete the existing value and enter the data.
<u> </u>	
Action Input data	Tap on the input field in the edit dialog window. Delete the existing value and enter the data.
Action Input data	Tap on the input field in the edit dialog window. Delete the existing value and enter the data. Измененный тест
Action Input data Expected result	Тар on the input field in the edit dialog window. Delete the existing value and enter the data. Измененный тест The entered data is displayed in the input field.
Action Input data Expected result Step	Тар on the input field in the edit dialog window. Delete the existing value and enter the data. Измененный тест The entered data is displayed in the input field.

Changing the task status using the checkbox

Severity **Priority Behavior Type** Positive **Functional** Major ↑ High Is Flaky Milestone **Automation** Layer Manual Not set No Status Is Muted

Module

Actual

Task Management

Post-conditions

Added task is removed from the ist of tasks.

Tags

result

Mobile App

Parameters

Device: Samsung Galaxy A52s 5G OS: Android 13, One UI Version: 5.1

Step	1
Action	Open the app "shopping-list".
Input data	
Expected result	The main and only page with the input field and the add button is displayed.
Step	2
Action	Tap on the input field.
Input data	
Expected result	The keyboard is displayed.
Step	3
Action	Enter the data using the keyboard.
Input data	Тест
Expected result	The entered data is displayed in the input field.

Step	4
Action	Click the add button.
Input data	
Expected result	The task is created and it's name is displayed under the add button.
Step	5
Action	Tap on the checkbox on the created task
Input data	
Expected result	The checkbox is marked as checked, meaning the task is completed.
Step	6
Action	Tap on the checkbox on the created task
Input data	
Expected result	The checkbox is marked as unchecked, the task is displayed in the list in its default state (as newly create d).

Deleting a task from the list

Severity **Priority Behavior** Type ☆ Critical Positive Smoke ↑ High

Layer Is Flaky Milestone **Automation** Not set Manual

Status Is Muted

Actual No

Module

Task Management

Tags

Action

Click the add button.

Mobile App

Parameters

Device: Samsung Galaxy A52s 5G OS: Android 13, One UI Version: 5.1

Step	1
Action	Open the app "shopping-list".
Input data	
Expected result	The main and only page with the input field and the add button is displayed.
Step	2
Action	Tap on the input field.
Input data	
Expected result	The keyboard is displayed.
Step	3
Action	Enter the data using the keyboard.
Input data	Тест
Expected result	The entered data is displayed in the input field.
Step	4

Input data

Expected result	The task is created and its name is displayed under the add button.
Step	5
Action	Click the delete button on the created task.
Input data	
Expected result	Task is deleted and is no longer displayed.

Application operation when the quick access panel is invoked

Severity **Priority Behavior Type** Positive Compatibility Major ↑ High Is Flaky Milestone **Automation** Layer Manual Not set No Status Is Muted Actual No

Module

Interruption

Post-conditions

Added task is removed from the list of tasks.

Tags

Mobile App

Parameters

Device: Samsung Galaxy A52s 5G OS: Android 13, One UI Version: 5.1

Steps to reproduce

Step	1	
Action	Open the app "shopping-list".	
Input data		
Expected result	The main and only page with the input field and the add button is displayed.	
Step	2	
Action	Tap on the input field and enter the data using the keyboard.	
Input data	Тест	
Expected result The entered data is displayed in the input field.		
Step	3	
Action	Click the add button.	
Input data		

Expected result The task is created and it's name is displayed under the add button.

Step	4
Action	Swipe down from the top edge of the device display toward the bottom.
Input data	
Expected result	The notification panel is displayed on the top of screen. The application is dimmed in the background
Step	5
Action	Swipe down again.
Input data	
Expected result	The quick settings panel is expanded to full screen size.
Step	6
Action	Swipe the panel back up.
Input data	
Expected result	The application is displayed along with the created task. No data is changed or lost.

Application operation during interaction with device buttons

Severity **Priority Behavior Type** Positive Major ↑ High Compatibility Layer Is Flaky Milestone **Automation** Manual Not set No Status Is Muted Actual No

Module

Interruption

Post-conditions

Added task is removed from the list of tasks.

Tags

result

Mobile App

Parameters

Device: Samsung Galaxy A52s 5G OS: Android 13, One UI Version: 5.1

Steps to reproduce

Class	•	
Step	1	
Action	Open the app "shopping-list".	
Input data		
Expected result	The main and only page with the input field and the add button is displayed.	
Step	2	
Action	Tap on the input field and enter the data using the keyboard.	
Input dataТестКнопок		
Expected result	The entered data is displayed in the input field.	
Step	3	
Action	Click the add button.	
Input data		

Expected The task is created and it's name is displayed under the add button.

Step	4		
Action	Press the physical volume-up button on the device.		
Input data)		
Expected result	A volume change notification popped up on the screen. The functionality of the tested application was not interr upted, and the entered data was neither lost nor changed.		
Step	5		
Action	Press the physical volume-down button on the device.		
Input data	1		
Expected result	A volume change notification popped up on the screen. The functionality of the tested application was not interr upted, and the entered data was neither lost nor changed.		
Step	6		
Action	Tap the "Back" button at the bottom right of the screen.		
Input data	1		
Expected result	The menu screen is displayed, and the application is running in the background.		
Step	7		
Action	Tap the "shopping-list" application icon.		
Input data			
Expected result	The main and only page with the input field and the add button is displayed. Previously entered data was neither lost nor changed.		
Step	8		
Action	Tap the "Home" button at the bottom of the screen.		
Input data	Input data		
Expected result	The device's home screen is displayed, and the application is running in the background.		
Step	9		
Action	Tap the button at the bottom left of the screen to bring up the list of recent processes. Tap on the "shopping-list" app in this list.		
Input data	Input data		
Expected result	The main and only page with the input field and the add button is displayed. Previously entered data was neither lost nor changed.		

Application operation when a local message is coming from the Clock app

SeverityPriorityBehaviorType^ Major^ HighPositiveCompatibilityLayerIs FlakyMilestoneAutomationNot setNo-Manual

Status Is Muted

Actual No

Module

Interruption

Post-conditions

Added task is removed from the list of tasks.

Tags

Action

Mobile App

Parameters

Device: Samsung Galaxy A52s 5G OS: Android 13, One UI Version: 5.1

Steps to reproduce

Step	1
Action	Open the default Clock app on the device currently being used for testing. In the "Timer" section, set the timer f or 3 minutes. Press the Home button at the bottom of the device screen.
Input data	
Expecte result	${\sf d}$ The home screen is displayed. Timer information is shown in the notification panel.
Step	2
Action	Open the app "shopping-list".
Input data	
Expecte result	$^{ m d}$ The main and only page with the input field and the add button is displayed.
Step	3

Tap on the input field and enter the data using the keyboard.

Input data	ТестТест
Expected result	The entered data is displayed in the input field.
Step	4
Action	Click the add button.
Input data	
Expected result	The task is created and it's name is displayed under the add button.
Step	5
Action	Keep the application open until the timer goes off.
Input data	
Expected result	The timer went off, and the local notification appeared on the screen, overlaying the open application.
Step	6
Action	Tap the Cancel button on the timer notification popup.
Input data	
Expected result	The notification is no longer displayed. The functionality of the tested application was not interrupted, and the ent ered data was neither lost nor changed.

Application operation during changes in the device's orientation

Severity **Priority Behavior Type** Positive Compatibility Major O Medium Is Flaky Milestone **Automation** Layer Manual Not set No Status Is Muted Actual No

Pre-conditions

Screen rotation is enabled on the deviceю

Post-conditions

Added task is removed from the list of tasks.

Tags

Mobile App

Parameters

Device: Samsung Galaxy A52s 5G OS: Android 13, One UI Version: 5.1

Step	1	
Action	Open the app "shopping-list".	
Input data		
Expected result	The main and only page with the input field and the add button is displayed.	
Step	2	
Action	Tap on the input field. Enter the data using the keyboard.	
Input data	Тест	
Expected result	The entered data is displayed in the input field.	
Step	3	
Action	Click the add button.	
Input data		
Expected result	The task is created and its name is displayed under the add button.	

Step	4	
Action	Rotate the device to switch to landscape mode.	
Input data		
Expected result	 UI elements are properly aligned and displayed after the rotation, no elements are cut off, misaligned, or overlapping. The application is displayed along with the created task. The entered data was neither lost nor changed. 	
Step	5	
Action	Tap on the input field. Enter the data using the keyboard.	
Input data	ЕщеТест	
Expected result	The entered data is displayed in the input field.	
Step	6	
Action	Click the add button.	
Input data		
Expected result	The task is created and its name is displayed under the add button.	
Step	7	
Action	Rotate the device to switch back to portrait mode.	
Input data		
Expected result	 UI elements are properly aligned and displayed after the rotation, no elements are cut off, misaligned, or overlapping. The application is displayed along with the created task. The entered data was neither lost nor changed. 	

App Performance: Loading and response time

Priority Severity **Behavior Type** Positive Performance Major ↑ High Layer Is Flaky Milestone **Automation** Not set Manual No Status Is Muted

Tags

Actual

Mobile App

Parameters

Device: Samsung Galaxy A52s 5G OS: Android 13, One UI Version: 5.1

Step	1	
Action	Open the 'shopping-list' app by tapping on the application icon on the device's menu screen.	
Input data		
Expected res	ultThe application is opened, and all interface elements are loaded and displayed in no more than 2 seconds	
Step	2	
Action	Tap on the input field.	
Input data		
Expected res	ult Response time for keyboard invocation is less than 0.5 seconds.	
Step	3	
Action	Enter the data using the keyboard.	
Input data	Тест	
Expected res	ultThe entered data is displayed in the input field.	
Step	4	
Action	Click the add button.	
Input data		
Expected res	ult The task is created and it's name is displayed under the add button in less than 0.5 seconds.	

Input data	
Action	Click the delete button on the created task.
Step	5

Adding a task with a name containing Latin characters

SeverityPriorityBehaviorType^ Major^ HighNegativeSmokeLayerIs FlakyMilestoneAutomation

Not set No - Manual

Status Is Muted

Actual No

Module

Task Management

Tags

Mobile App

Parameters

Device: Samsung Galaxy A52s 5G OS: Android 13, One UI Version: 5.1

Steps to reproduce

Ste	q	1

Action Open the app "shopping-list".

Input data

Expected result The main and only page with the input field and the add button is displayed.

Step 2

Action Tap on the input field.

Input data

Expected result The keyboard is displayed.

Step 3

Action Enter the data using the keyboard.

Input data Test

Expected result The entered data is displayed in the input field.

Step 4

Action Click the add button.

Input data

Expected result The task is not created and the notification about the need to use the Russian language is displayed.



Click the add button.

Adding a task with a name longer than 25 characters

SeverityPriorityBehaviorType↑ Major↑ HighNegativeSmoke

Layer Is Flaky Milestone Automation

Manual

Status Is Muted

Actual No

Module

Not set

Task Management

Tags

Action

Mobile App

Parameters

Device: Samsung Galaxy A52s 5G OS: Android 13, One UI Version: 5.1

Step	1
Action	Open the app "shopping-list".
Input data	
Expected result	The main and only page with the input field and the add button is displayed.
Step	2
Action	Tap on the input field.
Input data	
Expected result	The keyboard is displayed.
Step	3
Action	Enter the data using the keyboard.
Input data	Очень длинное имя для задачи
Expected result	The entered data is displayed in the input field.
Step	4

Input data

Expected result

The task is not created and the error notification is displayed.





Adding a task with an empty value in the input field

SeverityPriorityBehaviorType↑ Major↑ HighNegativeSmoke

Layer Is Flaky Milestone Automation

Manual

Status Is Muted

Actual No

Module

Not set

Task Management

Tags

Mobile App

Parameters

Device: Samsung Galaxy A52s 5G OS: Android 13, One UI Version: 5.1

Steps to reproduce

Step 1

Action Open the app "shopping-list".

Input data

Expected result
The main and only page with the input field and the add button is displayed.

Step 2

Action Click the add button.

Input data

Expected result The task is not created and the notification that the task cannot be empty is displayed.



Adding a task with a name containing numeric characters

SeverityPriorityBehaviorType^ Major^ HighNegativeSmokeLayerIs FlakyMilestoneAutomationNot setNo-Manual

Status Is Muted

Actual No

Module

Task Management

Tags

Mobile App

Parameters

Device: Samsung Galaxy A52s 5G OS: Android 13, One UI Version: 5.1

Steps to reproduce

Step	1	
Action	Open the app "shopping-list".	
Input data		
Expected result The main and only page with the input field and the add button is displayed.		
Step	2	
Action	Tap on the input field.	
Input data		
Expected resul	t The keyboard is displayed.	

Step 3

Action Enter the data using the keyboard.

Input data 123456

Expected result The entered data is displayed in the input field.

Step 4

Action Click the add button.

Input data

Expected result The task is not created and the notification about the need to use the Russian language is displayed.



Editing and saving an existing task as a set of numeric characters

Severity **Behavior Priority Type Functional** Major O Medium Negative **Automation** Layer Is Flaky Milestone Not set No Manual

Is Muted **Status**

Actual No

Module

Task Management

Tags

Mobile App

Parameters

Device: Samsung Galaxy A52s 5G OS: Android 13, One UI Version: 5.1

Steps to reproduce

Step	1	
Action	Open the app "shopping-list".	
Input data		
Expected result The main and only page with the input field and the add button is displayed.		
Step	2	

Action Tap on the input field.

Input data

Expected result The keyboard is displayed.

3 Step

Action Enter the data using the keyboard.

Input data Тест

Expected result The entered data is displayed in the input field.

Step 4

Action Click the add button.

Input data	
Expected res	ult The task is created and it's name is displayed under the add button.
Step	5
Action	Tap and hold on the task in the list.
Input data	
Expected res	ult A dialog window for editing is displayed.
Step	6
Action	Tap on the input field in the edit dialog window. Delete the existing value and enter the data.
Input data	12345
Expected res	ult The entered data is displayed in the input field.
Step	7
Action	Click the save button.
Input data	

Expected result The task is not updated and the notification about the need to use the Russian language is displayed.

Editing and saving an existing task as a set of special characters

SeverityPriorityBehaviorType^ MajorO MediumNegativeFunctionalLayerIs FlakyMilestoneAutomation

Manual

Status Is Muted

Actual No

Module

Not set

Task Management

Tags

Mobile App

Parameters

Device: Samsung Galaxy A52s 5G OS: Android 13, One UI Version: 5.1

Steps to reproduce

Step	1
7160	

Action Open the app "shopping-list".

Input data

Expected result The main and only page with the input field and the add button is displayed.

Step 2

Action Tap on the input field.

Input data

Expected result The keyboard is displayed.

Step 3

Action Enter the data using the keyboard.

Input data Тест

Expected result The entered data is displayed in the input field.

Step 4

Action Click the add button.

Input data	
Expected result The task is created and it's name is displayed under the add button.	
Step	5
Action	Tap and hold on the task in the list.
Input data	
Expected result A dialog window for editing is displayed.	
Step	6
Action	Tap on the input field in the edit dialog window. Delete the existing value and enter the data.
Input data	!@#\$%^&*
Expected result The entered data is displayed in the input field.	
Step	7
Action	Click the save button.
Input data	

Expected result The task is not updated and the notification about the need to use the Russian language is displayed.