

## 01

# Workspace setup

Product version 4.2 | Demo documentation

CloudDesk is a fictional collaboration product. Workspace administrators configure identity, regions, invitations, and default access before teams begin using the service.

## WORKSPACE CREATION

Create a workspace from the Admin Console and choose a permanent workspace slug. The slug must contain 3 to 40 lowercase letters, numbers, or hyphens.

## DATA REGION

The data region is selected during workspace creation. Available regions are United States, European Union, and Australia. Region changes require a Support migration.

## INVITATIONS

Email invitations expire after 72 hours. Administrators can revoke an invitation immediately or send a replacement from Directory > Pending invitations.

## DEFAULT MEMBER ROLE

Newly invited users receive the Member role unless the invitation explicitly assigns Viewer or Administrator access. Guests must be assigned per project.

## 02

# Backups and recovery

Product version 4.2 | Demo documentation

CloudDesk backups protect workspace records and file metadata. Customers remain responsible for exports required by their own retention policies.

## BACKUP SCHEDULE

Automated backups run once each day at 2:00 AM UTC. Backups include workspace records, configuration, and file metadata.

## RETENTION PERIOD

Daily backups are retained for 35 days. A backup older than 35 days is permanently removed and cannot be restored.

## RECOVERY OBJECTIVES

The standard recovery point objective is 24 hours and the recovery time objective is 4 hours after CloudDesk approves a valid restore request.

## RESTORE REQUESTS

Only a Workspace Administrator may request a restore. The request must identify the workspace, approximate recovery time, affected projects, and business reason.

03

# API usage

Product version 4.2 | Demo documentation

The CloudDesk REST API applies layered limits to protect workspace availability while allowing predictable integration throughput.

## WORKSPACE LIMIT

Each workspace may send up to 1,200 API requests per minute across all access tokens. The limit resets on a rolling basis.

## TOKEN LIMIT

A single access token may send up to 100 requests per minute. Creating additional tokens does not increase the workspace-wide limit.

## RATE-LIMIT RESPONSE

When a limit is exceeded, the API returns HTTP 429. Clients must wait for the number of seconds in the Retry-After header before retrying.

## IDEMPOTENCY

POST requests that create records accept an Idempotency-Key header. CloudDesk remembers each key and response for 24 hours within the workspace.

## 04

# Identity and audit

Product version 4.2 | Demo documentation

Administrative access should use the least privilege needed, strong authentication, and reviewable records of sensitive changes.

## AVAILABLE ROLES

Viewer can read assigned projects, Member can create and edit content, and Workspace Administrator can manage billing, identity, security, and all projects.

## SINGLE SIGN-ON

SAML single sign-on is available on the Enterprise plan. After enforcement, password login remains available only to designated emergency administrators.

## ADMINISTRATOR MFA

Multi-factor authentication is required for every Workspace Administrator. An administrator who does not enroll within 24 hours loses administrative access.

## AUDIT RETENTION

Enterprise audit events are retained for 365 days. Events include sign-ins, role changes, exports, security settings, token creation, and workspace deletion requests.