

# AWS Sign-In endpoints and quotas

[PDF \(aws-general.pdf#signin-service\)](#)

The following are the service endpoints and service quotas for this service. To connect programmatically to an AWS service, you use an endpoint. In addition to the standard AWS endpoints, some AWS services offer FIPS endpoints in selected Regions. For more information, see [AWS service endpoints \(./rande.html\)](#) . Service quotas, also referred to as limits, are the maximum number of service resources or operations for your AWS account. For more information, see [AWS service quotas \(./aws\\_service\\_limits.html\)](#) .

## Service endpoints

| Region Name              | Region         | Endpoint                             | Protocol |
|--------------------------|----------------|--------------------------------------|----------|
| US East (Ohio)           | us-east-2      | us-east-2.signin.aws.amazon.com      | HTTP S   |
| US East (N. Virginia)    | us-east-1      | signin.aws.amazon.com                | HTTP S   |
| US West (N. California)  | us-west-1      | us-west-1.signin.aws.amazon.com      | HTTP S   |
| US West (Oregon)         | us-west-2      | us-west-2.signin.aws.amazon.com      | HTTP S   |
| Africa (Cape Town)       | af-south-1     | af-south-1.signin.aws.amazon.com     | HTTP S   |
| Asia Pacific (Hong Kong) | ap-east-1      | ap-east-1.signin.aws.amazon.com      | HTTP S   |
| Asia Pacific (Jakarta)   | ap-southeast-3 | ap-southeast-3.signin.aws.amazon.com | HTTP S   |

| Region Name              | Region         | Endpoint                             | Protocol |
|--------------------------|----------------|--------------------------------------|----------|
| Asia Pacific (Mumbai)    | ap-south-1     | ap-south-1.signin.aws.amazon.com     | HTTP S   |
| Asia Pacific (Osaka)     | ap-northeast-3 | ap-northeast-3.signin.aws.amazon.com | HTTP S   |
| Asia Pacific (Seoul)     | ap-northeast-2 | ap-northeast-2.signin.aws.amazon.com | HTTP S   |
| Asia Pacific (Singapore) | ap-southeast-1 | ap-southeast-1.signin.aws.amazon.com | HTTP S   |
| Asia Pacific (Sydney)    | ap-southeast-2 | ap-southeast-2.signin.aws.amazon.com | HTTP S   |
| Asia Pacific (Tokyo)     | ap-northeast-1 | ap-northeast-1.signin.aws.amazon.com | HTTP S   |
| Canada (Central)         | ca-central-1   | ca-central-1.signin.aws.amazon.com   | HTTP S   |
| Europe (Frankfurt)       | eu-central-1   | eu-central-1.signin.aws.amazon.com   | HTTP S   |
| Europe (Ireland)         | eu-west-1      | eu-west-1.signin.aws.amazon.com      | HTTP S   |
| Europe (London)          | eu-west-2      | eu-west-2.signin.aws.amazon.com      | HTTP S   |
| Europe (Milan)           | eu-south-1     | eu-south-1.signin.aws.amazon.com     | HTTP S   |
| Europe (Paris)           | eu-west-3      | eu-west-3.signin.aws.amazon.com      | HTTP S   |
| Europe (Stockholm)       | eu-north-1     | eu-north-1.signin.aws.amazon.com     | HTTP S   |

| Region Name               | Region        | Endpoint                                  | Protocol |
|---------------------------|---------------|-------------------------------------------|----------|
| Middle East (Bahrain)     | me-south-1    | me-south-1.signin.aws.amazon.com          | HTTPS    |
| South America (São Paulo) | sa-east-1     | sa-east-1.signin.aws.amazon.com           | HTTPS    |
| AWS GovCloud (US-East)    | us-gov-east-1 | us-gov-east-1.signin.amazonaws-us-gov.com | HTTPS    |
| AWS GovCloud (US-West)    | us-gov-west-1 | signin.amazonaws-us-gov.com               | HTTPS    |

---

## Service quotas

AWS Sign-In has no increasable quotas.

---

© 2022, Amazon Web Services, Inc. or its affiliates. All rights reserved.