## WikipediA

## Hermite-Hadamard inequality

In <u>mathematics</u>, the **Hermite–Hadamard inequality**, named after <u>Charles Hermite</u> and <u>Jacques Hadamard</u> and sometimes also called **Hadamard's inequality**, states that if a function  $f:[a,b] \to \mathbf{R}$  is convex, then the following chain of inequalities hold:

$$f\left(rac{a+b}{2}
ight) \leq rac{1}{b-a} \int_a^b f(x) \, dx \leq rac{f(a)+f(b)}{2}.$$

The inequality has been generalized to higher dimensions: if  $\Omega \subset \mathbb{R}^n$  is a bounded, convex domain and  $f: \Omega \to \mathbb{R}$  is a positive convex function, then

$$rac{1}{|\Omega|}\int_{\Omega}f(x)\,dx \leq rac{c_n}{|\partial\Omega|}\int_{\partial\Omega}f(y)\,d\sigma(y)$$

where  $c_n$  is a constant depending only on the dimension.

## A corollary on Vandermonde-type integrals

Suppose that  $-\infty < a < b < \infty$ , and choose n distinct values  $\{x_j\}_{j=1}^n$  from (a, b). Let  $f:[a, b] \to \mathbb{R}$  be convex, and let I denote the "integral starting at a" operator; that is,

$$(If)(x) = \int_a^x f(t) dt.$$

Then

$$\sum_{i=1}^n rac{(I^{n-1}F)(x_i)}{\prod_{j
eq i} (x_i-x_j)} \leq rac{1}{n!} \sum_{i=1}^n f(x_i)$$

Equality holds for all  $\{x_j\}_{j=1}^n$  iff f is linear, and for all f iff  $\{x_j\}_{j=1}^n$  is constant, in the sense that

$$\lim_{\{x_j\}_j o lpha} \sum_{i=1}^n rac{(I^{n-1}F)(x_i)}{\prod_{j 
eq i} (x_i - x_j)} = rac{f(lpha)}{(n-1)!}$$

The result follows from induction on n.

## References

 Jacques Hadamard, "Étude sur les propriétés des fonctions entières et en particulier d'une fonction considérée par Riemann", Journal de Mathématiques Pures et Appliquées, volume 58, 1893, pages 171–215.

- Zoltán Retkes, "An extension of the Hermite-Hadamard <u>Inequality</u>", <u>Acta Sci. Math. (Szeged)</u>, 74 (2008), pages 95–106.
- Mihály Bessenyei, "The Hermite—Hadamard <u>Inequality</u> on <u>Simplices</u>", <u>American Mathematical</u> Monthly, volume 115, April 2008, pages 339–345.
- Flavia-Corina Mitroi, Eleutherius Symeonidis, "The converse of the Hermite-Hadamard inequality on simplices", Expo. Math. 30 (2012), pp. 389–396. doi:10.1016/j.exmath.2012.08.011 (https://doi.org/10.1016%2Fj.exmath.2012.08.011); ISSN 0723-0869 (https://www.worldcat.org/search?fq=x0:jrnl&q=n2:0723-0869)
- Stefan Steinerberger, The Hermite-Hadamard Inequality in Higher Dimensions, The Journal of Geometric Analysis, 2019.

Retrieved from "https://en.wikipedia.org/w/index.php?title=Hermite-Hadamard\_inequality&oldid=1007941195"

This page was last edited on 20 February 2021, at 18:54 (UTC).

Text is available under the Creative Commons Attribution-ShareAlike License 3.0; additional terms may apply. By using this site, you agree to the Terms of Use and Privacy Policy. Wikipedia® is a registered trademark of the Wikimedia Foundation, Inc., a non-profit organization.