

OpenAIRE LOD Ontology 1.1

Title:

Creator: ATHENA RC, UBONN

Date 2017-06-01

Issued:

description: This document is a specification of all metadata terms used or created in providing OpenAIRE LOD services including properties, vocabulary encoding schemes, syntax encoding schemes, and classes. ([RDF/XML export](#)) ([lod.rdf](#)).

Table of Contents

1. [Introduction and Definitions](#)
2. [Classes](#)
3. [Properties](#)

Index of Terms

Classes	ResultEntity , Organization , DataSource , Project
Properties	entityType , title , dateOfAcceptance , publisher , pid , language , relevantDate , subject , externalReference , source , format , context , country , bestLicense , description , journal , resourceType , device , size , version , lastMetadataUpdate , metadataVersionNumber , year , resultType , trust

Section 1: Introduction and Definitions of the OA LOD Ontology

This document is an up-to-date, authoritative specification of all metadata terms maintained by the OpenAIRE LOD services.

Each term is specified with the following minimal set of attributes:

Name:	A token appended to the URI of a DCMI namespace to create the URI of the term.
Label:	The human-readable label assigned to the term.
URI:	The Uniform Resource Identifier used to uniquely identify a term.
Definition:	A statement that represents the concept and essential nature of the term.

Where applicable, the following attributes provide additional information about a term:

Comment:	Additional information about the term or its application.
See:	Authoritative documentation related to the term.
Has Domain:	A Class of which a resource described by the term is an Instance.
Has Range:	A Class of which a value described by the term is an Instance.

Re-used prefixes are as follows:

```
@prefix rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#> .
@prefix owl: <http://www.w3.org/2002/07/owl#> .
@prefix skos: <http://www.w3.org/2004/02/skos/core#> .
@prefix dcam: <http://purl.org/dc/dcam/> .
@prefix dcterms: <http://purl.org/dc/terms/> .
@prefix rdfs: <http://www.w3.org/2000/01/rdf-schema#> .
@prefix skos: <http://www.w3.org/2004/02/skos/core#> .
@prefix cerif: <http://www.eurocris.org/ontologies/cerif/1.3> .
@prefix dcterms: <http://purl.org/dc/terms/> .
@prefix foaf: <http://xmlns.com/foaf/0.1/> .
@prefix dbpedia-owl: <http://dbpedia.org/ontology/> .
@prefix swpo: <http://sw-portal.deri.org/ontologies/swportal> .
@prefix lexvo: <http://www.lexvo.org/> .
@prefix rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#> .
@prefix prov: <http://www.w3.org/TR/prov-o/> .
@prefix schema: <http://schema.org/> .
@prefix bibo: <http://purl.org/ontology/bibo/> .
@prefix api: <http://purl.org/linked-data/api/> .
@prefix nie: <http://www.semanticdesktop.org/ontologies/2007/01/19/nie#> .
@prefix frapo: <http://purl.org/cerif/frapo/> .
@prefix time: <http://www.w3.org/2006/time#> .
@prefix biotop: <http://purl.org/biotop/biotop.owl#> .
@prefix ebucore: <http://www.ebu.ch/metadata/ontologies/ebucore/ebucore#> .
@prefix mrel: <http://id.loc.gov/vocabulary/> .
@prefix dcite: <http://purl.org/spar/datacite/> .
@prefix oav: <http://lod.openaire.eu/vocab/> .
@prefix owl: <http://www.w3.org/2002/07/owl#> .
@prefix rdfs: <http://www.w3.org/2000/01/rdf-schema#> .
```

Section 2: Classes

Term Name: ResultEntity	
URI:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Label:	ResultEntity
Definition:	A Result is here intended as the (metadata) description of a scientific output (possibly) resulting out of one or more projects. Results has the following sub-entities: Publication and Dataset.
Comment:	The type of the ResultEntity is distinguishable as a string value given in the type property.
Type of Term:	Class (http://www.w3.org/2000/01/rdf-schema#Class).

Sub Class Of:	cerif:ResultEntity (http://www.eurocris.org/ontologies/cerif/1.3#ResultEntity) .
Term Name: DataSource	
URI:	http://lod.openaire.eu/vocab/DataSourceEntity (http://lod.openaire.eu/vocab/DataSourceEntity).
Label:	DataSource
Definition:	A Datasource is here intended as the (metadata) description/representation of a provider exporting (meta)data about scholarly communication objects. Based on the typology of the provider and of the exported material.
Comment:	The mapping of Datasource class to prov:Entity represents the agent which is the (meta)data provider for us. The definition by prove ontology for this entity is: An entity is a physical, digital, conceptual, or other kind of thing with some fixed aspects; entities may be real or imaginary.
Type of Term:	Class (http://www.w3.org/2000/01/rdf-schema#Class) .
Sub Class Of:	prov:Entity (http://www.w3.org/ns/prov#Entity) .
Term Name: Organization	
URI:	http://lod.openaire.eu/vocab/OrganizationEntity (http://lod.openaire.eu/vocab/OrganizationEntity).
Label:	Organization
Definition:	An Organization is here intended as the (metadata) description/representation of an organization involved in the scholarly communication chain, such as companies, research centers and institutions involved as project partners or as responsible of operating Datasources.
Comment:	Information about organizations is collected from entity registry datasources providing information about projects and CRIS systems.
Type of Term:	Class (http://www.w3.org/2000/01/rdf-schema#Class) .
Term Name: Project	
URI:	http://lod.openaire.eu/vocab/ProjectEntity (http://lod.openaire.eu/vocab/ProjectEntity).
Label:	Project
Definition:	A Project is here intended as the (metadata) description/representation of a research project.
Comment:	
Type of Term:	Class (http://www.w3.org/2000/01/rdf-schema#Class) .

Section 3: Properties

Term Name: entityType

URI:	http://www.w3.org/1999/02/22-rdf-syntax-ns#type (http://www.w3.org/1999/02/22-rdf-syntax-ns#type).
Label:	entityType
Definition:	This property shows the type of core entity.
Comment:	rdf:type is an instance of rdf:Property that is used to state that a resource is an instance of a class.
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: resDateOfTransformation	
URI:	resDateOfTransformation (http://lod.openaire.eu/vocab/resDateOfTransformation).
Label:	resDateOfTransformation
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#date (http://www.w3.org/TR/xmlschema-2/#date).
Term Name: projDateOfTransformation	
URI:	projDateOfTransformation (http://lod.openaire.eu/vocab/projDateOfTransformation).
Label:	projDateOfTransformation
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ProjectEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#date (http://www.w3.org/TR/xmlschema-2/#date).
Term Name: orgDateOfTransformation	
URI:	orgDateOfTransformation (http://lod.openaire.eu/vocab/orgDateOfTransformation).
Label:	orgDateOfTransformation

Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .
Has Domain:	http://lod.openaire.eu/vocab/OrganizationEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#date (http://www.w3.org/TR/xmlschema-2/#date).
Term Name: dsDateOfTransformation	
URI:	dsDateOfTransformation (http://lod.openaire.eu/vocab/dsDateOfTransformation) .
Label:	dsDateOfTransformation
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .
Has Domain:	http://lod.openaire.eu/vocab/DataSourceEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#date (http://www.w3.org/TR/xmlschema-2/#date).
Term Name: resDateOfCollection	
URI:	resDateOfCollection (http://lod.openaire.eu/vocab/resDateOfCollection) .
Label:	resDateOfCollection
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#date (http://www.w3.org/TR/xmlschema-2/#date).
Term Name: projDateOfCollection	
URI:	projDateOfCollection (http://lod.openaire.eu/vocab/projDateOfCollection) .
Label:	projDateOfCollection
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .

Has Domain:	http://lod.openaire.eu/vocab/ProjectEntity_(http://lod.openaire.eu/vocab/ResultEntity) .
Has Range:	http://www.w3.org/TR/xmlschema-2/#date (http://www.w3.org/TR/xmlschema-2/#date).
Term Name: orgDateOfCollection	
URI:	orgDateOfCollection (http://lod.openaire.eu/vocab/orgDateOfCollection).
Label:	orgDateOfCollection
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/OrganizationEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#date (http://www.w3.org/TR/xmlschema-2/#date).
Term Name: dsDateOfCollection	
URI:	dsDateOfCollection (http://lod.openaire.eu/vocab/dsDateOfCollection).
Label:	dsDateOfCollection
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/DataSourceEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#date (http://www.w3.org/TR/xmlschema-2/#date).
Term Name: originalID	
URI:	http://lod.openaire.eu/vocab/originalID (http://lod.openaire.eu/vocab/title).
Label:	originalID
Definition:	The original id of the resource.
Comment:	This is the original id that every reosource has is in its original repository.
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).

Sub Property Of:	purl:identifier (http://purl.org/dc/terms/identifier).
Term Name: title	
URI:	http://lod.openaire.eu/vocab/title (http://lod.openaire.eu/vocab/title).
Label:	title
Definition:	The titles of the Result, each with a typology represented by a Qualifier and Provenance information.
Comment:	The Title of the publication or a dataset.
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Sub Property Of:	cerif:name (http://www.eurocris.org/ontologies/cerif/1.3#name).
Term Name: dataOfAcceptance	
URI:	http://lod.openaire.eu/vocab/dataOfAcceptance (http://lod.openaire.eu/vocab/dataOfAcceptance).
Label:	dateOfAcceptance
Definition:	
Comment:	The date this publication or the dataset got accepted from the publisher.
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#date (http://www.w3.org/TR/xmlschema-2/#date).
Sub Property Of:	purl:dateAccepted (http://purl.org/dc/terms/dateAccepted).
Term Name: publisher	
URI:	http://lod.openaire.eu/vocab/publisher (http://lod.openaire.eu/vocab/publisher).
Label:	publisher
Definition:	
Comment:	

Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Sub Property Of:	purl:publisher (http://purl.org/dc/terms/publisher).
Term Name: pid	
URI:	http://lod.openaire.eu/vocab/persistentID (http://lod.openaire.eu/vocab/persistentID).
Label:	pid
Definition:	Persistance identifier
Comment:	This identifier shows the persistant identifier of the resource.
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Sub Property Of:	purl:identifier (http://purl.org/dc/terms/identifier).
Term Name: language	
URI:	http://lod.openaire.eu/vocab/language (http://lod.openaire.eu/vocab/language).
Label:	language
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Sub Property Of:	purl:language (http://purl.org/dc/terms/language).
Term Name: relevantDate	
URI:	http://lod.openaire.eu/vocab/relevantDate (http://lod.openaire.eu/vocab/relevantDate).

Label:	relevantDate
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#date (http://www.w3.org/TR/xmlschema-2/#date).
Sub Property Of:	purl:date (http://purl.org/dc/terms/date).
Term Name: subject	
URI:	http://lod.openaire.eu/vocab/resultSubject (http://lod.openaire.eu/vocab/resultSubject).
Label:	subject
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: externalReference	
URI:	http://lod.openaire.eu/vocab/externalReference (http://lod.openaire.eu/vocab/externalReference).
Label:	externalReference
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: source	
URI:	http://lod.openaire.eu/vocab/source (http://lod.openaire.eu/vocab/source).

Label:	source
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: format	
URI:	http://lod.openaire.eu/vocab/format (http://lod.openaire.eu/vocab/format).
Label:	format
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: context	
URI:	http://lod.openaire.eu/vocab/context (http://lod.openaire.eu/vocab/context).
Label:	context
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: resultCountry	
URI:	http://lod.openaire.eu/vocab/resCountry (http://lod.openaire.eu/vocab/resCountry).
Label:	country
Definition:	
Comment:	

Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Sub Property Of:	dbpedia:country (http://dbpedia.org/ontology/country).
Term Name: bestLicense	
URI:	http://lod.openaire.eu/vocab/bestLicense (http://lod.openaire.eu/vocab/bestLicense).
Label:	bestLicense
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Sub Property Of:	purl:accessRights (http://purl.org/dc/terms/accessRights).
Term Name: description	
URI:	http://lod.openaire.eu/vocab/description (http://lod.openaire.eu/vocab/description).
Label:	description
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Sub Property Of:	purl:description (http://purl.org/dc/terms/description).
Term Name: journal	
URI:	http://lod.openaire.eu/vocab/journal (http://lod.openaire.eu/vocab/journal).

Label:	journal
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Sub Property Of:	opus:journal_name (http://lsdis.cs.uga.edu/projects/semdis/opus#journal_name).
Term Name: resourceType	
URI:	http://lod.openaire.eu/vocab/dataSourceType (http://lod.openaire.eu/vocab/dataSourceType).
Label:	resourceType
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: device	
URI:	http://lod.openaire.eu/vocab/device (http://lod.openaire.eu/vocab/device).
Label:	device
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: size	
URI:	http://lod.openaire.eu/vocab/size (http://lod.openaire.eu/vocab/size).

Label:	size
Definition:	
Comment:	
Type of Term:	Property_(http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity _(http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string _(http://www.w3.org/TR/xmlschema-2/#string).
Term Name: version	
URI:	http://lod.openaire.eu/vocab/version _(http://lod.openaire.eu/vocab/version).
Label:	version
Definition:	
Comment:	
Type of Term:	Property_(http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity _(http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string _(http://www.w3.org/TR/xmlschema-2/#string).
Term Name: lastMetadataUpdate	
URI:	http://lod.openaire.eu/vocab/lastMetadataUpdate _(http://lod.openaire.eu/vocab/lastMetadataUpdate).
Label:	lastMetadataUpdate
Definition:	
Comment:	
Type of Term:	Property_(http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity _(http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#date _(http://www.w3.org/TR/xmlschema-2/#date).
Term Name: metadataVersionNumber	
URI:	http://lod.openaire.eu/vocab/metadataVersion _(http://lod.openaire.eu/vocab/metadataVersion).
Label:	metadataVersionNumber
Definition:	

Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: year	
URI:	http://lod.openaire.eu/vocab/year (http://lod.openaire.eu/vocab/year).
Label:	year
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: resultType	
URI:	http://lod.openaire.eu/vocab/resultType (http://lod.openaire.eu/vocab/resultType).
Label:	resultType
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: resTrust	
URI:	http://lod.openaire.eu/vocab/resTrust (http://lod.openaire.eu/vocab/resTrust).
Label:	resTrust
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .

Has Domain:	http://lod.openaire.eu/vocab/ResultEntity_ (http://lod.openaire.eu/vocab/ResultEntity_).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: datasourceType	
URI:	http://lod.openaire.eu/vocab/datasourceType (http://lod.openaire.eu/vocab/datasourceType).
Label:	datasourceType
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/DataSourceEntity (http://lod.openaire.eu/vocab/DataSourceEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: openAIRECompatibility	
URI:	http://lod.openaire.eu/vocab/openAIRECompatibility (http://lod.openaire.eu/vocab/openAIRECompatibility).
Label:	openAIRECompatibility
Definition:	It is the degree of OpenAIRE guidelines for content providers of the data source, according to a given classification of compatibility types.
Comment:	Description here: http://api.openaire.eu/vocabularies/dnet:datasourceCompatibilityLevel
Type of Term:	property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/DataSourceEntity (http://lod.openaire.eu/vocab/DataSourceEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: officialName	
URI:	http://lod.openaire.eu/vocab/officialName (http://lod.openaire.eu/vocab/officialName).
Label:	officialName
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).

Has Domain:	http://lod.openaire.eu/vocab/DataSourceEntity (http://lod.openaire.eu/vocab/DataSourceEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: WebsiteUrl	
URI:	http://lod.openaire.eu/vocab/dsWebsite (http://lod.openaire.eu/vocab/dsWebsite).
Label:	websiteUrl
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/DataSourceEntity (http://lod.openaire.eu/vocab/DataSourceEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Sub Property Of:	foaf:homepage (http://xmlns.com/foaf/0.1/homepage).
Term Name: logoUrl	
URI:	http://lod.openaire.eu/vocab/logo (http://lod.openaire.eu/vocab/logo).
Label:	logoUrl
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/DataSourceEntity (http://lod.openaire.eu/vocab/DataSourceEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Sub Property Of:	foaf:logo (http://xmlns.com/foaf/0.1/logo).
Term Name: Contactemail	
URI:	http://lod.openaire.eu/vocab/mbox (http://lod.openaire.eu/vocab/mbox).
Label:	contactEmail
Definition:	
Comment:	

Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/DataSourceEntity (http://lod.openaire.eu/vocab/DataSourceEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: Namespaceprefix	
URI:	http://lod.openaire.eu/vocab/preferredNamespacePrefix (http://lod.openaire.eu/vocab/preferredNamespacePrefix).
Label:	namespacePrefix
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/DataSourceEntity (http://lod.openaire.eu/vocab/DataSourceEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Sub Property Of:	purl:preferredNamespacePrefix (http://purl.org/vocab/vann/preferredNamespacePrefix).
Term Name: Latitude	
URI:	http://lod.openaire.eu/vocab/lat (http://lod.openaire.eu/vocab/lat).
Label:	latitude
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/DataSourceEntity (http://lod.openaire.eu/vocab/DataSourceEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Sub Property Of:	geo:lat (http://www.w3.org/2003/01/geo/wgs84_pos#lat).
Term Name: Longitude	
URI:	http://lod.openaire.eu/vocab/long (http://lod.openaire.eu/vocab/long).
Label:	longitude

Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/DataSourceEntity (http://lod.openaire.eu/vocab/DataSourceEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Sub Property Of:	geo:long (http://www.w3.org/2003/01/geo/wgs84_pos#long) .
Term Name: Dateofvalidation	
URI:	http://lod.openaire.eu/vocab/dateOfValidity (http://lod.openaire.eu/vocab/dateOfValidity).
Label:	dateOfValidation
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/DataSourceEntity (http://lod.openaire.eu/vocab/DataSourceEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#date (http://www.w3.org/TR/xmlschema-2/#date).
Term Name: SubjectsList	
URI:	http://lod.openaire.eu/vocab/subjectList (http://lod.openaire.eu/vocab/subjectList).
Label:	subjectsList
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/DataSourceEntity (http://lod.openaire.eu/vocab/DataSourceEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: dsTrust	
URI:	http://lod.openaire.eu/vocab/dsTrust (http://lod.openaire.eu/vocab/dsTrust).
Label:	dsTrust

Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .
Has Domain:	http://lod.openaire.eu/vocab/DataSourceEntity (http://lod.openaire.eu/vocab/DataSourceEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: altLabel	
URI:	http://lod.openaire.eu/vocab/altLabel (http://lod.openaire.eu/vocab/altLabel).
Label:	altLabel
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .
Has Domain:	http://lod.openaire.eu/vocab/OrganizationEntity (http://lod.openaire.eu/vocab/ProjectEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Sub Property Of:	skoc:altLabel (http://www.w3.org/2004/02/skos/core#altLabel).
Term Name: prefLabel	
URI:	http://lod.openaire.eu/vocab/prefLabel (http://lod.openaire.eu/vocab/prefLabel).
Label:	prefLabel
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .
Has Domain:	http://lod.openaire.eu/vocab/OrganizationEntity (http://lod.openaire.eu/vocab/ProjectEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Sub Property Of:	skoc:prefLabel (http://www.w3.org/2004/02/skos/core#prefLabel).
Term Name: orgTrust	
URI:	http://lod.openaire.eu/vocab/orgTrust (http://lod.openaire.eu/vocab/orgTrust).

Label:	orgTrust
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/OrganizationEntity (http://lod.openaire.eu/vocab/ProjectEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: organization Country	
URI:	http://lod.openaire.eu/vocab/orgCountry (http://lod.openaire.eu/vocab/orgCountry).
Label:	orgCcountry
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/OrganizationEntity (http://lod.openaire.eu/vocab/ProjectEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Sub Property Of:	dbpedia:country (http://dbpedia.org/ontology/country).
Term Name: Code	
URI:	http://lod.openaire.eu/vocab/projectCode (http://lod.openaire.eu/vocab/projectCode).
Label:	code
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ProjectEntity (http://lod.openaire.eu/vocab/ProjectEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: Acronym	
URI:	http://lod.openaire.eu/vocab/acronym (http://lod.openaire.eu/vocab/acronym).
Label:	acronym

Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .
Has Domain:	http://lod.openaire.eu/vocab/ProjectEntity (http://lod.openaire.eu/vocab/ProjectEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: Title	
URI:	http://lod.openaire.eu/vocab/projectTitle (http://lod.openaire.eu/vocab/projectTitle).
Label:	title
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .
Has Domain:	http://lod.openaire.eu/vocab/ProjectEntity (http://lod.openaire.eu/vocab/ProjectEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: Startdate	
URI:	http://lod.openaire.eu/vocab/startDate (http://lod.openaire.eu/vocab/startDate).
Label:	startDate
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .
Has Domain:	http://lod.openaire.eu/vocab/ProjectEntity (http://lod.openaire.eu/vocab/ProjectEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#date (http://www.w3.org/TR/xmlschema-2/#date).
Term Name: Enddate	
URI:	http://lod.openaire.eu/vocab/endDate (http://lod.openaire.eu/vocab/endDate).
Label:	endDate
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .

Has Domain:	http://lod.openaire.eu/vocab/ProjectEntity (http://lod.openaire.eu/vocab/ProjectEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#date (http://www.w3.org/TR/xmlschema-2/#date).
Term Name: CallIdentifier	
URI:	http://lod.openaire.eu/vocab/hasCallIdentifier (http://lod.openaire.eu/vocab/hasCallIdentifier).
Label:	callIdentifier
Definition:	A data property specifying the identifying number of a call for applications issued by a funding agency.
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ProjectEntity (http://lod.openaire.eu/vocab/ProjectEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#date (http://www.w3.org/TR/xmlschema-2/#date).
Term Name: Keywords	
URI:	http://lod.openaire.eu/vocab/keyword (http://lod.openaire.eu/vocab/keyword).
Label:	keywords
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ProjectEntity (http://lod.openaire.eu/vocab/ProjectEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#date (http://www.w3.org/TR/xmlschema-2/#date).
Term Name: Duration	
URI:	http://lod.openaire.eu/vocab/duration (http://lod.openaire.eu/vocab/duration).
Label:	duration
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ProjectEntity (http://lod.openaire.eu/vocab/ProjectEntity).

Has Range:	http://www.w3.org/TR/xmlschema-2/#date (http://www.w3.org/TR/xmlschema-2/#date).
Term Name: contractType	
URI:	http://lod.openaire.eu/vocab/contractType (http://lod.openaire.eu/vocab/contractType).
Label:	contractType
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ProjectEntity (http://lod.openaire.eu/vocab/ProjectEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#date (http://www.w3.org/TR/xmlschema-2/#date).
Term Name: Oamandatepublications	
URI:	http://lod.openaire.eu/vocab/oaMandatePublications (http://lod.openaire.eu/vocab/oaMandatePublications).
Label:	oamanDatePublications
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ProjectEntity (http://lod.openaire.eu/vocab/ProjectEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#date (http://www.w3.org/TR/xmlschema-2/#date).
Term Name: SubjectsList	
URI:	http://lod.openaire.eu/vocab/projectSubjects (http://lod.openaire.eu/vocab/projectSubjects).
Label:	subjectsList
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ProjectEntity (http://lod.openaire.eu/vocab/ProjectEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#date (http://www.w3.org/TR/xmlschema-2/#date).

Term Name: EC article29-3	
URI:	http://lod.openaire.eu/vocab/ec_article29-3 (http://lod.openaire.eu/vocab/ec_article29-3).
Label:	ec_article29-3
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ProjectEntity (http://lod.openaire.eu/vocab/ProjectEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#date (http://www.w3.org/TR/xmlschema-2/#date).
Term Name: Funder	
URI:	http://lod.openaire.eu/vocab/funder (http://lod.openaire.eu/vocab/funder).
Label:	funder
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ProjectEntity (http://lod.openaire.eu/vocab/ProjectEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#date (http://www.w3.org/TR/xmlschema-2/#date).
Term Name: projTrust	
URI:	http://lod.openaire.eu/vocab/projTrust (http://lod.openaire.eu/vocab/projTrust).
Label:	projTrust
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ProjectEntity (http://lod.openaire.eu/vocab/ProjectEntity).
Has Range:	http://www.w3.org/TR/xmlschema-2/#string (http://www.w3.org/TR/xmlschema-2/#string).
Term Name: resultProject	
URI:	http://lod.openaire.eu/vocab/resultResult (http://lod.openaire.eu/vocab/resultResult).
Label:	resultProject

Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://lod.openaire.eu/vocab/ProjectEntity (http://lod.openaire.eu/vocab/ProjectEntity).
Term Name: resultDatasource	
URI:	http://lod.openaire.eu/vocab/personResult (http://lod.openaire.eu/vocab/personResult).
Label:	resultDatasource
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .
Has Domain:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Has Range:	http://lod.openaire.eu/vocab/DataSourceEntity (http://lod.openaire.eu/vocab/DataSourceEntity).
Term Name: personResult	
URI:	http://lod.openaire.eu/vocab/personResult (http://lod.openaire.eu/vocab/personResult).
Label:	personResult
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property) .
Has Domain:	http://xmlns.com/foaf/0.1/Person (http://xmlns.com/foaf/0.1/Person).
Has Range:	http://lod.openaire.eu/vocab/ResultEntity (http://lod.openaire.eu/vocab/ResultEntity).
Term Name: projectOrganization	
URI:	http://lod.openaire.eu/vocab/projectOrganization (http://lod.openaire.eu/vocab/projectOrganization).
Label:	projectOrganization
Definition:	
Comment:	

Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ProjectEntity (http://lod.openaire.eu/vocab/ProjectEntity).
Has Range:	http://lod.openaire.eu/vocab/OrganizationEntity (http://lod.openaire.eu/vocab/OrganizationEntity).
Term Name: datasourceOrganization	
URI:	http://lod.openaire.eu/vocab/datasourceOrganization (http://lod.openaire.eu/vocab/datasourceOrganization).
Label:	datasourceOrganization
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/DataSourceEntity (http://lod.openaire.eu/vocab/DataSourceEntity).
Has Range:	http://lod.openaire.eu/vocab/OrganizationEntity (http://lod.openaire.eu/vocab/OrganizationEntity).
Term Name: personProject	
URI:	http://lod.openaire.eu/vocab/personProject (http://lod.openaire.eu/vocab/personProject).
Label:	projectPerson
Definition:	
Comment:	
Type of Term:	Property (http://www.w3.org/1999/02/22-rdf-syntax-ns#Property).
Has Domain:	http://lod.openaire.eu/vocab/ProjectEntity (http://lod.openaire.eu/vocab/ProjectEntity).
Has Range:	http://xmlns.com/foaf/0.1/Person (http://xmlns.com/foaf/0.1/Person).



(<http://creativecommons.org/licenses/by/3.0/>).

Copyright (</about/copyright/#copyright>) ? 2017 [OpenAIRE](https://www.openaire.eu/) (<https://www.openaire.eu/>). All Rights Reserved.



(<http://creativecommons.org/licenses/by/4.0/>) UNLESS OTHERWISE INDICATED, ALL MATERIALS
CREATED BY THE OPENAIRE CONSORTIUM ARE LICENSED UNDER A CREATIVE COMMONS ATTRIBUTION 4.0
INTERNATIONAL LICENSE (<http://creativecommons.org/licenses/by/4.0/>).
OPENAIRE IS POWERED BY D-NET (<http://www.d-net.research-infrastructures.eu/>).

