

```

1  # HUDPanelFinalizer Implementation Plan
2
3  ## Overview
4  This document outlines the necessary changes to make the HUDPanelFinalizer fully
   operational based on the updated requirements.
5
6  ## Files to Change
7  1. **HUDPanel_Finalizer.cs**
8  2. **HUDManager.cs**
9  3. **HUDPanel_Cash.cs**
10 4. **HUDPanelFinalizer_Manager.cs**
11
12 ## Changes and Responsibilities
13
14 ### HUDPanel_Finalizer.cs
15 - Method: Apply
16   - Responsibility: Use the Finalizer's own internal fields (this.ManualFillColor`
   and this.ManualTextColor`) as the source of truth.
17   - Normalize each RGBA channel using /255f`.
18   - Assign the normalized values directly to:
19     - cashPanel.ManualFillColor
20     - cashPanel.ManualTextColor
21   - Do not read colors from cashPanel.Color`.
22   - Keep crosshair-related behavior fully independent.
23
24   ```csharp
25   public void Apply(HUDPanel_Cash cashPanel)
26   {
27       // Use the Finalizer's own internal fields as the source of truth
28       float normalizedR = this.ManualFillColor.R / 255f;
29       float normalizedG = this.ManualFillColor.G / 255f;
30       float normalizedB = this.ManualFillColor.B / 255f;
31       float normalizedA = this.ManualFillColor.A / 255f;
32
33       // Assign the normalized values directly to cashPanel
34       cashPanel.ManualFillColor = new Color(normalizedR, normalizedG, normalizedB,
       normalizedA);
35       cashPanel.ManualTextColor = new Color(normalizedR, normalizedG, normalizedB,
       normalizedA);
36
37       // Ensure crosshair-related behavior remains independent
38   }
39   ```
40
41 ### HUDManager.cs
42 - Properties: ManualPanelFillColor`, ManualPanelTextColor`, UseManualPanelColors`
43   - Responsibility: Store manual override colors and control their usage.
44   - Do not call Apply() inside Render().
45   - Finalization should occur once, after HUD panels are instantiated and the render order
   is established.
46   - Store the finalizer's manual colors into:
47     - ManualPanelFillColor
48     - ManualPanelTextColor
49     - UseManualPanelColors
50
51   ```csharp
52   public Color ManualPanelFillColor { get; set; } = Color.White;
53   public Color ManualPanelTextColor { get; set; } = Color.Black;
54   public bool UseManualPanelColors { get; set; } = false;
55
56   // Store the finalizer's manual colors after HUD panels are instantiated
57   public void FinalizeHUDColors()
58   {
59       var finalizer = GetHUDPanelFinalizer();
60       if (finalizer != null)
61       {
62           this.ManualPanelFillColor = finalizer.ManualFillColor;

```

```

63         this.ManualPanelTextColor = finalizer.ManualTextColor;
64         this.UseManualPanelColors = true;
65     }
66 }
67
68 // Update rendering logic to use manual colors if enabled
69 public void Render()
70 {
71     // Ensure HUDPanel_Finalizer and HUDPanel_Cash are located in the render order
72     var cashPanel = GetHUDPanelCash();
73
74     if (cashPanel != null)
75     {
76         cashPanel.UpdateColorSelection();
77     }
78
79     // Render HUD panels based on their properties
80 }
81 ```
82
83 ### HUDPanel_Cash.cs
84 - **Method: UpdateColorSelection**
85 - **Responsibility**: Access HUDManager through the existing instance reference (
86     `_hudManager.UseManualPanelColors`).
87 - Do not use static class access.
88 - When UseManualPanelColors is true:
89     - Use ManualPanelFillColor and ManualPanelTextColor.
90 - Otherwise fall back to ButtonFlashColor.
91
92 ```csharp
93 public void UpdateColorSelection()
94 {
95     if (_hudManager.UseManualPanelColors)
96     {
97         this.BackColor = _hudManager.ManualPanelFillColor;
98         this.ForeColor = _hudManager.ManualPanelTextColor;
99     }
100     else
101     {
102         // Fallback to current logic using ButtonFlashColor
103         this.BackColor = ButtonFlashColor;
104         this.ForeColor = ButtonFlashColor;
105     }
106 }
107 ```
108
109 ### HUDPanelFinalizer_Manager.cs (Coordinator)
110 - **Method: InitializeHUDDColors**
111 - **Responsibility**: Locate HUDPanel_Finalizer in HUDManager's render order.
112 - Locate HUDPanel_Cash.
113 - Call finalizer.Apply(cashPanel) at the correct lifecycle moment:
114     - After HUD panels are created
115     - Before rendering begins
116 - Ensure crosshair behavior remains independent.
117
118 ```csharp
119 public void InitializeHUDDColors()
120 {
121     // Locate HUDPanel_Finalizer in HUDManager's render order
122     var finalizer = _hudManager.GetHUDPanelFinalizer();
123     if (finalizer != null)
124     {
125         // Locate HUDPanel_Cash
126         var cashPanel = _hudManager.GetHUDPanelCash();
127
128         if (cashPanel != null)
129         {

```

```
129         // Call finalizer.Apply(cashPanel) at the correct lifecycle moment
130         finalizer.Apply(cashPanel);
131     }
132 }
133
134 // Ensure crosshair behavior remains independent
135 }
136 ...
137
138 ## Summary
139 - HUDPanel_Finalizer.cs: Manages color normalization and assignment.
140 - HUDManager.cs: Stores manual colors, updates rendering logic, and ensures proper
141   initialization.
142 - HUDPanel_Cash.cs: Selects colors based on HUDManager settings.
143 - HUDPanel_Finalizer_Manager.cs: Coordinates the entire Finalizer pipeline.
144
145 This plan outlines the necessary changes to ensure the HUDPanel_Finalizer subsystem
146 functions as intended.
```