

Gunter & Scott 1990 — Inventory of Definitions and Theorems

Source: **C. A. Gunter and D. S. Scott**, “**Semantic Domains**,” *Handbook of Theoretical Computer Science* Vol. B, North-Holland, 1990, pp. 633–674 ([../papers/Gunter Scott 1990.pdf](#)).

The work list for the Lean formalization: every definition and every one of the paper’s **30 numbered results** (Theorems / Lemmas / Proposition 1–30), in paper order, matched to its Lean equivalent.

Progress (as of r0009, 2026-0806)

#	Quantity	Done	Remaining	Of
1	Definitions to define	7	6	≈13
2	Numbered results complete	5 (Thm 1, Lem 4, Lem 5, Thm 6, Thm 7)	24	29
3	Unnumbered prose claims proved	11	—	—
4	Mathlib foundations reused	12	—	12
5	Theorems in the development	119	—	—
6	sorry in the development	—	0	—

Row 2 counts only the paper’s 30 **numbered** results (Theorems / Lemmas / Proposition 1–30). Row 3 counts the claims the paper makes **in prose** rather than as numbered results; these are paper content too, and all eleven are formally verified:

#	Paper claim	Where	Lean
1	“the compact elements [of $P \rightarrow N$] are just the finite subsets of N ”	p. 9	<code>isCompactElement_iff_finite</code>
2	“ $P \rightarrow N$... is a domain”	p. 9	<code>instance : Domain (Set X)</code>
3	“ $D \rightarrow E$ is a ... cpo”	Thm 7 proof	<code>instance : CompletePartialOrder (ScottHom α β)</code>
4	“... bounded complete ... whenever E is”	Thm 7 proof	<code>instance : BoundedComplete (ScottHom α β)</code>
5	“step(s) ... is continuous”	Thm 7 proof	<code>scottContinuous_stepFun</code>
6	“... and compact in the ordering on $D \rightarrow E$ ”	Thm 7 proof	<code>isCompactElement_step</code>
7	“they form a basis for $D \rightarrow E$ ”	Thm 7 proof	<code>instance : IsAlgebraic (ScottHom α β)</code>
8	every compact function is a <i>finite</i> join of step functions	Thm 7 proof, implicit	<code>exists_finite_isLUB_of_isCo</code>
9	“an embedding is an injection”	§3.1	<code>IsEmbeddingProjectionPair.i</code>
10	“a projection is a surjection”	§3.1	<code>IsEmbeddingProjectionPair.s</code>
11	“it is easy to check that p_N ... is a finitary projection”	§3.1	<code>isFinitaryProjection_normal</code>

Six of those eight are the body of **Theorem 7**, which is now **complete** — all four conjuncts of its conclusion (cpo, bounded complete, algebraic, countably based) are formally verified, as `ScottHom.isBoundedCompleteDomain_scottHom`.

It is proved under **weaker hypotheses than the paper states**: bounded completeness of D is never used. D need only be a domain. The function space is a cpo for any preordered D , algebraic when D and E are, bounded complete because E is, and countably based because D and E are.

The remaining ~47 theorems are supporting API: the $\ll$ calculus, the `compactsBelow` machinery, the pointwise order and suprema on $D \rightarrow E$, and the step-function adjunction. The paper assumes or elides all of it.

4 of ≈13 definitions are formally verified and building, in 6 modules, 985 lines, 0 sorry, 0 warnings:

#	Round	Module	Contents
1	r0003	ScottDomains/WayBelow.lean	way-below $\ll$ at [Preorder α], 7 theorems; $x \ll x \leftrightarrow \text{IsCompactElement } x$ holds by <code>Iff.rfl</code>
2	r0004	ScottDomains/Domain.lean	<code>IsAlgebraic</code> , <code>Domain</code> (with the paper’s countable-basis condition), <code>BoundedComplete</code> , 8 theorems, <code>Domain Prop</code>
3	r0005	ScottDomains/Powerset.lean	the paper’s $P \ N$ (p. 9): compacts of <code>Set X</code> are exactly the finite subsets, hence <code>Domain (Set $\mathbb{N}$)</code> — the nondegenerate witness
4	r0006–r0007	ScottDomains/ScottHom.lean	the continuous function space $D \rightarrow E$: <code>ScottHom</code> , the pointwise order, <code>CompletePartialOrder</code> , and <code>BoundedComplete</code> when E is — Theorem 7’s first sentence in full
5	r0008	ScottDomains/StepFunction.lean	the single step function <code>step k e</code> : continuity (from k compact), the adjunction <code>step k e ≤ f ↔ e ≤ f k</code> , and compactness in $D \rightarrow E$ (from e compact)
6	r0009	ScottDomains/FunctionSpaceDomain.lean	<code>DomainEIsAlgebraic</code> — the paper’s “they form a basis for $D \rightarrow E$ ”; the two halves of <code>IsAlgebraic</code> use disjoint hypotheses (directedness needs only E bounded complete; the lub needs only D, E algebraic)
7	r0010	ScottDomains/CompactFunctionSpace.lean	every compact function is a finite join of step functions — the finiteness half of the basis claim
8	r0011	ScottDomains/FunctionSpaceCountable.lean	<code>CountableE</code> is <code>Countable</code> , hence <code>Domain (ScottHom α β)</code> — Theorem 7 complete
9	r0012	ScottDomains/NormalSubposet.lean	the normal-subposet relation $\triangleleft$ and Lemma 4 , all four parts
10	r0012–r0013	ScottDomains/Projection.lean	embedding–projection pairs, projections, the paper’s “an embedding is an injection, a projection is a surjection”; $\text{im}(p)$ is a cpo and finitary projections

11 | r0014 | ScottDomains/FinitaryProjection.lean | **Lemma 5** — the compacts of $\text{im}(p)$ are $\text{im}(p) \cap K(D)$ (needs only that p is a projection), and $\text{im}(p) \cap K(D) \triangleleft K(D)$ |

12 | r0015 | ScottDomains/NormalProjection.lean | $p_N(x) = \bigsqcup \{y \in N \mid y \sqsubseteq x\}$: continuous, a projection, and $\text{im}(p_N) \cap K(D) = N$ — half of **Theorem 6**’s correspondence, plus order preservation both ways |

13 | r0016 | ScottDomains/Theorem6.lean | **Theorem 6** — p_N is finitary, $p_{\{\text{im}(p) \cap K(D)\}} = p$, and the correspondence assembled |

14 | r0017 | ScottDomains/FixedPoint.lean | **Theorem 1** — $\bigsqcup_n f^n(\perp)$ is the least fixed point of a continuous f on a cpo. Not Mathlib reuse; see the §2 table |

§3.1 is now formalized apart from effective presentations (§3.2), and §2 apart from Theorem 3.

Next: **Theorem 3** — fix is the unique *uniform* fixed-point operator. Its statement quantifies over a class of operators indexed by **all** cpos, so it needs a formalization decision before it can be stated at all.

Work counts

- **Reuse from Mathlib — no work (11):** poset, directed, cpo, $\perp$, monotone, continuous, fixed-point operator, Schröder–Bernstein (2), algebraic lattice, product, λ -notation. (Theorem 1 was listed here in an earlier draft and has been removed: Mathlib’s `OrderHom.lfp` is Knaster–Tarski over a complete lattice, not Kleene’s $\bigsqcup_n f^n(\perp)$ over a cpo. It is proved in `ScottDomains/FixedPoint.lean`, so **29** numbered results needed proof, not 28.)
- **Generalize / adapt (4):** compact element (`IsCompactElement` — its *definition* is already stated at `[PartialOrder  $\alpha$ ]` and so applies to a dcpo verbatim; what is `CompleteLattice`-only is every lemma about it, so the dcpo API must be re-proved), sum, lift (`WithBot/Sum`), ideal completion (`Order.Ideal`).
- **Definitions to define — new (≈ 13 ; 4 done in r0003–r0004, 9 remaining):** way-below $\ll$ (**done** — `ScottDomains/WayBelow.lean`), algebraic cpo, **domain**, bounded-complete (**all three done** — `ScottDomains/Domain.lean`), embedding–projection pair, (finitary) projection, normal subposet, effective presentation, smash product, the three powerdomains (Hoare / Smyth / Plotkin), bifinite / Plotkin order, and D_∞ .
- **Theorems to prove (28):** 28 of the paper’s 30 numbered results — Theorems 3, 6, 7, 11, 12, 14, 16, 18, 21, 22, 25, 26, 27, 29; Lemmas 4, 5, 8–10, 13, 17, 19, 20, 23, 24, 28, 30; Proposition 15. Only Theorems 1 & 2 come free from Mathlib.

Bottom line: ≈ 13 definitions to define + 28 results to prove, on top of 12 reused Mathlib foundations. After r0004: **9 definitions + 28 results** remain.

Lean column legend: $\checkmark$ reuse Mathlib (name given) $\cdot$ ~ partial (Mathlib has a related or lattice-only version — generalize)
 $\cdot$ $\times$ define / prove (absent from Mathlib v4.32.2, confirmed by grep).

Statements are paraphrased/de-garbled from the PDF (1990 Type-3 fonts render $\rightarrow$ as $!$, drop fi ligatures, mangle math), so read them as a guide to *what* each result is. Notation: $\sqsubseteq$ order, $\bigsqcup$ directed sup, $\perp$ bottom, $\ll$ way-below, $K(D)$ compacts, $Fp(D)$ finitary projections.

§2 Recursive definitions of functions

§	Kind	Ref	Concept / statement	In Lean / Mathlib?
2.1	Def	—	poset (partially ordered set)	$\checkmark$ <code>PartialOrder</code>
2.1	Def	—	directed subset M : every finite $u \subseteq M$ has an upper bound in M	$\checkmark$ <code>DirectedOn / IsDirected</code>
2.1	Def	—	cpo : poset in which every directed M has a lub $\bigsqcup M$	$\checkmark$ <code>CompletePartialOrder</code> (chains: <code>OmegaCompletePartialOrder</code>)
2.1	Def	—	bottom $\perp$ (least element)	$\checkmark$ <code>OrderBot</code>
2.1	Def	—	monotone function	$\checkmark$ <code>Monotone / OrderHom</code>
2.1	Def	—	continuous : monotone, $f(\bigsqcup M) = \bigsqcup f(M)$ for directed M	$\checkmark$ <code>ScottContinuous</code>
2.1	Thm	1	Fixed-Point Theorem : $f : D \rightarrow D$ continuous $\implies$ least fixed point $\bigsqcup_n f^n(\perp)$	$\checkmark$ proved (r0017) — <code>ScottDomains.theorem1</code> . Not Mathlib reuse: <code>OrderHom.lfp</code> is Knaster–Tarski over a <i>complete lattice</i> with only monotonicity, a different theorem
2.2	Thm	2	Schröder–Bernstein for sets	$\checkmark$ <code>Function.schroeder_bernstein</code> (<code>SetTheory/Cardinal/SchroederBernstein.lean</code> — the name in an earlier draft of this row, <code>Function.Embedding.schroederBernstein</code> , does not exist)
2.3	Def	—	fixed-point operator (uniform)	$\checkmark$ <code>OrderHom.lfp / LawfulFix</code>
2.3	Thm	3	The standard operator is the unique uniform fixed-point operator	$\times$ prove

§3 Effectively presented domains

§	Kind	Ref	Concept / statement	In Lean / Mathlib?
3.1	Def	—	compact element x : $x \sqsubseteq \bigsqcup M(\text{dir.}) \implies x \sqsubseteq y \text{ some } y \in M; K(D)$	$\sim$ IsCompactElement — def is [PartialOrder], so reusable on a dcpo; its lemmas are all CompleteLattice-only
3.1	Def	—	way-below $\ll$ (approximation relation behind compactness)	✓ ScottDomains.WayBelow (r0003) — $x \ll x \leftrightarrow \text{IsCompactElement } x \text{ by Iff.rfl}$
3.1	Def	—	algebraic cpo: $x = \bigsqcup \{x' \in K(D) : x' \sqsubseteq x\}$ (directed)	✓ ScottDomains.IsAlgebraic (r0004)
3.1	Def	—	domain = algebraic cpo whose basis $K(D)$ is countable (the paper’s definition, p. 9 — the countability condition was missing from an earlier draft of this row)	✓ ScottDomains.Domain (r0004)
3.1	Def	—	bounded complete : $\perp +$ every bounded subset has a sup — a <i>separate</i> predicate; the paper composes them as “bounded complete domain” (Thm 7, Lem 10, Lem 13, Thm 14), which is the literature’s <i>Scott domain</i>	✓ ScottDomains.BoundedComplete (r0004); the compound is [Domain α] [BoundedComplete α]
3.1	Def	—	(countably based) algebraic lattice	✓ IsCompactlyGenerated (+CompleteLattice)
3.1	Def	—	embedding–projection pair (g, f)	✓ ScottHom.IsEmbeddingProjectionPair (r0012)
3.1	Def	—	projection; finitary projection p : $p \circ p = p \sqsubseteq \text{id}$, $\text{im}(p)$ a domain	✓ ScottHom.IsProjection (r0012), ScottHom.IsFinitaryProjection (r0013) — $\text{im}(p)$ carries a CompletePartialOrder via IsProjection.rangeCompletePartialOrder
3.1	Def	—	normal subposet / substructure	✓ ScottDomains.IsNormalIn, notation $\triangleleft$ (r0012)
3.1	Lem	4	$\langle P(C), \triangleleft \rangle$ of substructures is a cpo with $\{\perp\}$ least	✓ proved (r0012), all four parts
3.1	Lem	5	p finitary projection $\implies$ compacts of $\text{im}(p)$ are $\text{im}(p) \cap K(D)$, and $\text{im}(p) \cap K(D) \triangleleft K(D)$	✓ proved (r0014) — IsProjection.isCompactElement_iff (needs only <i>projection</i>) and IsFinitaryProjection.isNormalIn_compacts
3.1	Thm	6	Isomorphism: normal substructures $\cong \text{Fp}(D)$ (finitary projections)	✓ proved (r0015–r0016) — ScottDomains.theorem6
3.1	Thm	7	D, E bounded-complete domains $\implies D \rightarrow E$ bounded-complete domain	✓ proved (r0006–r0011) — ScottHom.isBoundedCompleteDomain_scottHom; D bounded complete is not needed
3.2	Def	—	effective presentation $d : \mathbb{N} \rightarrow K(D)$; effectively presented domain	✗ define

§4 Operators and functions

§	Kind	Ref	Concept / statement	In Lean / Mathlib?
4.1	Def	—	product $D \times E$	✓ Prod (order/cpo instances)
4.2	Def	—	Church’s λ-notation (continuous abstraction)	✓ OrderHom / ω CPO ContinuousHom
4.3	Def	—	smash product $D \otimes E$	✗ define
4.4	Def	—	sum $D + E$; lift $D\perp$	$\sim$ Sum / WithBot, Part (partial)

§	Kind	Ref	Concept / statement	In Lean / Mathlib?
4.x	Lem	8	Currying/iso laws for function spaces over D, E, F	✗ prove
4.x	Lem	9	Product/function-space iso laws over D, E, F	✗ prove
4.5	Lem	10	D, E bounded complete $\implies \rightarrow, \times, \otimes, +, () \perp$ bounded complete	✗ prove
4.5	Thm	11	Ideal completion of a countable pre-order is a domain (all domains so arise)	<code>~ Order.Ideal</code> exists $\rightarrow$ prove
4.5	Thm	12	Initiality of a continuous algebra satisfying axioms T	✗ prove
4.5	Lem	13	D bounded complete $\implies$ powerdomains $D], D[$ bounded complete	✗ prove
4.5	Thm	14	Equivalent characterizations of an (algebraic/BC) domain	✗ prove

§5 Powerdomains

§	Kind	Ref	Concept / statement	In Lean / Mathlib?
5.1	Def	—	powerdomain (non-deterministic outcomes)	✗ define
5.2	Def	—	Hoare (lower), Smyth (upper), Plotkin (convex) powerdomains	✗ define
5.3	—	—	Universal & closure properties (see Lem 13, 28, 30)	✗ prove

§6 Bifinite (SFP) domains

§	Kind	Ref	Concept / statement	In Lean / Mathlib?
6.1	Def	—	Plotkin order / bifinite (SFP) domain: bilimit of finite pointed posets	✗ define
6.1	Prop	15	Every bounded-complete domain is bifinite	✗ prove
6.1	Thm	16	D bifinite $\implies Fp(D)$ is an algebraic lattice	✗ prove
6.2	Lem	17	D, E bifinite $\implies \rightarrow, \times, \otimes, +, () \perp$ bifinite (incl. function space)	✗ prove
6.2	Thm	18	If D and $D \rightarrow D$ are domains, then D is bifinite	✗ prove
6.2	Lem	19	closure $r : D \rightarrow D$ ($r \circ r = r \sqcap id$) $\implies im(r)$ is a domain	✗ prove
6.2	Lem	20	D domain $\implies Fc(D)$ (finitary closures) is a cpo	✗ prove

§7 Recursive definitions of domains (universal domain, D_∞)

§	Kind	Ref	Concept / statement	In Lean / Mathlib?
7	Def	—	recursive domain equation; universal domain / D_∞ (inverse limit)	✗ define
7	Thm	21	F representable over cpo $U \implies$ a domain D with $D \cong F(D)$	✗ prove

§	Kind	Ref	Concept / statement	In Lean / Mathlib?
7	Thm	22	Any countably-based algebraic lattice L : a closure $r : P(\mathbb{N}) \rightarrow L$	$\sim$ <code>IsCompactlyGenerated</code> $\rightarrow$ prove
7	Lem	23	The function-space operator is representable over $P(\mathbb{N})$	$\times$ prove
7	Lem	24	U cpo; $\times$ and $\rightarrow$ representable over $U \implies$ (setup for universality)	$\times$ prove
7	Thm	25	U non-trivial domain representing $\times, \rightarrow \implies$ U universal	$\times$ prove
7	Thm	26	Any signature $(s_1, \dots, s_n)$: combinators $F_1, \dots, F_n$ solving the equations	$\times$ prove
7	Thm	27	Any bounded-complete D : a projection of the universal domain onto D	$\times$ prove
7	Lem	28	Operators $\rightarrow, \times, \otimes, +, () \perp, ()], () [$ representable over U	$\times$ prove
7	Thm	29	D bifinite $\implies D^+$ bifinite; solving $D \cong D^+$	$\times$ prove
7	Lem	30	Operators $\rightarrow, \times, \otimes, +, () \perp, ()], () [$ p-representable over universal bifinite V	$\times$ prove

Tally (matched): $\checkmark$ reuse Mathlib $\approx$ **12** (poset, directed, cpo, $\perp$, monotone, continuous, fixed-point Thm 1 & operator, Schröder–Bernstein, algebraic lattice, product, λ -notation) $\cdot \sim$ partial $\approx$ **4** (compact element, sum/lift, ideal completion Thm 11, Thm 22) $\cdot \times$ define / prove $\approx$ **44**, of which 4 are done ($\ll$ r0003; algebraic, domain, bounded-complete r0004) $\rightarrow$ **40 remaining** — the bifinite / powerdomain / D^∞ development and all 28 numbered results.

What is done, and what is next, is listed under **Progress** at the top of this file.