



← Discover APIs / M-Pesa Express Simulate



M-Pesa Express Simulate

By Safaricom

Initiates online payment on behalf of a customer.

POST

<https://sandbox.safaricom.co.ke/mpesa/stkpush/v1/processr...>



Use API

Get Started in 3 easy steps

- ✓ **Select App**
Select one of your apps to simulate
- **Simulate Request**
Use simulator to invoke requests to the API.
- **Response**
Check response for success or to resolve any errors

Open Simulator




Overview

LIPA NA M-PESA ONLINE API also known as M-PESA express is a Merchant/Business initiated C2B (Customer to Business) transaction. Once the merchant integrates to the API, they can then initiate a payment authorization prompt to a customer whose phone number is registered and active on M-PESA.

How It Works



Ask Daraja about anything 😊



- The Merchant (Partner) captures and sets the required API parameters and sends the API request.
- The API receives the request, validates it internally, and sends an acknowledgment response.
- Through the API Proxy, a network-initiated push request is sent to the M-PESA-registered phone number of the customer making the payment.
- The customer confirms the payment by entering their M-PESA PIN.
- The response is sent back to M-PESA and processed as follows:
 - M-PESA validates the customer's PIN.
 - M-PESA debits the customer's mobile wallet.
 - M-PESA credits the Merchant (Partner) account.
- Once the request is processed, the results are sent back to the API Management system, which then forwards them to the merchant via the callback URL specified in the request.
- The customer receives an SMS confirmation message for the payment.

Getting Started

Prerequisites

- Create a Daraja Account on [Safaricom Developer Portal](#).
- Create a sandbox app in the portal to get API credentials.
- Retrieve Consumer Key & Consumer Secret from your sandbox app on [My Apps](#).
- Test data available on the simulator section
- Passkey for encryption of the password parameter-on sandbox this is availed on test data on the simulator, in production this will be send on developer email after go-live
- Live M-PESA pay bill/till number with Business Admin/Manager operators created - For Go live

Good to Know

This API is asynchronous. You can consume this API over the internet, a virtual private network or Multiprotocol Switch.

Get Auth Token

Devs gather here! You will first generate an access token to authenticate you to make the API call. See below generate access token [API](#) here. We've also automated this on the simulate request section.

Environments

Environment	Description	URL
Sandbox	Testing environment.	https://sandbox.safaricom.co.ke


Ask Daraja about anything 😊

[simulate request](#)

Environment	Description	URL
Production	Live environment for real transactions.	https://api.safaricom.co.ke/mpesa/stkpush/v1/processrequest

Integration Steps

Sequence Diagram



Ask Daraja about anything 😊 ➔

Use Cases

- Reduction of wrong payments/reversals Wrong payments are significantly reduced because customers only need to enter their M-PESA PIN to validate transactions. There's no need to remember or manually input the pay bill/till number, amount, or account number —these details are pre-set by the merchant and included in the M-PESA push request.
- Enhanced and shorter payment journey

Request Body

```
{
  "BusinessShortCode": 174379,
  "Password": "MTc0Mzc5YmZiMjc5ZjlhYTliZGJjZjE1OGU5N2RkNzFhNDY3Y2C",
  "Timestamp": "20210628092408",
  "TransactionType": "CustomerPayBillOnline",
  "Amount": "1",
  "PartyA": "254722000000",
  "PartyB": "174379",
  "PhoneNumber": "254722111111",
  "CallbackURL": "https://mydomain.com/path",
  "AccountReference": "accountref",
  "TransactionDesc": "txndesc"
}
```

Request Parameter Definition

Name	Description	Type	Sample Value
BusinessShortCode	The M-PESA Shortcode assigned to the Business.	Numeric	654321 (5
Password	Base64 encoded string used for encrypting the request. Format: <code>base64.encode(Shortcode+Passkey+Timestamp)</code> .	String	base64.er
Timestamp	Timestamp of the transaction in the format YYYYMMDDHHmmss.	Timestamp	20210628
TransactionType	Identifies the transaction type. Use "CustomerPayBillOnline" for PayBill Numbers and "CustomerBuyGoodsOnline" for Till Numbers.	String	Customer
Amount	The transaction amount.		10
PartyA	The phone number sending money. Must be a valid Safaricom M-PESA number in the format 2547XXXXXXX.	Numeric	25472200

Ask Daraja about anything 😊

Name	Description	Type	Sample Value
PartyB	The organization receiving the funds (credit party).	Numeric	174379
PhoneNumber	The mobile number to receive the USSD prompt. Can be the same as PartyA. Format: 2547XXXXXXX.	Numeric	254722111
CallBackURL	The URL where the payment gateway will send the result.	URL	https://my
AccountReference	Alpha-numeric identifier for the transaction, defined by your system. Displayed to the customer in the USSD prompt. Max 12 characters.	Alpha-Numeric	accountre
TransactionDesc	Additional information/comment for the request. Max 13 characters.	String	txndesc

Note: All fields apart from TransactionDesc are all mandatory.

Response Body

```
{
  "MerchantRequestID": "2654-4b64-97ff-b827b542881d3130",
  "CheckoutRequestID": "ws_CO_1007202409152617172396192",
  "ResponseCode": "0",
  "ResponseDescription": "Success. Request accepted for processing",
  "CustomerMessage": "Success. Request accepted for processing"
}
```

Response Parameter Definition

Name	Description	Type	Sample Value
MerchantRequestID	Global unique identifier for the transaction request returned by the API proxy upon successful request submission.	String	2654-4b64-97ff-b827b542881d3130
CheckoutRequestID	Global unique identifier for the transaction request returned by M-PESA upon successful	String	ws_CO_10072024091526171723992

Ask Daraja about anything 😊 ▶

Name	Description	Type	Sample Value
	request submission.		
ResponseCode	Numeric status code indicating the status of the transaction submission. 0 means successful submission; any other code indicates an error.	Numeric	0
ResponseDescription	Acknowledgment message from the API that gives the status of the request submission, usually mapping to a specific ResponseCode value.	String	Accept the service request successfully
CustomerMessage	Message intended for the customer, usually confirming the status of the request.	String	Success. Request accepted for processing

Callback Payload

Sample Unsuccessful Callback Payload

```
{
  "Body": {
    "stkCallback": {
      "MerchantRequestID": "f1e2-4b95-a71d-b30d3cdbb7a7942864",
      "CheckoutRequestID": "ws_CO_21072024125243250722943992",
      "ResultCode": 1032,
      "ResultDesc": "Request cancelled by user"
    }
  }
}
```

Sample Successful Callback Payload

```
{
  "Body": {
```

Ask Daraja about anything 😊

```
"stkCallback": {
  "MerchantRequestID": "29115-34620561-1",
  "CheckoutRequestID": "ws_CO_191220191020363925",
  "ResultCode": 0,
  "ResultDesc": "The service request is processed successfully",
  "CallbackMetadata": {
    "Item": [
      {
        "Name": "Amount",
        "Value": 1.0
      },
      {
        "Name": "MpesaReceiptNumber",
        "Value": "NLJ7RT61SV"
      },
      {
        "Name": "TransactionDate",
        "Value": 20191219102115
      },
      {
        "Name": "PhoneNumber",
        "Value": 254708374149
      }
    ]
  }
}
```

Callback Parameter Definition

Parameter	Description	Type	Optional	Sample Value
Body	Root key for the entire callback message.	JSON Object	No	{ "Body": { ... } }
stkCallback	First child of the Body, contains	JSON Object	No	Ask Daraja about anything 😊 ▶

Parameter	Description	Type	Optional	Sample Value
	the callback details.			
MerchantRequestID	Global unique identifier for the submitted payment request. Same as in the initial request response.	String	No	7071-4170-a0e4-8345632bad441652435`
CheckoutRequestID	Global unique identifier for the processed checkout transaction request. Same as in the initial request response.	String	No	ws_CO_2107202412513065270096
ResultCode	Numeric status code indicating the transaction processing status. 0 means success; any other code means error or failure.	Numeric	No	0, 1032
ResultDesc	Message describing the status of the request processing. Maps to the ResultCode value.	String	No	The service request is processed successfully.Request cancelled by u:

Additional parameters for successful requests:

Ask Daraja about anything 😊

Parameter Name	Description	Type	Optional	Sample Value
CallbackMetadata	JSON object holding more transaction details. Returned only for successful transactions.	JSON Object	Yes	
Item	Array within CallbackMetadata holding additional transaction details as JSON objects. Only for successful transactions.	JSON Array	Yes	
Amount	Amount transacted.	Decimal	Yes	10500.00
MpesaReceiptNumber	Unique M-PESA transaction ID for the payment request. Also sent to customer via SMS.	String	Yes	SG722NMVXQ
Balance	Balance of the account for the shortcode used as PartyB.	Decimal	Yes	32009.9
TransactionDate	Timestamp for when the transaction completed, format YYYYMMDDHHmmss.	Timestamp	Yes	20170827163400
PhoneNumber	Number of the customer who made the payment.	PhoneNumber	Yes	254722000000

Results Parameter Definition

Name	Description	Type	Sample Values
ConversationID	The unique identifier generated by M-PESA for a request.	String	AG_20180223_0000493344
OriginatorConversationID	The unique identifier of the request message. This is auto-generated by M-PESA for third-party/Organizations. Its value comes from the response message. It can be used to check the	String	3213-416199-2

Ask Daraja about anything 😊

Name	Description	Type	Sample Values
	status of the transaction.		
ReferenceData	It is used to carry some reference data that M-PESA need not analyse but need to record into the transaction log.	ReferenceData	n/a
Referenceltem	It is used to carry some reference data that MM needs not analyse but needs to record in the transaction log.	ParameterType	n/a
ResultCode	It indicates whether M-PESA processes the request successfully or not. The max length is 10.	String	0
ResultDesc	Its value is a description of the parameter Result Code. The max length is 1024.	String	The service request is proces successfully.
ResultParameters	It is used to carry specific parameters for reversals API.	n/a	n/a
Key	It indicates a parameter name.	String	DebitPartyName
Value	It indicates a parameter value.	String	600310 - Safaricom333
ResultType	0: completed 1: waiting for further messages.	Integer	0
TransactionID	It's only for transactions. When the request is a transaction request, M-PESA will generate a unique identifier for the transaction.	String	MBN0000000

Error Codes

Ask Daraja about anything 😊

Sample Error Response

```
{
  "requestId": "1c5b-4ba8-815c-ac45c57a3db01495926",
  "errorCode": "400.002.02",
  "errorMessage": "Bad Request - Invalid BusinessShortCode"
}
```

Common Error Codes

errorCode	errorMessage	Mitigation	HTTP Code
400.002.02	Bad Request – Invalid XXXX.	Ensure the request payload is set as per API documentation.	400
404.001.03	Invalid Access Token	Regenerate a new access token and use it before one hour expiry period. Also ensure you're using the correct consumer key and consumer secret attached to the Daraja application.	404
404.001.01	Resource not found	Make sure you are calling the correct API endpoint.	404
405.001	Method Not Allowed (e.g. GET Method Not Allowed)	Ensure you're passing the request as POST. Any other method will be rejected.	405
500.001.1001	Merchant does not exist	Ensure you're using the short code used on Go Live as BusinessShortCode parameter value in the request.	500
500.001.1001	Wrong credentials	This error can be caused by:- The Password parameter provided in the request is either invalid or missing.- The Password given (after proper encoding: <code>base64.encode(Shortcode+Passkey+Timestamp)</code>) does not match the BusinessShortCode.- Either the BusinessShortCode or Timestamp used in encoding the Password does not match the one used in the body of the request.	500
500.001.1001	Unable to lock subscriber, a transaction is already in process for the current subscriber	There is an ongoing session that conflicts with the PUSH request. Wait at least 1 minute between requests to allow previous sessions to complete.	
500.003.02	System is busy. Please	Retry the request after a short wait.	

Ask Daraja about anything 😊

errorCode	errorMessage	Mitigation	HTTP Code
	try again in few minutes.		
500.003.1001	Internal Server Error	Make sure everything on your side is correctly set up as per the documentation and your server is running as expected.	500
500.003.02	Error Occurred: Spike Arrest Violation	You are sending multiple requests that violate the API transaction per second limit. Ensure your application/system is not sending excessive requests.	500
500.003.03	Quota Violation	You are sending multiple requests that violate the API request limit. Ensure your application/system is not sending excessive requests.	500


Next steps

TESTING

Testing time Devs


Option 1: Daraja Simulator

Create a new test app under apps on the main nerve bar, select transaction status product. Once app is successfully created the simulator is automated to pick app credentials (Consumer key and Consumer Secret) and predefined test data, you can hit the simulate button.



Note: The simulator can only be accessed when logged in. Please [log in](#) to your Daraja account to access the simulator.

Ask Daraja about anything 😊 ➔




Option 2: Postman

Use the credentials to generate access token using the below endpoint.

- Sandbox: https://sandbox.safaricom.co.ke/oauth/v1/generate?grant_type=client_credentials.
- Production: https://api.safaricom.co.ke/oauth/v1/generate?grant_type=client_credentials.
- Production: (see production details) Initiate a transaction using the request body above.

Note: The Postman collection can only be accessed when logged in. Please [log in](#) to your Daraja account to access the collection.

Click the button named "Use API" to access the Postman collection with pre-built requests for all APIs.



Download the Postman collection and replace parameters with your credentials.

GO LIVE


Time to launch, here Dev you need help from the business teams no more Rambo stunts behind the keyboard. Some collaboration will do; a handshake to the business team in the morning it is. Wait! You can act Rambo if you are both the Business and Dev

We've already tested, and finished development—now attach the integration to a live pay bill/till number. Navigate to the GO LIVE tab and fill in the required fields with live data.

Requirements:

- Organization short code: Pay bill number, Store Number for a Till, HO number, or B2C account short code (see FAQs for more insights).
- Organization name: The name of your organization. Shorten the organization name on Go Live and remove any symbols or special characters.
- Mpesa Username: Username of the operator with Business Administrator or Business Manager role assigned on the M-PESA Org portal.

For the creation of an administrator on the M-PESA Org portal, contact the M-PESABusiness@Safaricom.co.ke team.



Note: OTP for Go Live is sent to the phone number specified under the user profile on the M-PESA portal. Ensure the linked phone number is a Safaricom line to receive the OTP.

In case of challenges, use our Daraja assistant, raise an incident on self-services, or email APISupport@safaricom.co.ke for further guidance.

Kindly visit our How-To section for more information on M-PESA Org portal access and user creation.

Enter Organizational Information

1 Organization Information 2 Enter OTP

Verification Type
Verification Type
Short Code

Organizational ShortCode
12345
Store Number/ Head Office/ Paybill/ B2C

Organizational Name
Test Organization
Name of your Organization or Company

M-PESA Username
SuperUser
This is the Username you were given to login into the M-PESA Portal

☒ I accept Safaricom's [Terms and Conditions](#) concerning this application.

[Back](#) [Next](#)

Upon successful go live, production endpoints will be sent to developer email and the test sandbox app will be moved to production with production consumer key and secrets. Below is how to see the production app.

My Apps
Production developer apps appear here

[Create Sandbox App](#)

All Apps **Production Apps** Revoked Apps

Prod-test-g2-b2c-4-1741787083
Created On: Wed at 12th Mar 2025, 16:44:44

Consumer Key: AZ8A***
Consumer Secret: DdAj***
Short Code: 9990013

Products: Dynamic QRCode TransactionStatus
C2B v2 B2B

Prod-test-g2-b2c-4-1741787032
Created On: Wed at 12th Mar 2025, 16:43:54

Consumer Key: f39U***
Consumer Secret: KyJo***
Short Code: 9990013

Products: Dynamic QRCode TransactionStatus
C2B v2 B2B

We've successfully deployed dev congratulations we are now live!

How To

Access to the M-PESA Organization Portal and create Users

The M-PESA organization portal is a platform designed for businesses and organizations to manage their financial transactions through the M-PESA API.

The portal offers various features for businesses, including:

Ask Daraja about anything 😊

- Transaction Management: Monitor and manage transactions, generate reports, and reconcile accounts.
- Account Management: Manage multiple user accounts with different access levels within the organization.
- Bulk Payments: Facilitate bulk payments to employees, suppliers, and other beneficiaries efficiently.

Access to the M-PESA Organization Portal

To access the Organization portal (<https://org.ke.m-pesa.com/orglogin.action>), you need to have a Business Administrator role created under your business short code (Pay Bill/ Till). The first step before getting access, is to ensure the settlement option set to your short code is Bank via a Head Office application.

To make an application for a Head Office for your short code/Store Number kindly contact M-PESABusiness@Safaricom.co.ke where they will provide you with the forms to be filled. After Head Office is created the M-PESABusiness@Safaricom.co.ke will also guide on the creation of the Business Administrator (username).

How to login to M-PESA Organization Portal For the first time:

- Launch the link from any of the browsers: <https://org.ke.m-pesa.com>.
- Enter the Short code which is Bulk payment number.
- Enter the Business Administrator username received

To make an application for a Head Office for your short code/Store Number kindly contact M-PESABusiness@Safaricom.co.ke where they will provide you with the forms to be filled. After Head Office is created, the M-PESABusiness@Safaricom.co.ke will also guide on the creation of the Business Administrator (username).

Ask Daraja about anything 😊

How to login to M-PESA Organization Portal For the first time:

- Launch the link from any of the browsers: <https://org.ke.m-pesa.com>.
- Enter the Short code which is Bulk payment number.
- Enter the Business Administrator username received on email.
- Enter the first-time password received on the same email – the Password is case-sensitive (full stop is not part of the password).
- Enter the Verification Code displayed then click login, on the Next Page.
- Enter OTP to proceed to the change password page.
- Enter the first-time password on email, then proceed to set a new password.
- Confirm password, security question, and security answer one and two which are mandatory.
- The Password must meet the password rules as instructed.
- Submit to successfully activate the Business Administrator account.
- After activation, you will only be entering your username, shortcode, and password verification code and entering the OTP received via SMS to log in.

Account Types in C2B Organization

- MMF/WORKING/M-PESA ACCOUNT FOR ORGANIZATION
 - When an organization wants to make a business withdrawal, the funds are transferred to this account before the withdrawal request is made.
- UTILITY ACCOUNT
 - Payments from customers are credited into the utility account.
- CHARGES PAID ACCOUNT
 - For payments received from customers, depending on the tariff, a charge is levied on the Organization or is split between the organization and the customer. The charges paid account is debited and always accrues a negative balance which has to be settled before an organization can make a withdrawal request.
- ORGANIZATION SETTLEMENT ACCOUNT
 - This account does the calculations for the organization operator when s/he initiates a revenue settlement. This account settles the charges paid account and then moves the balance from the Utility Account to the MMF account automatically. You will notice that the transaction type “Move funds from Utility to MMF” is no longer available as the revenue settlement process takes care of this.

Various Roles under the portal

Business Administrator role

The Business Administrator role is crucial for managing the portal.

Responsibilities of a Business Administrator:

Ask Daraja about anything 😊

within

- Create other system users and give them roles depending on what he/she wants them to do within the portal. The roles include:
 - A Business Web Operator who can initiate transactions, access statements, and check balance.
 - A business manager.
 - A Business Auditor – View Only/ Read Only Rights.
- Not able to view transactions.
- User created by Safaricom (M-PESABusiness@Safaricom.co.ke).

Business Manager

The Business manager approves transactions, checks balances, and access statements.

Responsibilities of a Business Manager:

- The user can View statements.
- The user can initiate transactions.
- The user can Approve/reject other transactions.
- The user can withdraw funds from M-PESA.

Proceed as below to create a business manager:

- Log in the Organization portal as the Business administrator.
- Select operators.

The screenshot shows the 'Search for Organization Operator' page. On the left, under the 'Overview' section, the 'Operators' link is highlighted with a red rectangle. The main content area has a title 'Search for Organization Operator' and a subtitle 'You can create an organization operator, query information about operators of the current organization, and select a record'. Below this, there are several input fields: 'Operator ID' (text), 'Role' (dropdown menu showing 'All'), 'Middle Name' (text), 'Date of Birth' (text with a calendar icon), 'MSISDN' (text), 'User Name' (text), 'First Name' (text), 'Last Name' (text), and 'Identity ID' (text).

- Then click the add option.
- It will take you to a new page where you will enter the username of the operator.
- Select access channel as Web.

Ask Daraja about anything 😊

- Then select web profile default rule profile.
- Then assign role...Business Manager and Set Restricted ORG API PASSWORD.

Rule	Effective Date	Expiration Date	Description	Operation
Business Manager	08-07-2024	31-12-2099	Business Manager	X
Set Restricted ORG API PASSWORD	08-07-2024	31-12-2099	Set Restricted ORG API PASSWORD	X

- Enter the KYC information of the operator then submit.

API user creation

Proceed as below to create an API Operator:

- Log in as the Business administrator.
- Select operators.

- Then click the add option.
- It will take you to a new page where you will enter
- Select access channel as API.
- Then select web profile default rule profile.

Ask Daraja about anything 😊

- Then assign role...look for the ORG B2C API initiator, Balance Query ORG API, Transaction Status query ORG API roles.

Role	Effective Date	Expiration Date	Description	Operation
Org Reversals Initiator	08-07-2024	31-12-2029	Org Reversals Initiator	X
Business Paybill Org API Initiator	08-07-2024	31-12-2029	Business Paybill Org API Initiator	X
Business Buy Goods Org API Initiator	08-07-2024	31-12-2029	Business Buy Goods Org API Initiator	X
Transaction Status query ORG API	08-07-2024	31-12-2029	Transaction Status query ORG API	X

- Enter the KYC information of the operator then submit.

Here is how to set the password for the API user:

- Login as User with the Set Restrict Password Role i.e. The Business Manager.

- Click on My Functions, Then Operator Management.
- Enter the API username to search after it populates the API user, At the end click on operations.
- Then click on set password avoid such (@ or.) in the setting of this password.

Various API roles:

Ask Daraja about anything 😊 ➡

API	API Role Assignment
B2C	ORG B2C API Initiator.
Business Pay Bill	Business Paybill Org API initiator.
Business Buy Goods	Business Buy Goods Org API initiator.
Transaction Status	Transaction Status query ORG API.
Reversals	Org Reversals Initiator.
Tax Remittance	Tax Remittance to KRA API.
Set Password role	Set Restricted ORG API PASSWORD.

How to apply for a live pay bill number/till number or B2C Account

Apply here: M-PESABusiness@Safaricom.co.ke

Support

Chatbot

Developers can get instant responses using the Daraja Chatbot for both development and production support.

Production Issues & Incident Management

For production support and incident management, use:

- Incident Management Page: Visit the [Incident Management](#) page.
- Email: Reach out to API support at apisupport@safaricom.co.ke.

FAQs

- Why am I not receiving callbacks on my CallbackURL?
 - Ensure your CallbackURL is publicly accessible over the internet.
 - Use a valid IP address or domain name.
 - Confirm your endpoint is not blocked by firewalls or network restrictions.
- What should I do if I encounter an invalid access token error?
 - Check that your access token has not expired (tokens expire hourly).
 - Make sure you are using the correct consumer key and consumer secret to generate the token.
- Can I use my actual pay bill on the Daraja portal simulator?
 - No. The Daraja simulator only supports sandbox.
 - To test with your actual short code, use your app on a real phone or Postman.
- Do you have a test environment for M-PESA Express API?

Ask Daraja about anything 😊

- Yes. The sandbox environment and test credentials (including test short codes) are available on the Daraja developer portal.
- You can test using the Daraja simulator, your application, or any REST client.
- What are the transaction limits for M-PESA Express?
 - A registered customer can receive up to Ksh 250,000 per transaction.
 - The maximum customer account balance is Ksh 500,000.
 - The daily transaction value limit is Ksh 500,000.
 - The minimum transaction amount is Ksh 1.
- What should I do to resolve the "Invalid API call as no apiproduct match found" error?
 - For production, ensure the Lipa na M-PESA production product is enabled on your Daraja application.
 - For Sandbox, ensure the M-PESA Express Sandbox product is enabled.
 - Verify you are calling the correct API endpoint.
- Can I reverse an M-PESA Express transaction using the Reversal API?
 - Yes.
- Where do I view the transaction history for M-PESA Express transactions?
 - Use the M-PESA Org portal: <https://org.ke.m-pesa.com/> to view all transactions for your business account.
- Why am I getting "Bad Request - Invalid BusinessShortCode" error?
 - Possible causes:
 - Wrong request Content-Type. Ensure to specify Content-Type: application/json in your request headers.
 - Incorrect parameter name.
 - Invalid or missing BusinessShortCode value.
- Can I use a Till Number for STK Push API?
 - Yes, you can integrate a Till Number with the M-PESA Express/STKpush API.
 - Ensure the parameters are set as below:
 - BusinessShortCode: Short code used on Go Live (HO/store number)
 - PartyB: Till Number
 - TransactionType: CustomerBuyGoodsOnline

Daraja 3.0

Daraja 3.0 is a web platform that offers access to Safaricom and M-PESA APIs that creates a bridge for payment integration to web and mobile apps. By connecting to our APIs, you can build solutions for you and your clients. Together, we can transform lives.

Ask Daraja about anything 😊