

PANEL REINFORCEMENT TYPE-PW-1 (NTS)

PANEL THICKNESS AS NOTED

2PP-79 REINFORCEMENT

MANUFACTURE

SETUP:

BED No:

CAST:

BUILT BY:

PREPPED BY:

QA'D BY:

HARDWARE

OFF

M20 N.F. [FIXING]
REID FE20095

2

M20 F.F. [FIXING]
REID FE20095

12

M20 Double [FIXING]
REID FE20095

M20 N.F. [PROP]

M20 F.F. [PROP]

2

M16 N.F. [FIXING]

M16 F.F. [FIXING]

M20 EDGE
FERRULE

CAST-INS

OFF

7t LIFTER EDGE
REID SJS

6

GROUT TUBE
DOWN.

2


GROUT TUBE
UP.

MISCELLANEOUS

PANEL I.D PLATE

C.O.G.
LIFTING CENTROID X

EXPOSED EDGE

Client: AMARCOM GROUP PTY LTD		AREA (m2)	8.0	THICKNESS	150	Project: PROPOSED DEVELOPMENT				
	AMARCOM Group Pty Ltd PRECAST PANEL DIVISION. 18-20 Lucca RD, Wyong, NSW, 2259. PH:02 4352 2468 FAX: 02 4353 1255.	VOL. (m3)	1.2	ConcRete(MPa)	40 MPa	AT 43 ACCOLADE AVE. MORRISSET NSW 2264		02	ISSUED FOR CONSTRUCTION	15/12/2021
		WT (T)	3.01	C of GRAVITY	X 635			01	ISSUED FOR FABRICATION	04/12/2021
		REO.	AS SHOWN 30 COVER					B	ISSUED FINAL FOR APPROV	20/11/2021
								A	ISSUED FOR APPROVAL	19/10/2021
								Prepared By: WFJ ENGINEERING Co. PTY LTD ABN-33 078 373 985		Drawn
						Structural Engineering Design & Detailing Drafting SUITE-5 LEVEL-1221 MILLER ST NORTH SYDNEY 2060 Tel: (02) 8004 0141 Fax: (02) 9957 4237 E-mail: wfjeng@ozemail.com.au		Checked		Scale 1:50
								Project No.	DWG / PANEL No.	Rev.
								3576	2PP-79	02