


1N12 PERIMETWER BAR WITH
600 LAPS AT EACH SIDE OF
CENTRAL MESH TYP.

SL92 MESH
CENTRAL



PANEL REINFORCEMENT TYPE-PW-1 (NTS)
PANEL THICKNESS AS NOTED
2PP-90 REINFORCEMENT

MANUFACTURE

SETUP:

BED No:

CAST:

BUILT BY:

PREPPED BY:

QA'D BY:

HARDWARE

OFF

M20 N.F. [FIXING]
REID FE20095

2

M20 F.F. [FIXING]
REID FE20095

M20 Double [FIXING]
REID FE20095

3

M20 N.F. [PROP]

2

M20 F.F. [PROP]

M16 N.F. [FIXING]

3

M16 F.F. [FIXING]

M20 EDGE
FERRULE

CAST-INS

OFF

7t LIFTER EDGE
REID SJS

6

GROUT TUBE
DOWN.

GROUT TUBE
UP.

2

MISCELLANEOUS

PANEL I.D PLATE

C.O.G.
LIFTING CENTROID X

EXPOSED EDGE

Client: AMARCOM GROUP PTY LTD



AMARCOM

Group Pty Ltd
PRECAST PANEL DIVISION.
18-20 Lucca RD, Wyong, NSW, 2259.
PH:02 4352 2468 FAX: 02 4353 1255.

AREA (m2)

16.0

THICKNESS

150

VOL. (m3)

2.4

ConcRete(MPa)

40 MPa

WT (T)

6.00

C of GRAVITY

X 1137

REO.

AS SHOWN 30 COVER

Y 3523

Project:

PROPOSED DEVELOPMENT

AT 43 ACCOLADE AVE. MORRISSET NSW 2264

Prepared By:

WFJ ENGINEERING Co. PTY LTD



ABN-33 078 373 985
Structural Engineering Design & Detailing Drafting
SUITE-5 LEVEL-1/221 MILLER ST NORTH SYDNEY 2060
Tel: (02) 8004 0141 Fax: (02) 9957 4237
E-mail: wfjeng@ozemail.com.au

02 Issued For Construction 15/12/2021

01 ISSUED FOR FABRICATION 04/12/2021

B ISSUED FINAL FOR APPROV 20/11/2021

A ISSUED FOR APPROVAL 19/10/2021

Drawn Date

Checked Scale **1:50**

Project No. DWG / PANEL No. Rev.

3576 2PP-90 02