


600 COG TYP.



PANEL REINFORCEMENT TYPE-PW-1 (NTS)
PANEL THICKNESS AS NOTED
2PP-37 REINFORCEMENT

MANUFACTURE

SETUP:

BED No:

CAST:

BUILT BY:

PREPPED BY:

QA'D BY:

HARDWARE

OFF

M20 N.F. [FIXING]
REID FE20095

M20 F.F. [FIXING]
REID FE20095

15

M20 Double [FIXING]
REID FE20095

M20 N.F. [PROP]

M20 F.F. [PROP]

2

M16 N.F. [FIXING]

M16 F.F. [FIXING]

6

M20 EDGE
FERRULE

CAST-INS

OFF

7t LIFTER EDGE
REID SJS

6

GROUT TUBE
DOWN.

2

GROUT TUBE
UP.

MISCELLANEOUS

PANEL I.D PLATE

C.O.G.
LIFTING CENTROID X

EXPOSED EDGE

Client: AMARCOM GROUP PTY LTD



AMARCOM

Group Pty Ltd
PRECAST PANEL DIVISION.
18-20 Lucca RD, Wyong, NSW, 2259.
PH:02 4352 2468 FAX: 02 4353 1255.

AREA (m2)

18.7

THICKNESS

150

VOL. (m3)

2.8

ConcRete(MPa)

40 MPa

WT (T)

7.02

C of GRAVITY

X 1269

REO.

AS SHOWN 30 COVER

Y 3683

Project:

PROPOSED DEVELOPMENT

AT 43 ACCOLADE AVE. MORRISSET NSW 2264

Prepared By:

WFJ ENGINEERING Co. PTY LTD

Structural Engineering Design & Detailing Drafting

SUITE-5 LEVEL-1/221 MILLER ST NORTH SYDNEY 2060
Tel: (02) 8004 0141 Fax: (02) 9957 4237
E-mail: wfjeng@ozemail.com.au

02- Issued For Construction

15/12/2021

01- ISSUED FOR FABRICATION

04/12/2021

B- ISSUED FINAL FOR APPROV

20/11/2021

A- ISSUED FOR APPROVAL

19/10/2021

Project No.

Rev.

3576

02

DWG / PANEL No.

Scale

2PP-37

1:50