

Lecture Note #17: PivotTables Part #3

BUSI 201: Business Data Analysis

Fall 2023

Topic 1. PivotTables: Grouping

When we have a wide range of variables taking up the row or columns, we may gain more insight about the data when we gather them into larger groups. For instance, you may want to analyze individuals by groups of age, daily sales data in terms of weeks, etc. Navigate to worksheet PIVOT-DATE in the workbook BUSI201-LEC17-Workbook.xlsx. Replicate the table below using PivotTables:

		1/1/2023	1/2/2023	1/3/2023	1/4/2023	1/5/2023	1/6/2023
Branch 1	Item 1						
	Item 2						
	Item 3						
Branch 2	Item 1						
	Item 2						
	Item 3						

Filling each empty cell with the number of each items sold in each office by date, we get the table in Figure 1. The problem with this table is that it is quite “wide,” where the total number of columns add up to 34. So, we may want to aggregate sales data by week to reduce the number of columns in our table to have the table fit in one reasonable page.




Figure 1: PIVOT-DATE

Grouping by Date

To group dates into weeks, first click on any of the dates in the PivotTable, right click, and then select **Group**. In the Grouping window that pops up, select **Days**, and then change the **Number of days** to 7 to group days into weeks.

The screenshot shows an Excel spreadsheet with a PivotTable. The PivotTable has 'Branch' and 'Item' as row labels and 'Sum of Quantity' as the value. The dates are grouped into 7-day intervals. The PivotTable Fields task pane is open on the right, showing the fields 'Date', 'Branch', 'Item', and 'Sales'.

Branch	Item	1/1/2023 - 1/7/2023	1/8/2023 - 1/14/2023	1/15/2023 - 1/21/2023	1/22/2023 - 1/28/2023	1/29/2023 - 2/4/2023	Grand Total
Atlanta	iPad	1921	1538	1512	2108	540	7619
Atlanta	iPhone	1121	2904	1541	1537	556	7659
Atlanta	MacBook	1979	2153	1508	2217	523	8380
Atlanta Total		5021	6595	4561	5862	1619	23658
Boston	iPad	1524	1242	1723	1924	948	7161
Boston	iPhone	1602	2181	1548	2334	907	8572
Boston	MacBook	1841	1988	1831	1605	346	7611
Boston Total		4967	5411	5102	5863	2201	23344
Chicago	iPad	1358	2122	2101	1757	448	7786
Chicago	iPhone	1016	1947	1673	1158	787	6581
Chicago	MacBook	1362	1607	1541	1525	970	7005
Chicago Total		3736	5676	5315	4440	2205	21372
Denver	iPad	2061	1809	1909	2104	808	8691
Denver	iPhone	2032	2186	1205	2037	508	7968
Denver	MacBook	1643	1237	1702	2435	603	7620
Denver Total		5736	5232	4816	6576	1919	24279
Grand Total		19260	22914	19794	22741	7944	92653

Figure 2: Grouping by Dates

The PivotTable with dates group into 7 days each shows up in Figure 3. You may want to change the number of days so that each column represents a similar number of days, or adjust the beginning and end dates before grouping the variables so that the table is “regular.”

The screenshot shows an Excel spreadsheet with a PivotTable. The PivotTable has 'Branch' and 'Item' as row labels and 'Sum of Quantity' as the value. The dates are grouped into 7-day intervals. The PivotTable Fields task pane is open on the right, showing the fields 'Date', 'Branch', 'Item', and 'Sales'.

Branch	Item	1/1/2023 - 1/7/2023	1/8/2023 - 1/14/2023	1/15/2023 - 1/21/2023	1/22/2023 - 1/28/2023	1/29/2023 - 2/4/2023	Grand Total
Atlanta	iPad	1921	1538	1512	2108	540	7619
Atlanta	iPhone	1121	2904	1541	1537	556	7659
Atlanta	MacBook	1979	2153	1508	2217	523	8380
Atlanta Total		5021	6595	4561	5862	1619	23658
Boston	iPad	1524	1242	1723	1924	948	7161
Boston	iPhone	1602	2181	1548	2334	907	8572
Boston	MacBook	1841	1988	1831	1605	346	7611
Boston Total		4967	5411	5102	5863	2201	23344
Chicago	iPad	1358	2122	2101	1757	448	7786
Chicago	iPhone	1016	1947	1673	1158	787	6581
Chicago	MacBook	1362	1607	1541	1525	970	7005
Chicago Total		3736	5676	5315	4440	2205	21372
Denver	iPad	2061	1809	1909	2104	808	8691
Denver	iPhone	2032	2186	1205	2037	508	7968
Denver	MacBook	1643	1237	1702	2435	603	7620
Denver Total		5736	5232	4816	6576	1919	24279
Grand Total		19260	22914	19794	22741	7944	92653

Figure 3: Grouped by Dates

Grouping by Numbers

We can also group the variables as long as it is numerical. Navigate to worksheet PIVOT-YEARS, which houses real world data on government expenditure as a proportion of GDP. One of the variables is Year, but note that it is not automatically recognized as dates. Generate a PivotTable with years being the row variables, Country being the column variables, and each value entry to be the average of G/GDP.




Figure 4: Grouping by Numbers

Right click any year in the PivotTable, and select **Group**. A slightly different grouping window will pop up in the [blue box](#), as Excel does not recognize the years as a date variable. Figure 5 shows us what the PivotTable should look like when we group the data by 5 years.




Figure 5: Grouped by Numbers

Topic 2. PivotTables: Filters

Up to this point, we have been primarily interested in three “boxes” when we were creating PivotTables; the Rows, Columns, and Values. However, the remaining fourth box, Filters, can also be quite useful. Adding a filter variable will create a filter above the PivotTable which we can use to filter the data. Let us try out this feature to understand what this filter does for us. Navigate to PIVOT-FILTERS for a hypothetical gradebook.




Figure 6: PivotTable Filters

This new filter in the red box allows us to filter the raw data so that only certain portions of the data is visible on the PivotTable. In this specific example, the filter is based on whether a student has extra credit or not.

If we select the value 0 in the filter shown in the blue box in Figure 7, the PivotTable will be show results based on only on the students without extra credit. If we select 1 in the filter, then the PivotTable will be calculated based on only the students who have extra credit.




Figure 7: PivotTable Filtering

Other Filters on PivotTables

You may have also noticed that there are some filters that appear on the PivotTables by default. These can be seen in the red boxes in Figure 8. These filters can be used to remove certain variables, or sort the order of the variables on the PivotTable itself.

	Extra	Total
1	1	77.7
2	1	88.3
3	0	80.2
4	1	94.9
5	1	81.1
6	1	83.5
7	0	92.9
8	1	88.4
9	1	77.5
10	1	89
11	1	84
12	1	68.9

Row Labels	FR	SO	Grand Total
ACCT	83.28333333	82.66666667	83.07777778
BUSI	81.55	85.875	83.28
ECON	91.1	83.5125	85.58181818
Grand Total	84.15333333	83.97333333	84.06333333

Figure 8: Other Filters in PivotTables

Topic 3. PivotTables: Calculated Fields

Sometimes, we may be interested in variables that are not already included in the source data. We can either edit the original data, but this editing the raw data manually is usually not considered “best practice,” as there is an associated risk of contamination. Instead, if the data is easily calculated from the existing variables, we can use Calculated Fields to add a variable in the PivotTable.

Navigate to worksheet PIVOT-CREATE, which has synthetic data on the housing market near Chicago. Suppose you wanted to create a new variable that tells us the average price per square feet.

The screenshot shows the Excel interface with the PivotTable Analysis tab selected. The 'Calculated Fields' dialog box is open, allowing the user to define a new calculated field. The formula bar shows 'Asking Price / Lot Size'. The PivotTable Fields task pane on the right shows the data source and the fields being used in the PivotTable.

Figure 9: Calculated Fields

After creating an appropriate PivotTable, left click on any cell in the PivotTable, navigate to the **PivotTable Analysis** tab that is made available after creating and selecting a PivotTable. Then, select **Fields, Items, & Sets**, and then **Calculated Fields**. This will result in a new pop-up window in the **green box** where we can specify the new variable we want to add.

In this case, we wanted to add the asking price per square foot of the property. So, we first change the name to match the description of the variable. Then we can set up the formula either by typing it directly, or selecting them from the list of variables given in the pop-up window.

	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB
1																					
2		Bedrooms	Bathrooms	Asking Price	Year Built	AC	Garage Spaces	Days on Market	Lot Size	Home Type	Renovation	HOA									
3		3	2.5	\$ 450,000.00	1990	Yes	2	30	7500	Single Family	2015	250									
4		4	3	\$ 600,000.00	1985	Yes	2	45	8500	Single Family	2018	300									
5		5	4	\$ 750,000.00	2005	Yes	3	60	10000	Single Family	2017	350									
6		3	2	\$ 350,000.00	1950	Yes	1	20	6000	Single Family	2010	0									
7		4	2.5	\$ 550,000.00	1988	Yes	2	35	7200	Single Family	2012	0									
8		5	3.5	\$ 850,000.00	1995	Yes	3	50	9500	Single Family	2019	400									
9		2	1	\$ 300,000.00	1920	Yes	1	15	5000	Condo	2014	500									
10		1	1	\$ 200,000.00	1935	No	0	10	3500	Condo	2012	450									

Sum of \$ per sq ft											Column Labels									
											Row Labels	1	2	3	4	5	6	Grand Total		
Chicago											\$	55.71	\$ 65.33	\$ 65.64	\$ 73.25	#DIV/0!	#DIV/0!	\$	66.43	
Evanston											#DIV/0!	#DIV/0!	\$ 72.57	\$ 77.46	\$ 75.00	#DIV/0!	#DIV/0!	\$	75.21	
Oak Park											#DIV/0!	\$ 60.00	\$ 66.86	\$ 73.53	#DIV/0!	#DIV/0!	#DIV/0!	\$	67.24	
Skokie											#DIV/0!	\$ 56.25	\$ 58.33	\$ 76.44	#DIV/0!	#DIV/0!	#DIV/0!	\$	69.94	
Wilmette											#DIV/0!	#DIV/0!	#DIV/0!	\$ 81.25	\$ 84.21	\$ 66.67	#DIV/0!	\$	78.21	
Grand Total											\$	55.71	\$ 62.50	\$ 66.67	\$ 76.18	\$ 81.03	\$ 66.67	\$	71.14	

Figure 10: Calculated Fields with Errors

Resolving the #DIV/0! Error

In Figure 10, you will notice that there are a number of #DIV/0! errors. For instance, the value for one bedroom apartments in Evanston is #DIV/0!. This happened because there are no single bedroom apartments in Evanston, and thus Excel tried to fill the slot with $\frac{0}{0}$, which is undefined.

The screenshot shows an Excel spreadsheet with a PivotTable. The PivotTable is titled 'Sum of \$ per sqft' and has columns for City, Bedrooms, Bathrooms, Asking Price, and Grand Total. The Grand Total column shows #DIV/0! errors for Evanston, Oak Park, Skokie, and Wilmette. A PivotTable Options dialog box is open, showing the Layout & Format tab. The 'For empty cells show' option is highlighted in an orange box, and the 'PivotTable Options...' button is highlighted in a red box.

Figure 11: Correcting Errors in PivotTables

Left click on any of the #DIV/0! cells, right click, and then select **PivotTable Options**. In the new pop-up window, select the **Layout & Format** tab, and edit the options in the **orange box**. If you leave the box blank, any cells with error outputs will return an empty cell.

	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	AA
1	State	County	City	ZIP Code	Street Address	Bedrooms	Bathrooms	Asking Price	Year Built	AC	Garage Spaces	Days on Market	Lot Size	Home Type	Renovation	HOA	Sum of \$ per sqft Column Labels								
2	IL	Cook	Chicago	60601	123 Main St	3	2.5	\$450,000.00	1990	Yes	2	30	7500	Single Family	2015	250	Row Labels	1	2	3	4	5	6	Grand Total	
3																	Chicago	\$	55.71	\$65.33	\$65.64	\$73.25		\$	66.43
4	IL	Cook	Evanston	60201	789 Oak St	5	4	\$750,000.00	2005	Yes	3	60	10000	Single Family	2017	350	Evanston			\$72.57	\$77.46	\$75.00		\$	75.21
5	IL	Cook	Oak Park	60301	101 Maple Ave	3	2	\$350,000.00	1950	Yes	1	20	6000	Single Family	2010	0	Oak Park			\$60.00	\$66.86	\$73.53		\$	67.24
6	IL	Cook	Skokie	60076	202 Pine St	4	2.5	\$550,000.00	1988	Yes	2	35	7200	Single Family	2012	0	Skokie			\$56.25	\$58.33	\$76.44		\$	69.94
7	IL	Cook	Wilmette	60091	303 Cedar St	5	3.5	\$850,000.00	1995	Yes	3	50	9500	Single Family	2019	400	Wilmette			\$81.25	\$84.21	\$66.67		\$	78.21
8	IL	Cook	Chicago	60603	404 Walnut St	2	1	\$300,000.00	1920	Yes	1	15	5000	Condo	2014	500	Grand Total	\$	55.71	\$62.50	\$66.67	\$76.18	\$81.03	\$66.67	\$ 71.14
9	IL	Cook	Chicago	60604	505 Cherry St	1	1	\$200,000.00	1935	No	0	10	3500	Condo	2012	450									
10	IL	Cook	Evanston	60202	606 Birch St	3	2	\$400,000.00	1965	Yes	1	25	5500	Single Family	2005	0									
11	IL	Cook	Oak Park	60302	707 Redwood St	4	3	\$500,000.00	1978	Yes	2	40	6800	Single Family	2015	0									
12	IL	Cook	Skokie	60077	808 Spruce St	3	2	\$350,000.00	1980	Yes	1	30	6000	Single Family	2012	0									
13	IL	Cook	Wilmette	60092	909 Cedar St	4	3	\$650,000.00	1992	Yes	2	55	8000	Single Family	2016	300									
14	IL	Cook	Chicago	60605	1010 Pine St	2	2	\$280,000.00	2000	Yes	1	18	4500	Condo	2010	350									

Figure 12: Corrected Errors in PivotTables

Topic 4. PivotTables: “Dividing” PivotTables

The use of filters in PivotTables also allows you to generate PivotTables across multiple sheets each corresponding to an item on the filter. Lets update the PivotTable we have in worksheet PIVOT-CREATE to the form you see in Figure 13. There were 5 cities in our data, and suppose we want to create a PivotTable telling us what the average price per sqft is for houses with 1,2,...,6 bedrooms in each city.




Figure 13: New PivotTable in PIVOT-CREATE

Navigate to the **PivotTable Analyze**, and click on **Options**, and then select **Show Report Filter Pages**. This will automatically create 5 worksheets with a mini PivotTable of each city in the dataset.