

# Dengue

The National Environment Agency / Dengue & Zika / Dengue / **Dengue Cases**

## Dengue

### Dengue Cases

Dengue Clusters

Stop Work Orders

Quarterly Dengue Surveillance Data

Dengue Community Alert System

## Zika

Prevent Aedes Mosquito Breeding

## Dengue Cases

*It is important to note that the day-to-day numbers fluctuate, as they depend on the number of cases notified each day. Therefore, weekly numbers are a better reflection of actual trends.*

### Number of Reported Cases


23-Jun	24-Jun	25-Jun	26-Jun	27-Jun	28-Jun	29-Jun at 3pm
5	9	14	14	9	15	4

### Number of Reported Cases by E-week (from Sun 0000hrs to Sat 2359hrs)

E-week 20 (13-19May18)	E-week 21 (20-26May18)	E-week 22 (27May-02Jun18)	E-week 23 (03-09Jun18)	E-week 24 (10-16Jun18)	E-week 25 (17-23Jun18)
64	65	54	75	55	61

Cumulative No. of cases for 2018 (First 25 E-weeks): 1303

*Compiled by Communicable Diseases Division, Ministry of Health*



61 dengue cases were reported in the week ending 23 June 2018, 6 cases more than in the previous week. All of us need to stay vigilant in suppressing the mosquito population to keep dengue in check. NEA's Gravitrap surveillance system has detected 22 per cent more *Aedes aegypti* mosquitoes in the first quarter of 2018 compared to the fourth quarter in 2017. If left unchecked, the high *Aedes aegypti* population can lead to a surge in dengue cases.

The warmer months of June to October are when there is usually higher transmission of dengue in Singapore due to accelerated breeding and maturation cycles for the *Aedes* mosquitoes and shorter incubation periods for the dengue virus. While NEA has stepped-up vector control efforts in the cluster areas, all members of the public and stakeholders are urged to ramp up efforts and work together as a community to stem dengue transmission.

As of 25 June 2018, there were 8 active dengue clusters, with the largest located at Balestier Rd / Balestier Rd (Ritz Mans, Twin Hts) Jln Ampas / Jln Ampas (The Viridian) / Kim Keat Rd (Regal Ct)

NEA urges all to remain vigilant and continue to work as a community to suppress the *Aedes* mosquito population and keep dengue cases in check. The preventive measures implemented will also help prevent the transmission of Zika and Chikungunya virus which are also transmitted by the *Aedes* mosquitoes

Clean stagnant water in homes and other premises can also be potential breeding habitats for *Aedes* mosquitoes. All stakeholders are urged to prevent mosquito breeding and keep the mosquito population low, by doing the 5-step Mozzie Wipeout as follows:

- Turn the pail
- Tip the vase
- Flip the flowerpot plate
- Loosen the hardened soil
- Clear the roof gutter and place Bti insecticide

Those showing symptoms suggestive of dengue including sudden onset of fever for two to seven days, severe headache with retro-orbital (behind the eye) pain, joint and muscle pain, skin rashes, nausea and vomiting, and bleeding from the nose or gums or easy bruising in the skin should see a medical practitioner early to be diagnosed and managed accordingly. Early diagnosis can facilitate better case management, and persons with dengue can also help prevent further transmission by applying repellent regularly so that mosquitoes do not bite and pick up the virus from them.

All of us, including residents, contractors, and business owners, have a part to play in preventing dengue.