

Dengue

The National Environment Agency / Dengue & Zika / Dengue / **Dengue Cases**

Dengue

Dengue Cases

Dengue Clusters

Stop Work Orders

Quarterly Dengue Surveillance Data

Dengue Community Alert System

Zika

Prevent Aedes Mosquito Breeding

Dengue Cases

It is important to note that the day-to-day numbers fluctuate, as they depend on the number of cases notified each day. Therefore, weekly numbers are a better reflection of actual trends.

Number of Reported Cases


02-Mar	03-Mar	04-Mar	05-Mar	06-Mar	07-Mar	08-Mar at 3pm
19	14	30	20	22	11	14

Number of Reported Cases by E-week (from Sun 0000hrs to Sat 2359hrs)

E-week 4 (20-26Jan19)	E-week 5 (27Jan-02Feb19)	E-week 6 (03-09Feb19)	E-week 7 (10-16Feb19)	E-week 8 (17-23Feb19)	E-week 9 (24Feb-02Mar19)
222	182	138	235	182	158

Cumulative No. of cases for 2019 (First 9 E-weeks): 1784

Compiled by Communicable Diseases Division, Ministry of Health



158 dengue cases were reported in the week ending 2 March 2019, 24 cases fewer than in the previous week. NEA's Gravitrapp surveillance system has detected about 40 per cent more *Aedes aegypti* mosquitoes in December 2018, compared to that in December 2017. If not reduced, the high *Aedes aegypti* mosquito population may lead to a surge in dengue cases in 2019. To prevent dengue cases from increasing, NEA urges all members of the public and stakeholders to stay vigilant, and work together as a community to stem dengue transmission.

As of 4 March 2019, there were 33 active dengue clusters with 5 largest clusters located at:

- Bedok Reservoir Rd / Jln Damai / Jln Tenaga / Kaki Bt Ave 1
- Changi Rd / Frankel Cl / Jln Kembangan / Jln Lapang / Jln Sayang / Jln Selamat / Jln Senang / Sentosa / Jln Senyum / Jln Waringin / Siglap Ave, Plain / Sims Ave East / Waringin Pk
- Yishun Ave 4 / Yishun Ring Rd / Yishun St 61 / Yishun St 81

- Woodlands Circle / Woodlands Cres / Woodlands Dr 60
- Hougang Ave 5 / Hougang Ave 7

While NEA continues with inspections at the cluster areas, everyone needs to remove stagnant water from our environment, to deprive the mosquitoes of their breeding habitats.

Source eradication of mosquito breeding habitats and spraying of insecticides to control the adult mosquito population remain key to dengue prevention. NEA, together with the various agencies and other stakeholders represented on the Inter-Agency Dengue Task Force (IADTF), including Town Councils, have been checking and ridding our public areas and housing estates of potential mosquito breeding habitats.

NEA encourages all residents and stakeholders to play their part to help stem dengue transmission, by doing the 5-step Mozzie Wipeout as follows:

- Turn the pail
- Tip the vase
- Flip the flowerpot plate
- Loosen the hardened soil
- Clear the roof gutter and place Bti insecticide inside

Persons infected with dengue should protect themselves from mosquito bites by applying repellent regularly. If you are unwell and showing symptoms suggestive of dengue, you are advised to seek medical attention early.

The symptoms of dengue include:

- Sudden onset of fever for two to seven days
- Severe headache with retro-orbital (behind the eye) pain
- Joint and muscle pain
- Skin rashes
- Nausea and vomiting
- Bleeding from the nose or gums
- Easy bruising in the skin

All of us, including residents, contractors, and business owners, have a part to play in preventing dengue. The latest updates can also be found on the NEA website, Stop Dengue Now Facebook page or myENV app.