

Modula Lift

Available in a range of sizes and capacities, the Modula Lift has become the go-to solution for businesses around the world as they seek to modernize their processes, reposition their spaces and drive efficiency.

How does a Modula Lift work?

Modula's vertical lift modules (VLMs) are fully automated vertical storage systems that take up a minimum footprint by taking advantage of high ceilings, thus maximizing storage potential. Items can be stored up to 53 feet high in a safe and secure unit that automatically delivers them to an operator with a touch on the user-friendly Copilot controller or scan of a barcode.

No more time wasted searching for items. The right part is delivered to the right person at the optimum ergonomic retrieval height.



Benefits at a Glance



IMPROVES EFFICIENCY

Fulfill orders efficiently without picking errors



MANAGES YOUR INVENTORY

Control stock levels and inventory movements with just one click



RECOVERS SPACE

Saves up to 90% of valuable floor space compared to traditional storage methods



SAVES TIME

Locate the parts and products you need instantly



INCREASES SECURITY

Choose storage that keeps your spare parts secure



REDUCES RISKS

No more climbing stairs or mezzanines to retrieve your goods

Think it's a big investment?

100% ROI
12-18 months on average

**THROUGHPUT OF
UP TO 120 TRAYS/HOUR**

**TRAY
ADJUSTABILITY**

0.98" / 25MM

**POWDER-COATED
STEEL EXTERIOR PANELS**

**SELF-CENTERING
PULLEYS**

**STEEL-REINFORCED
TOOTHED BELT
LIFTING DESIGN**

**STEEL LOAD-BEARING
STRUCTURE**

**TOUCHSCREEN OPERATOR
CONSOLE WITH SIMPLE,
INTUITIVE SOFTWARE**



Technical Features

UNIT HEIGHTS from 10'10" (3,300 mm) to 52'10" (16,100 mm)	THROUGHPUT up to 120 trays/hr (depending on configuration)
UNIT HEIGHT INCREMENT 7.87" (200 mm)	OPERATOR INTERFACE industrial console with 10.4" touch screen (Copilot)
TRAY WIDTHS from 59.05" (1,500 mm) to 161.41" (4,100 mm)	NUMBER OF BAYS up to 3, front and rear of the units or on multiple floors
TRAY DEPTHS 25.75" (654 mm), 33.74" (857 mm), 49.49" (1,257 mm)	TYPES OF BAYS internal or external, single or dual tray delivery
NET TRAY PAYLOAD CAPACITIES 551 lbs (250 kg), 1,102 lbs (500 kg), 1,653 lbs (750 kg) & 2,182 lbs (990 kg)	GROSS TOTAL PAYLOAD up to 200,000 lbs (90,000 kg) depending on the configuration

Saves Space & Reduces Operations Cost

Saves up to 90% of valuable floor space compared to traditional storage methods and makes space available for future growth needs.



Without Modula



With Modula: floor space recovery up to 90%

Increases Productivity and Accuracy

Vertical lift modules automatically deliver items to the operator with a simple touch on the Copilot console or a scan of a barcode.

This feature drastically reduces handling times, both in picking and replenishing, as there is no walking back and forth to find and retrieve goods.



Tray delivered to the bay in under 30 seconds



Reduce travel time for parts up to 90%

Thanks to the simple inventory management software and the visual picking aids, operators can quickly and easily identify the items needed, dramatically reducing picking errors.

More Orders in Less Time

Operators can process even complex orders in the shortest possible time and with the highest quality level, even during peak workload times, as they don't have to wait between jobs when retrieving parts.

Industry studies have shown that vertical storage solutions can increase workforce productivity by up to 85% because one worker is able to handle the same volume of work previously performed by multiple operators.

Automated vs Manual Picking: Percentage of Time Spent Picking



Stock Density Optimization

A height-detection system determines vertical dimensions of items as the tray is put away, calculating adjustments in real time to maximize storage density within the unit.



Designed with Worker Ergonomics and Safety in Mind

Following the parts to picker's principle, these automated storage systems deliver the items to the fixed operator's location where the picking operations take place. Walking time for parts retrieval is reduced up to 90% when compared to static shelving.

This feature significantly minimizes the risk of injury from motion and provides maximum safety for personnel in even the most demanding working conditions.



100% safe



100% ergonomic

Security & Inventory Control

A reliable locking and validation feature plays a key role in many industries. Every unit is password protected, allowing only authorized operators with a personal badge and/or access code entry to operate the machine. All picking operations are monitored and log-ins are tracked even down to specific trays, depending on the chosen level of security.

Tracking access to specific trays is also beneficial for inventory control, preventing operators from picking the same items or for highly valuable products to be stolen.



Magnetic Badge Reader




EKS Reader




RFID Reader

Flexible Integration & Scalable Design

Trays can be organized for every type/size of stored item. Thanks to our partitions and dividers, you can create the exact number of storage locations required, and their configurations can be adjusted at any time to accommodate changes in the size or quantity of your stored items or seasonal demands.



The modular design of the VLM ensures almost unlimited flexibility. The height can be modified and adjusted to optimize the unit for the ceiling height by adding or removing modules. If you change locations or move to a different site, your Modula VLM can be quickly adapted to the new height requirements.



What Can You Store in a Modula Lift?

The Modula Lift can store virtually any type of products or parts in different sizes, weights, heights and volumes
Typically, companies stock:




Tooling and drill bits



Reels and electronic components



Pharmaceuticals, boxes and cosmetics



Mechanical instruments



Tools and spare parts



Small parts and hardware



Bottles and labels



Spools, rope, chains

Bay Configurations for Every Operational Need

Operators can process even complex orders in the shortest possible time. Modula Lifts can be ordered in a variety of bay delivery methods, including:

- Internal bay
- External bay
- Dual-delivery bay
- Single-delivery bay
- Opposite bays on the front and rear of the units
- Bays on multiple floors

The dual-delivery option allows one tray to present the parts to an operator while the other is retrieving additional parts. Trays can deliver on two sides of the machine or on different levels of your facility. External bays can be useful when employing mechanical aid such as forklifts, cranes or hoists.



Single internal delivery



Single external delivery




Dual internal delivery



Dual external delivery

Different Bay Models for Every Product Height



Modula Lift is offered in 3 sizes of bays (S/M/XL) to accommodate different products heights:

- Maximum product height for single delivery level
27.36" / 35.24" / 50.98"
(695 / 895 / 1,295 mm)
- Maximum product height for dual delivery level
12.6"-12.6" / 12.6"- 20.47" / 20.47"-36.22"
(320-320 / 320-520 / 320-920 mm)

Unlimited Integrations

The Modula Lift can integrate with other automated technologies to further enhance productivity and speed, including:

- Robots
- Put-to-light systems
- Zero-weight cranes
- Roller conveyors
- Manipulators

By connecting the WMS solution with existing ERP systems, the Lift can seamlessly blend into a company workflow.



Integration with anthropomorphic robots



Put-to-light systems connected to WMS



Integration with manipulators and cranes



Integration with conveyors

Flexible Installations

The Modula Lift can extend over different floors with access openings on the front and rear, allowing operations on multiple levels simultaneously. The units can also be installed outside of building to further expand storage space.



Insulated machines for outdoor installation



Multi-level installation




The Modula warehouse management system (WMS) is designed to operate automated storage equipment such as the Modula VLM, as well as conventional storage methods such as shelving and manual picking.

As one of the most intuitive and advanced software solutions on the market, Modula WMS seamlessly interfaces with almost all DMS and ERP systems, making processes such as receiving, picking, and putting away products faster and more accurate:

Modula WMS Benefits

- Increased picking and replenishment accuracy and efficiency
- Complete inventory visibility and control to drive performance and reduce costs
- Reduced paperwork – and the tedium and mistakes of manual processing
- Easy integration with existing ERP or DMS systems



Copilot Operator Console

An easy-to-use 10.4" touchscreen color display makes it intuitive for operators to retrieve what they need. The graphic visualization of the tray layout shows the user clearly where and what to select, and displays all requested information relating to picking or refilling operations, such as item code and quantity.

Display of
item code and
description

Item location
clearly visible
to operators

Easy picking
confirmation



Display of sales
order number

Display of picking
or refilling quantity

Picking
operations status

Visual Aids for Picking



Alphanumeric LED Bar



Laser Pointer



X-Axis LED Bar



External Picking Monitor

Options to Improve Productivity



2D/3D Barcode Reader



Label Printer



Counting Scale



Sliding Console

User Authentication



Magnetic Badge Reader



EKS Reader



RFID Reader

Picking Solutions



Put-to-Light



Picking Cart



Picking Station

Bay Options



Telescopic Bay



Tray Removal &
Transportation Cart



Automatic Door



External Bay Lighting

Tray Accessories



Slot Tray Walls | Partitions | Dividers



Electrified Tray

Miscellaneous



End Picking Button



ESD Protection System



Foot Bar Task Complete



Modula
Green



0°



Sprinkler Configuration
Available



Remote Electrical
Panel

Modula Lift



