

Bude

Brianna Kincaid

March 21, 2018

Set up

First import necessary libraries.

Bude is a town in Western England, well-known as a beach resort. We find the coordinates using `geocode()`.

```
Bude_coord <- geocode("S W Coast Path, Bude EX23 8HN, UK")
```

```
## Information from URL : http://maps.googleapis.com/maps/api/geocode/json?address=S%20W%20Coast%20Path
```


I chose the center of the map to be the Bude North Cornwall Cricket Club, as that is the central location of this assignment, and allows for better viewing of the surrounding area.

Road map

```
Bude_roadmap <- get_map(Bude_coord, zoom = 15)
```

```
## Map from URL : http://maps.googleapis.com/maps/api/staticmap?center=50.832584,-4.553165&zoom=15&siz
```

```
ggmap(Bude_roadmap)
```




Watercolor map

```
Bude_watercolor <- get_map(Bude_coord, maptype = "watercolor", zoom = 15)

## maptype = "watercolor" is only available with source = "stamen".
## resetting to source = "stamen"...

## Map from URL : http://maps.googleapis.com/maps/api/staticmap?center=50.832584,-4.553165&zoom=15&size=600x400
## Map from URL : http://tile.stamen.com/watercolor/15/15968/10992.jpg
## Map from URL : http://tile.stamen.com/watercolor/15/15969/10992.jpg
## Map from URL : http://tile.stamen.com/watercolor/15/15970/10992.jpg
## Map from URL : http://tile.stamen.com/watercolor/15/15968/10993.jpg
## Map from URL : http://tile.stamen.com/watercolor/15/15969/10993.jpg
## Map from URL : http://tile.stamen.com/watercolor/15/15970/10993.jpg
## Map from URL : http://tile.stamen.com/watercolor/15/15968/10994.jpg
## Map from URL : http://tile.stamen.com/watercolor/15/15969/10994.jpg
## Map from URL : http://tile.stamen.com/watercolor/15/15970/10994.jpg
## Map from URL : http://tile.stamen.com/watercolor/15/15968/10995.jpg
```

```
## Map from URL : http://tile.stamen.com/watercolor/15/15969/10995.jpg
## Map from URL : http://tile.stamen.com/watercolor/15/15970/10995.jpg
gmap(Bude_watercolor)
```



Marking vacation spots

There are a number of good beaches in the Bude area, many of which offer good surfing conditions.

Two local beaches

Summerleaze Beach

```
include_graphics("summerleaze.jpg")
```



```
summerleaze <- geocode("Summerleaze Beach, Summerleaze Cres, Bude EX23 8HN, UK")
```

```
## Information from URL : http://maps.googleapis.com/maps/api/geocode/json?address=Summerleaze%20Beach,%20Bude,%20Cornwall,%20UK
```

Crooklets Beach

```
include_graphics("crooklets.jpg")
```



```
crooklets <- geocode("Crooklets Beach, S W Coast Path, Bude EX23 8NE, UK")
```

```
## Information from URL : http://maps.googleapis.com/maps/api/geocode/json?address=Crooklets%20Beach,%20Bude,%20Cornwall,%20UK
```

Cricket grounds (Bude North Cornwall Cricket Club)

“Bude North Cornwall Cricket Club is situated on the clifftops overlooking the Atlantic Ocean, and is quite simply one of the most stunning locations you could ever wish to visit, let alone play cricket at! Bude North Cornwall Cricket Club was founded in 1870. Over the years it has played host to Hockey matches, Tennis, Cricket and even used for Mortar practice in WW2!” Source.

```
include_graphics("cricket.jpg")
```



```
cricket_grounds_coord <-geocode("Bude North Cornwall Cricket Club")
```

```
## Information from URL : http://maps.googleapis.com/maps/api/geocode/json?address=Bude%20North%20Cornw
```

Hotels

Oak Lodge Bed and Breakfast

```
include_graphics("oaklodge.jpg")
```



```
lodge_coord <-geocode("Stratton, Bude EX23 9AT, England")
```

```
## Information from URL : http://maps.googleapis.com/maps/api/geocode/json?address=Stratton,%20Bude%20E
```

Falcon Hotel

```
include_graphics("hotel.jpg")
```




```
hotel_coord <- geocode("Breakwater Road, Bude EX23 8SD, England")
```

```
## Information from URL : http://maps.googleapis.com/maps/api/geocode/json?address=Breakwater%20Road,%20Bude,%20Cornwall,%20England
```

Putting them on the maps


```
ggmap(Bude_roadmap) +
  geom_point(data = summerleaze, mapping = aes(x = lon, y = lat)) +
  geom_label(x = summerleaze$lon, y = summerleaze$lat, label = "Summerleaze Beach", hjust = 1, vjust=1)
  geom_point(data = crooklets, mapping = aes(x = lon, y = lat)) +
  geom_label(x = crooklets$lon, y = crooklets$lat, label = "Crooklets Beach", hjust = 1, vjust=1) +
  geom_point(data = cricket_grounds_coord, mapping = aes(x = lon, y = lat)) +
  geom_label(x = cricket_grounds_coord$lon, y = cricket_grounds_coord$lat, label = "Cricket Grounds", hjust = 1, vjust=1)
  geom_point(data = lodge_coord, mapping = aes(x = lon, y = lat)) +
  geom_label(x = lodge_coord$lon, y = lodge_coord$lat, label = "Oak Lodge Bed and Breakfast", hjust = 1, vjust=1)
  geom_point(data = hotel_coord, mapping = aes(x = lon, y = lat)) +
  geom_label(x = hotel_coord$lon, y = hotel_coord$lat, label = "Falcon Hotel", hjust = 1, vjust = 1)

## Warning: Removed 1 rows containing missing values (geom_point).
```



```
ggmap(Bude_watercolor) +
  geom_point(mapping = aes(x = summerleaze$lon, y = summerleaze$lat)) +
  geom_label(x = summerleaze$lon, y = summerleaze$lat, label = "Summerleaze Beach", hjust = 1, vjust=1)
  geom_point(mapping = aes(x = crooklets$lon, y = crooklets$lat)) +
  geom_label(x = crooklets$lon, y = crooklets$lat, label = "Crooklets Beach", hjust = 1, vjust=1) +
  geom_point(mapping = aes(x = cricket_grounds_coord$lon, y = cricket_grounds_coord$lat)) +
  geom_label(x = cricket_grounds_coord$lon, y = cricket_grounds_coord$lat, label = "Cricket Grounds", hjust = 1, vjust=1)
  geom_point(mapping = aes(x = hotel_coord$lon, y = hotel_coord$lat)) +
  geom_label(x = hotel_coord$lon, y = hotel_coord$lat, label = "Falcon Hotel", hjust = 1, vjust = 1)

## Warning: Removed 4 rows containing missing values (geom_point).
```



Marking route from Bude North Cornwall Cricket Club to The Barrel at Bude

The Barrel at Bude:

```
include_graphics("barrel.jpg")
```



The Barrel at Bude is one of the oldest buildings in Bude and was originally a sea canal worker's house. It was only the second micropub to open in Cornwall.


```
barrel <- geocode("36 Lansdown Rd, Bude EX23 8BN, UK")
```

```
## Information from URL : http://maps.googleapis.com/maps/api/geocode/json?address=36%20Lansdown%20Rd,%20Bude,%20Cornwall,UK
```

The route:

```
from <- "Bude North Cornwall Cricket Club"
to <- "36 Lansdown Rd, Bude EX23 8BN, UK"
route_df <- route(from, to, structure = "route")

## Information from URL : http://maps.googleapis.com/maps/api/directions/json?origin=Bude+North+Cornwall&destination=The+Barrel+at+Bude
ggmap(Bude_roadmap) +
  geom_point(mapping = aes(x = cricket_grounds_coord$lon, y = cricket_grounds_coord$lat)) +
  geom_label(x = cricket_grounds_coord$lon, y = cricket_grounds_coord$lat, label = "Cricket Grounds", hjust = 0, vjust = 0) +
  geom_point(mapping = aes(x = barrel$lon, y = barrel$lat)) +
  geom_label(x = barrel$lon, y = barrel$lat, label = "The Barrel at Bude", hjust = 1, vjust = 1) +
  geom_path(aes(x = lon, y = lat), colour = "red", size = 1.5,
            data = route_df, lineend = "round")
```



```
ggmap(Bude_watercolor) +
  geom_point(mapping = aes(x = cricket_grounds_coord$lon, y = cricket_grounds_coord$lat)) +
  geom_label(x = cricket_grounds_coord$lon, y = cricket_grounds_coord$lat, label = "Cricket Grounds", hjust = 1, vjust = 1) +
  geom_point(mapping = aes(x = barrel$lon, y = barrel$lat)) +
  geom_label(x = barrel$lon, y = barrel$lat, label = "The Barrel at Bude", hjust = 1, vjust = 1) +
  geom_path(aes(x = lon, y = lat), colour = "red", size = 1.5,
            data = route_df, lineend = "round")
```

