# **Turtl**Use Case Specification

#### Submitted to:

Asst. Prof. Ma. Rowena C. Solamo
Faculty Member
Department of Computer Science
College of Engineering
University of the Philippines, Diliman

Submitted by: Nikki Balugay Ram Mangaoang Brian Sy

In partial fulfillment of academic requirements for the course

CS 191 Software Engineering I of the

1st Semester, AY <2017-2018>

System: Turtl Page 1
Version: 1.0 Group: 2

## **Unique Reference:**

The documents are stored in the <a href="https://github.com/brianpesy/turtlios">https://github.com/brianpesy/turtlios</a>.

https://github.com/brianpesy/turtlios/tree/master/02%20-%20Requirements%20Engineering

### **Document Purpose:**

This document is for further explaining different functionalities within the program to a more specific and clear extent while also maintaining readability as well.

#### Target Audience:

Businesses, clients, and those people who are interested in the whole project and how exactly we are going to go about designing the whole project are within the scope of our target audience.

#### **Revision Control**

#### History Revision:

Revision	Person	Version	Modification
Date	Responsible	Number	
10/07/2017	Brian Nicholas Sy	1.0	Initial document, document purpose, target audience, use case name, description, preconditions, and diagram

Page 2 System: Turtl Version: 1.0 Group: 2 Use-Case Name: 8.1 Encrypt Note

Description: Using the unique encryption key provided when a user makes a new account in Turtl,

this process is for securing and keeping different notes private to the user. It kicks in

after synchronizing in order to signal that it is now private and ready to share.

Preconditions: Synchronization process must be finished.

#### Flow of Events:

Scenario Name	Description
Scenario 1 (Basic Flow)	1. The synchronization process finishes.
The server synchronized the	2. The encryption key is accessed by the user's client sending it over.
note and will now immediately encrypt.	3. The encryption key is now used along with an algorithm used for encryption in order to keep data private.
	4. After encryption, it will flag that the note is ready for sharing and is now private.

Page 3 System: Turtl Version: 1.0 Group: 2

# Activity Diagram of the Flow of Events: User Server Encryption key Synchronization created from process finishes. user's password (8.0 - Sync note) is sent to the server. Encryption key now used with special algorithm optimized for encrypting. Flag that the whole encryption

System: Turtl Page 4
Version: 1.0 Group: 2

process is done. Other functions are now possible. Postcondition: The server will now hold the note, and it is saved.

Relationships: It extends 8.0 - Sync Note

# Special Requirements:

Synchronization must be complete, user must have made an account (However, it is not possible to use the app without making the account itself. The app merely authenticates it.)

System: Turtl Page 5
Version: 1.0 Group: 2