

IKG Studio — Model Training Platform User Manual

This manual documents the web UI of **IKG Studio Model Training Platform**, a browser-based tool for managing image datasets, training/converting/benchmarking computer-vision models, and monitoring background jobs. It does **not** cover deployment or infrastructure setup.

All screenshots below were captured against a live instance at `https://192.168.20.10` and are stored in `docs/manual-screenshots/`.

Table of Contents

1. [Sign In](#)
 2. [Roles: Admin vs. User](#)
 3. [Navigation](#)
 4. [Home \(Dashboard\)](#)
 5. [Datasets](#)
 - [5.1 Source Datasets](#)
 - [5.2 Training Datasets](#)
 6. [Models](#)
 7. [Training](#)
 8. [Benchmarks](#)
 9. [Jobs](#)
 10. [Notifications](#)
 11. [Admin](#)
 - [11.1 Users](#)
 - [11.2 Dataset Types](#)
 - [11.3 Audit](#)
 - [11.4 System Settings](#)
 - [11.5 Workers](#)
 - [11.6 Backup](#)
 12. [Account & Security](#)
 13. [Error & Edge Cases](#)
-

1. Sign In

Navigate to the platform URL. You will land on the login screen with a username/password form and an optional passkey (WebAuthn) sign-in button.



IKG Studio

Model Training Platform

Username

Password

Sign in

or



Sign in with a passkey

Enter valid credentials and click **Sign in**. On failure (wrong username/password), an inline error message is shown and the form remains editable:



IKG Studio

Model Training Platform

Username

admin

Password

.....

Invalid credentials

Sign in

or



Sign in with a passkey

Note: the platform enforces account lockout after repeated failed logins (configurable — see [System Settings](#), `auth_failed_login_threshold` / `auth_lockout_minutes`).

2. Roles: Admin vs. User

There are two roles:

Role	Nav items visible	Admin section	Notes
ADMIN	Home, Datasets, Models, Training, Benchmarks, Jobs, Notifications, Admin	Full access	Can manage users, dataset types, system settings, workers, audit log, backups
USER	Home, Datasets, Models, Training, Benchmarks, Jobs, Notifications	Not shown	Full read/write access to datasets, models, training, benchmarks — same as admin except no Admin tab

In this build, the **USER** role could perform every dataset/model/training/benchmark action tested (register/rescan datasets, launch training, etc.) — the only observed restriction is the missing **Admin** nav entry and administrative account controls. There is no client-side route guard on top-level URLs; the app simply never renders admin-only components for non-admin sessions.

The screenshot displays the IKG Studio dashboard for a user. The top navigation bar includes links for Home, Datasets, Models, Training, Benchmarks, Jobs, and Notifications. The user is logged in as 'user' and can click 'Sign Out'.

Dashboard

- 328 Source Datasets
- 2 Training Datasets
- 3 Models
- 4 Training Jobs
- 4 Benchmarks

System Health

- 2 Workers Online
- 0 Workers Offline
- 2 Workers Total
- 0 Active Executions
- 0 Pending Outbox
- 0 Dead-Letter Outbox

Active Jobs

No active jobs

Recent Models


NAME	TASK	SOURCE	STATUS	CREATED
dice_L_X	DETECT	TRAINING	AVAILABLE	Aug 06, 2026, 08:15
cards 8/6/2026	DETECT	TRAINING	AVAILABLE	Aug 06, 2026, 12:20
cards 8/5/2026	DETECT	TRAINING	AVAILABLE	Aug 06, 2026, 10:15

Recent Benchmarks

NAME	STATUS	PROGRESS	CREATED
QA Compare Seed	COMPLETED	1/1	Aug 06, 2026, 01:28 PM
ts-verify	COMPLETED	1/1	Aug 06, 2026, 11:40 AM
test	COMPLETED	1/1	Aug 06, 2026, 11:19 AM
test1	COMPLETED	1/1	Aug 06, 2026, 10:43 AM

Recent Activity

ACTION	RESOURCE	RESULT	WHEN
AUTH_LOGIN_SUCCEEDED	USER	SUCCESS	Aug 07, 2026, 09:44 AM
AUTH_LOGIN_SUCCEEDED	USER	SUCCESS	Aug 06, 2026, 04:48 PM



3. Navigation

The top app bar (visible on every page once signed in) contains:

- **Logo / brand** (top-left)
- **Primary nav:** Home, Datasets, Models, Training, Benchmarks, Jobs, Notifications, (Admin — admin only)
- **Role badge** (ADMIN / USER)
- **Account button** — opens [Account & Security](#)
- **Sign Out**

Some pages support deep-linking via URL query parameters, e.g. `?modelId=...`, `?trainingDatasetId=...`, `?trainingJobId=...`, `?sourceDatasetId=...`, `?jobId=...`, `?benchmarkRunId=...`. When a `modelId` is present it takes priority and the Model detail page is shown regardless of the active nav tab.

4. Home (Dashboard)

The Dashboard (Home) summarizes platform state at a glance:

- **Counters:** Source Datasets, Training Datasets, Models, Training Jobs, Benchmarks
- **System Health:** Workers Online/Offline/Total, Active Executions, Pending Outbox, Dead-Letter Outbox
- **Active Jobs** — currently running/queued jobs
- **Recent Models** table
- **Recent Benchmarks** table
- **Recent Activity** — latest audit events

 IKG Studio

[Home](#) [Datasets](#) [Models](#) [Training](#) [Benchmarks](#) [Jobs](#) [Notifications](#) [Admin](#)

ADMIN
System Admin [Sign Out](#)

Dashboard

328
Source Datasets

2
Training Datasets

3
Models

4
Training Jobs

4
Benchmarks

System Health

2
Workers Online

0
Workers Offline

2
Workers Total

0
Active Executions

0
Pending Outbox

0
Dead-Letter Outbox

Active Jobs

No active jobs

Recent Models

NAME	TASK	SOURCE	STATUS	CREATED
dice_L_X	DETECT	TRAINING	AVAILABLE	Aug 06, 2026, 08:11 AM
cards 8/6/2026	DETECT	TRAINING	AVAILABLE	Aug 06, 2026, 12:20 PM
cards 8/5/2026	DETECT	TRAINING	AVAILABLE	Aug 06, 2026, 10:32 AM

Recent Benchmarks

NAME	STATUS	PROGRESS	CREATED
QA Compare Seed	COMPLETED	1/1	Aug 06, 2026, 01:28 PM
ts-verify	COMPLETED	1/1	Aug 06, 2026, 11:40 AM
test	COMPLETED	1/1	Aug 06, 2026, 11:19 AM
test1	COMPLETED	1/1	Aug 06, 2026, 10:43 AM

Recent Activity

ACTION	RESOURCE	RESULT	WHEN
AUTH_LOGIN_SUCCEEDED	USER	SUCCESS	Aug 07, 2026, 09:33 AM
AUTH_LOGIN_FAILED	USER	FAILURE	Aug 07, 2026, 09:32 AM
AUTH_LOGIN_SUCCEEDED	USER	SUCCESS	Aug 07, 2026, 09:18 AM
MODEL_CREATED	MODEL	SUCCESS	Aug 06, 2026, 08:12 PM
TRAINING_JOB_COMPLETED	TRAINING_JOB	SUCCESS	Aug 06, 2026, 08:12 PM
AUTH_LOGIN_SUCCEEDED	USER	SUCCESS	Aug 06, 2026, 04:48 PM
USER_CREATED	USER	SUCCESS	Aug 06, 2026, 04:48 PM
TRAINING_JOB_RUNNING	TRAINING_JOB	SUCCESS	Aug 06, 2026, 04:45 PM
TRAINING_JOB_PREPARING	TRAINING_JOB	SUCCESS	Aug 06, 2026, 04:45 PM
TRAINING_JOB_SUBMITTED	TRAINING_JOB	SUCCESS	Aug 06, 2026, 04:45 PM

5. Datasets

The Datasets page has two sub-tabs: **Source** (read-only disk scanning/registration) and **Training** (curated, split datasets built from one or more sources).

5.1 Source Datasets

Source datasets represent raw image folders discovered on disk, grouped by **dataset type** (e.g. cards, dice, roulette — configured in [Admin → Dataset Types](#)).

 IKG Studio

[Home](#) [Datasets](#) [Models](#) [Training](#) [Benchmarks](#) [Jobs](#) [Notifications](#) [Admin](#)

ADMIN
System Admin [Sign Out](#)

Source Training

Source Datasets

Read-only folders on disk, discovered per dataset type. Register a folder to scan and index it.

Expand all 328 folders

328 folders 328 registered 3 types 813,704 images

cards /mnt/image/cards/check 21/21 registered

Expand

dice /mnt/image/dice/check 259/259 registered

Expand

roulette /mnt/image/roulette/check 48/48 registered

Expand

Expand a dataset type group to see individual folders, each showing scan status (READY/INVALID), image/pair counts, class count, last-scan timestamp, and a per-folder **Rescan** action. Group-level actions include **Rescan type**, **Select all**, and **Scan & register all** (registers every unregistered folder and rescans already-registered ones).



HomeDatasetsModelsTrainingBenchmarksJobsNotificationsAdmin

ADMINSystem AdminSign Out

SourceTraining

Source DatasetsRead-only folders on disk, discovered per dataset type. Register a folder to scan and index it.

Expand all328 folders

328 folders328 registered3 types813,704 images

cards /mnt/image/cards/check21/21 registered

Collapse

Filter folders...

Rescan typeSelect allScan & register all

■

bach_260520

READY

1,024 images

1024 pairs · 54 classes

Scanned Aug 06, 2026, 03:43 PM

Rescan

■

bac_260528_2

READY

128 images

128 pairs · 54 classes

Scanned Aug 06, 2026, 03:43 PM

Rescan

■

bac_260528_1

READY

132 images

132 pairs · 54 classes

Scanned Aug 06, 2026, 03:43 PM

Rescan

■

bac_260528_4

READY

129 images

129 pairs · 54 classes

Scanned Aug 06, 2026, 03:43 PM

Rescan

■

bac_260528_5

READY

130 images

130 pairs · 54 classes

Scanned Aug 06, 2026, 03:43 PM

Rescan

■

bac_260528_6

READY

128 images

128 pairs · 54 classes

Scanned Aug 06, 2026, 03:43 PM

Rescan

■

bac_260528_7

READY

136 images

136 pairs · 54 classes

Scanned Aug 06, 2026, 03:43 PM

Rescan

■

bac_260528_8

READY

123 images

123 pairs · 54 classes

Scanned Aug 06, 2026, 03:43 PM

Rescan

■

bac_260528_9

READY

129 images

129 pairs · 54 classes

Scanned Aug 06, 2026, 03:43 PM

Rescan

■

bac_260528_10

READY

127 images

127 pairs · 54 classes

Scanned Aug 06, 2026, 03:43 PM

Rescan

■

bac_260528_11

READY

150 images

150 pairs · 54 classes

Scanned Aug 06, 2026, 03:43 PM

Rescan

■

bac_260528_12

READY

135 images

135 pairs · 54 classes

Scanned Aug 06, 2026, 03:43 PM

Rescan

■

bac_260528_13

READY

134 images

134 pairs · 54 classes

Scanned Aug 06, 2026, 03:43 PM

Rescan

■

bac_260528_14

READY

136 images

136 pairs · 54 classes

Scanned Aug 06, 2026, 03:43 PM

Rescan

■

bac_260528_15

READY

134 images

134 pairs · 54 classes

Scanned Aug 06, 2026, 03:43 PM

Rescan

■

bac_260528_16

READY

153 images

153 pairs · 54 classes

Scanned Aug 06, 2026, 03:44 PM

Rescan

■

bac_260528_17

READY

153 images

153 pairs · 54 classes

Scanned Aug 06, 2026, 03:44 PM

Rescan

■

bac_260528_18

READY

137 images

137 pairs · 54 classes

Scanned Aug 06, 2026, 03:44 PM

Rescan

■

bac_260528_19

READY

149 images

149 pairs · 54 classes

Scanned Aug 06, 2026, 03:44 PM

Rescan

■

bac_260528_20

READY

156 images

156 pairs · 54 classes

Scanned Aug 06, 2026, 03:44 PM

Rescan

■

bac_260421

READY

1,293 images

1293 pairs · 54 classes

Scanned Aug 06, 2026, 03:44 PM

Rescan

dice /mnt/image/dice/check259/259 registered

Expand

roulette /mnt/image/roulette/check48/48 registered

Expand

Click a folder to open its detail page, showing scan history/statistics:

[Home](#)
[Datasets](#)
[Models](#)
[Training](#)
[Benchmarks](#)
[Jobs](#)
[Notifications](#)
[Admin](#)

[ADMIN](#)
[System Admin](#)
[Sign Out](#)

[Source](#)
[Training](#)

[Back](#)
[Rescan](#)

bach_260520

READY

Task type

DETECT

Path

/mnt/image/cards/check/bach_260520

Images dir

images

Labels dir

labels

Created

Aug 05, 2026, 04:58 PM

Scan #2

Images

1024

Labels

1024

Matched pairs

1024

Missing images

0

Missing labels

0

Invalid labels

0

Empty labels

0

Warnings

0

Errors

0

Finished

Aug 06, 2026, 03:43 PM

Classes (54)

source: CLASSES_FILE

classes.txt on disk at classes.txt — can be overridden with a manual class list.

Enter class list manually

Class list

Preview

← Prev

1-24 of 1024

Next →

From the detail page you can preview sample images in a modal (image + annotation overlay):

← Prev

bac_260421_10_000029.jpg (1/24)

Next →

Close

1 object · DETECT

Classes (54)

source: CLASSES_FILE

classes.txt on disk at classes.txt — can be overridden with a manual class list.

Enter class list manually

Class list

Preview


← Prev

1-24 of 1024

Next →

5.2 Training Datasets

Training datasets are built by combining one or more source datasets, defining classes, and splitting into train/val/test sets.



Click an entry to view its build configuration and status:



IKG Studio

[Home](#)[Datasets](#)[Models](#)[Training](#)[Benchmarks](#)[Jobs](#)[Notifications](#)

1

[Admin](#)

ADMIN

System Admin

Sign Out

Source

Training

← Back

qa_cards_test

READY

Built from source datasets - DETECT - Version 1

Training Dataset

Delete

Origin

Built from source datasets

Task type

DETECT

Path

datasets/qa_cards_test-313e7a3c

Created

Aug 05, 2026, 05:00 PM

Ready

Aug 05, 2026, 05:00 PM

Build Configuration

Split strategy

RANDOM

Storage mode

COPY

Random seed

42

Train ratio

0.80000

Val ratio

0.10000

Test ratio

0.10000

Config hash

cbbcb15e53eaf9c49...

Build started

Aug 05, 2026, 05:00 PM

Build finished

Aug 05, 2026, 05:00 PM

Dataset Splits

1,152 images total

Train 80%

Val 10%

Test 10%

Train

922 images (80%)

Validation

115 images (10%)

Test

115 images (10%)

Sources

2 datasets

NAME

PATH

TASK

bach_260520

/mnt/image/cards/check/bach_260520

DETECT

bac_260528_2

/mnt/image/cards/check/bac_260528_2

DETECT

Classes (54)

Artifacts

click a supported file to preview

TYPE

FILE

SIZE

CREATED

DATA_YAML

data.yaml

672 B

Aug 05, 2026, 05:00 PM

DATASET_MANIFEST

manifest.json

416 KB

Aug 05, 2026, 05:00 PM


Dataset Preview

images with labels

train


val

test




Build a new Training Dataset — a 5-step wizard:


1. **Origin** — choose dataset type and name the new training dataset.




2. **Details** — description and metadata.




3. **Sources** — pick which source dataset folders to include.



4. **Classes** — select/label the object classes to keep.



5. **Split** — configure train/val/test ratios and submit.



Submitting triggers a background **Dataset Build** job (see [Jobs](#)).

6. Models

Models are listed grouped by dataset type, each entry showing task (e.g. DETECT), source (TRAINING/imported), status, and creation date. A **Scan Model Roots** action re-indexes model files on disk.

 IKG Studio

[Home](#) [Datasets](#) [Models](#) [Training](#) [Benchmarks](#) [Jobs](#) [Notifications](#) [Admin](#)

ADMIN

System Admin

Sign Out

Models


Discovered by scanning each dataset type's Model Root. Drop a .pt in and rescan.


Expand all

Scan Model Roots

cards 2 models	Expand
dice 1 model	Expand

Click a model to open its detail page: training curves, metrics, and hyperparameters used.





From the model detail page you can also:

- **Convert to OpenVINO** — opens a conversion wizard (device/precision options, then launches a Model Conversion job).

- **Delete** the model.

7. Training

The Training page lists all training jobs with search and filters (status, type, model, dataset).

 IKG Studio

HomeDatasetsModelsTrainingBenchmarksJobsNotificationsAdmin

ADMINSystem AdminSign Out

Training Jobs

4 total

+ New Training Job

YOLO training jobs and their run history

Newest First

Status

Dataset Type

Model

Dataset

All Statuses

All Types

All Models

All Datasets

dice_L_X

dice

COMPLETED

Submitted Aug 06, 2026, 04:45 PM

Finished Aug 06, 2026, 08:12 PM

Result model: ✓

dice_L

cards 8/6/2026

cards

COMPLETED

Submitted Aug 06, 2026, 11:46 AM

Finished Aug 06, 2026, 12:20 PM

Result model: ✓

qa_cards_test

test2

cards

STOPPED

Submitted Aug 06, 2026, 10:01 AM

Finished Aug 06, 2026, 10:05 AM

No result model yet

qa_cards_test

Retry

cards 8/5/2026

cards

COMPLETED


Submitted Aug 06, 2026, 10:29 AM

Finished Aug 06, 2026, 10:33 AM

Result model: ✓


qa_cards_test

Click a job to view its detail page — status, run configuration/hash, and live training curves (once running/completed):




Launch a New Training Job — a 4-step wizard:


- 1. **Model source** — start from an existing model (fine-tune) or a base architecture.





2. **Dataset** — pick the training dataset to train against.




3. **Review** — confirm model + dataset selection.



4. **Hyperparameters** — Basic (epochs, batch size, image size, etc.) and Advanced (optimizer, augmentation, etc.) parameter groups, plus a GPU **Device Picker**.




The Device Picker dropdown lists Auto-detect, CPU, and any available GPUs with live utilization/memory stats:



Submitting queues a **Training** job, trackable in [Jobs](#) and [Notifications](#).

8. Benchmarks


Benchmarks evaluate one or more trained models against one or more training datasets, producing comparable metrics (mAP50, mAP50-95, precision, recall, F1).




Benchmark Run Detail

Clicking a run opens its detail page with three view modes:

- **Matrix Table** — model × dataset grid of scores.



- **Visual Result Chart** — bar chart comparing metrics (mAP50, F1, Precision, Recall) across model/dataset pairs.



- **Detailed List** — a filterable/sortable table of individual evaluations, each with a **View Charts** action opening evaluation artifacts (confusion matrix, PR curves, per-class charts, log files):

← Back to Benchmarks

QA Compare Seed

COMPLETED Retry



Compare Models


Compare Models opens a 3-step wizard (Dataset Type → Select Models → Compare) to side-by-side compare multiple models sharing a dataset type. Dataset types with fewer than 2 available models are disabled.

A screenshot of the 'Compare Models' wizard window. It has three steps: 1. Dataset Type, 2. Select Models, and 3. Compare. The first step is active. It contains a dropdown menu labeled '-- Select Dataset Type --' and a message: 'Dataset types with fewer than 2 available models are disabled — nothing to compare yet.' There are 'Cancel' and 'Next' buttons at the bottom. A progress bar at the bottom shows '1 / 1 evaluated' and '100%' completion, with a timestamp 'Finished: Aug 06, 2026, 11:46 AM'.


New Benchmark Run

+ **New Benchmark Run** opens a 5-step wizard:


1. **Dataset Type & Name** — pick dataset type, name and describe the run.




2. **Select Model** — choose the model to evaluate.




3. **Select Dataset** — choose the training dataset (its test/val split) to evaluate against.




4. **Device** — Auto-detect, CPU, or a specific GPU (with live worker stats).





5. **Review** — final summary plus an **Workers online** table showing which workers are available to run the evaluation, then **Create & Launch Benchmark**.



9. Jobs

The Jobs page is a system-wide view of every background job across all subsystems (Training, Dataset Build, Dataset Validate, Dataset Scan, Benchmark Eval, Model Ingest, Model Conversion), independent of which page originally launched them.

[Home](#)
[Datasets](#)
[Models](#)
[Training](#)
[Benchmarks](#)
[Jobs](#)
[Notifications](#)
[Admin](#)

ADMIN
System Admin

Sign Out

Jobs

415 total

All types
All
Active
Completed
Failed

Training	dice_L_X	SUCCEEDED	(COMPLETED)	100%	3h 26m	2026-08-06 16:45
Build	Build: dice_L_DETECT	SUCCEEDED	(READY)	100%	<1s	2026-08-06 16:38
Build	Build: dice_L_DETECT	LOST	(READY)	46%	5m 0s	2026-08-06 16:24
Scan	Scan: asb12_260106_DETECT	SUCCEEDED	(COMPLETED)	100%	1m 19s	2026-08-06 15:53
Scan	Scan: asb12_260105_DETECT	SUCCEEDED	(COMPLETED)	100%	54s	2026-08-06 15:53
Scan	Scan: asb12_260103_DETECT	SUCCEEDED	(COMPLETED)	100%	27s	2026-08-06 15:53
Scan	Scan: asb12_260104_DETECT	SUCCEEDED	(COMPLETED)	100%	<1s	2026-08-06 15:53

Use the **type filter** to narrow by job kind, and the All/Active/Completed/Failed quick filters.

[Home](#)
[Datasets](#)
[Models](#)
[Training](#)
[Benchmarks](#)
[Jobs](#)
[Notifications](#)
[Admin](#)

ADMIN
System Admin

Sign Out

Jobs


415 total

All types
All
Active
Completed
Failed

All types
Training
Dataset Build
Dataset Validate
Dataset Scan
Benchmark Eval
Model Ingest
Model Conversion


Training	dice_L_X	SUCCEEDED	(COMPLETED)	100%	3h 26m	2026-08-06 16:45
Build	Build: dice_L_DETECT	SUCCEEDED	(READY)	100%	<1s	2026-08-06 16:38
Build	Build: dice_L_DETECT	LOST	(READY)	46%	5m 0s	2026-08-06 16:24
Scan	Scan: asb12_260106_DETECT	SUCCEEDED	(COMPLETED)	100%	1m 19s	2026-08-06 15:53
Scan	Scan: asb12_260105_DETECT	SUCCEEDED	(COMPLETED)	100%	54s	2026-08-06 15:53
Scan	Scan: asb12_260103_DETECT	SUCCEEDED	(COMPLETED)	100%	27s	2026-08-06 15:53
Scan	Scan: asb12_260104_DETECT	SUCCEEDED	(COMPLETED)	100%	<1s	2026-08-06 15:53

Each row shows job kind, name, technical status (e.g. SUCCEEDED) with the resulting business status in parentheses (e.g. (COMPLETED)), progress %, duration, and timestamp. Clicking a row opens an inline detail panel with a log/error excerpt. Example — a job whose worker execution was lost mid-run:




10. Notifications

Notifications are system-generated events (job completions, failures, scan problems, etc.) surfaced per-user. The nav badge shows the unread count.



Controls: **Mark all read**, per-item **Mark read**, an **Unread only** checkbox, and a severity filter. A ✓ icon marks success events (e.g. "Dataset Scan Completed"); a ✗ icon marks problem events (e.g. "Dataset Scan Found Problems" for an INVALID scan result).




11. Admin


Visible only to users with the **ADMIN** role. Contains six sub-tabs: Users, Dataset Types, Audit, System Settings, Workers, Backup.

11.1 Users

Manage platform accounts: role (USER/ADMIN), active/disabled state, and password resets.




+ **New User** opens a form for username, display name, email (optional), role, and password mode (Manual or Generated):




Per-user row actions: **Disable/Enable**, **Make Admin/Make User** (disabled for your own account — you cannot demote yourself), **Reset Password**.

11.2 Dataset Types

Dataset types are the top-level categories (e.g. cards, dice, roulette) that scope Source Datasets, Training Datasets, and Models. Each has a dataset root path, model root path, and enabled state, plus usage counts.



Edit opens a form to change the name, description, and the three filesystem paths (dataset path, model path, training dataset path), each validated live for existence:



New Root Type creates a new dataset type; **Disable** deactivates one without deleting its data.

11.3 Audit

A searchable, filterable, paginated log of every auditable platform action (logins, resource creation, job lifecycle events, etc.), each entry showing actor, action code, resource type/id, result (SUCCESS/FAILURE), and a correlation id linking related events. Supports filtering by action, resource type, result, actor type, and date range, plus **Export CSV**.

 IKG Studio

[Home](#) [Datasets](#) [Models](#) [Training](#) [Benchmarks](#) [Jobs](#) [Notifications](#) [Admin](#)

ADMIN

System Admin [Sign Out](#)

[Users](#) [Dataset Types](#) [Audit](#) [System Settings](#) [Workers](#) [Backup](#)

Audit Log

Action

e.g. user.create

Resource type

e.g. DATASET_TYPE

Result

Any

Actor type

Any

From

yyyy/mm/dd, --:-- --

To

yyyy/mm/dd, --:-- --

No filters applied · 1138 entries

[Reset](#) [Export CSV](#)

TIME	ACTOR	ACTION	RESOURCE	RESULT	CORRELATION
Aug 07, 2026, 09:33 AM	admin	Login succeeded AUTH_LOGIN_SUCCEEDED	USER f76451ea	SUCCESS	67099db9
Aug 07, 2026, 09:32 AM	login	Login failed AUTH_LOGIN_FAILED	USER f76451ea	FAILURE	a5a5e7a0
Aug 07, 2026, 09:18 AM	admin	Login succeeded AUTH_LOGIN_SUCCEEDED	USER f76451ea	SUCCESS	60f5ea90
Aug 06, 2026, 08:12 PM	training-worker-1	Model created MODEL_CREATED	MODEL 82e82d3c	SUCCESS	77ce8d0d

11.4 System Settings

Platform-wide configuration grouped by category:

- **Authentication** — failed-login threshold, logout duration, session absolute/idle timeouts.
- **Models** — allow non-TLS/private download URLs (SSRF-risk toggles), minimum accepted file size, global model root path, max browser-upload size.
- **Datasets** — max dataset type tree depth, global managed-dataset root path.
- **Workers & Queue** — queue wait warning threshold, worker offline timeout.
- **Storage** — MinIO storage limit, usage warning threshold, workspace file retention hours, workspace root path.

Changes are applied platform-wide and take effect on the next operation that reads the setting.

 IKG Studio

[Home](#)[Datasets](#)[Models](#)[Training](#)[Benchmarks](#)[Jobs](#)[Notifications](#)[Admin](#)

ADMIN

System Admin

Sign Out

[Users](#)[Dataset Types](#)[Audit](#)[System Settings](#)[Workers](#)[Backup](#)

System Settings

Applied platform-wide. Changes take effect on the next operation that reads the setting.

AUTHENTICATION

Failed login attempts before logout
auth_failed_login_threshold

5

Account lockout duration in minutes
auth_lockout_minutes

15

Session absolute timeout in hours
auth_session_absolute_hours

24

Session idle timeout in minutes
auth_session_idle_minutes

480

MODELS

Allow http:// (non-TLS) model download URLs
model_download_allow_http

☐ Disabled

Allow download URLs resolving to private/loopback networks (admin-controlled, SSRF risk)
model_download_allow_private

☐ Disabled

Minimum accepted model file size in bytes
model_min_size_bytes

9.5367431640625e-7

GB

Global root path for all model files (best.pt dual-store target)
model_root

not set

Maximum accepted browser-uploaded model file size in bytes (default 2 GiB)
model_upload_max_size_bytes

2

GB

DATASETS

Maximum dataset type tree depth
dataset_type_max_depth

8

Global root path for built managed datasets (split/data.yaml output)
managed_dataset_root

not set

WORKERS & QUEUE

Queue wait time before warning
queue_wait_warning_minutes

30

Worker offline timeout in seconds
worker_offline_timeout_seconds

90

STORAGE

Maximum allowed MinIO storage limit in bytes (0 for unlimited)
storage_minio_limit_bytes

100

GB

Storage usage warning threshold
storage_warning_threshold_percent

85

Workspace file retention hours
workspace_retention_hours


24

Global root path for training/benchmark temporary workspace
workspace_root

not set


11.5 Workers

Lists registered background workers (dataset-worker, training-worker, ...) with online/offline status, hostname/container id, active job count, runtime versions (Python/torch/ultralytics/CUDA), and heartbeat/registration timestamps.



11.6 Backup


Export/import the full platform state (users incl. password hashes & passkeys, dataset types, system settings incl. secrets) as a JSON file. **Import** only works on a fresh/empty system since it overwrites these tables.




12. Account & Security

Reached via the account button in the top-right (shows your username). Displays username, display name, and role (read-only), plus:

- **Change password** — current password + new password + confirmation form.
- **Passkeys** — register WebAuthn passkeys for passwordless sign-in.



Change-password form expanded:



13. Error & Edge Cases

- **Invalid login** — shows an inline "Invalid credentials" message on the login form (see [§1](#), screenshot 02). Repeated failures trigger account logout per `auth_failed_login_threshold / auth_lockout_minutes` in [System Settings](#).
- **Unknown/non-existent resource id in URL** (e.g. `?modelId=<random-uuid>`) — the app does not show a dedicated 404 page; it silently falls back to the default page for the active nav tab (Datasets → Source, in this build).
- **Non-admin navigating to admin-only state** — there is no client-side route guard; the Admin nav item and its sub-pages are simply never rendered for a USER-role session (see [§2](#)).
- **Lost job execution** — if a worker stops sending heartbeats mid-job, the job is marked LOST (technical status) while its business status remains at its last known value (e.g. READY); the job detail log shows the last processed item and an `Execution lost: no heartbeat within timeout` error (see [§9](#), screenshot 41).

- **Dataset scan problems** — a source folder scan can complete with status INVALID (e.g. malformed annotations), which is reported via a × "Dataset Scan Found Problems" notification instead of a ✓ success notification (see [§10](#)).