




Ethanol Blending in Gasoline - Lithuania

September, 2025

Ethanol Blending in Europe


There are important fuel quality and environmental impact of vehicle emission challenges in the Region.

- The use of ethanol improves gasoline quality and creates flexibility in gasoline production.
- Ethanol use is a cost-effective way to increase gasoline octane and to replace more expensive gasoline components.
- Ethanol contributes to transport decarbonization and air quality improvement.
- There are opportunities across Europe to increase the ethanol blend level and implement new policies on the use of gasoline-ethanol blends.



Twenty eight countries with potential and additional use of ethanol were studied: 1) Gasoline market profiles; 2) Optimization of gasoline blends with ethanol and, 3) Environmental impact of gasolines blended with ethanol.

Ethanol Gasoline Blending in Lithuania




In 2024, gasoline consumption in Lithuania was 390 million liters (103 million gallons) and growth rate was 3.5%. Gasoline production and net imports were 3,762 and -3,361 million liters (994 and -888 million gallons) correspondingly. Lithuania complies with the European gasoline standards and offers two main grades: RON 95 and RON 98) with an average octane of 95.3 RON.


In 2024, ethanol consumption in Lithuania was 45 million liters (12 million gallons) representing 11.4% of gasoline demand. Ethanol production and Net Imports were 26 and 19 million liters (12 and 5 million gallons) correspondingly. Ethanol sources are Corn 15% and Cereals 85%.

Source: Eurostat, European Commission

Gasoline Demand in Lithuania




Gasoline Production in Lithuania




Source: Eurostat


Gasoline Imports in Lithuania



The FARO90 logo is shown in a blue box, followed by a chemical structure of a substituted cyclohexadiene. The structure features a six-membered ring with two double bonds. Substituents include a methyl group, a propyl group, and a group labeled 'X'. The letters 'H', 'C', and 'X' are highlighted in orange in the original image.



Ethanol Balance in Lithuania



Source: Eurostat


Gasoline Quality in Lithuania

Name	EN 228:2025 (Euro 6); Country Level Fuel Ordinances							
Implementation Date	2025							
Applicability	All EU Contries + UK							
Grade	RON 95 E5		RON 95 E10		RON 98 E5		RON 98 E10	
	Min	Max	Min	Max	Min	Max	Min	Max
RON	95.0		95.0		98.0		98.0	
MON	> 85	> 88	> 85	> 88	> 85	> 88	> 85	> 88
AKI								
Benzene (%vol)	< 1							
Aromatics (% vol)	< 35							
Olefins (%vol)	< 18							
Lead (g/L)	< 0.005							
Manganese (mg/L)	< 2,0							
Sulfur (ppm)	10.0							
Oxygen (%w)*	< 2,7	< 3,7	< 2,7	< 3,7	< 2,7	< 3,7	< 2,7	< 3,7
Ethanol (%vol)	< 5	< 10	< 5	< 10	< 5	< 10	< 5	< 10
PVR 37.8°C (psi)	<> 45 - 100 kPa in 6 Volatility Classes							
Overall Biofuels (%cal)	8.6							
Advanced Biofuels (%cal)	1.0							
Bioethanol in Gasoline Sales (%cal)	-							
GHG Emission Reduction (%)	-							



* Methanol 3%, Iso-propyl alcohol 12%, Ter-butyl alcohol 15%, Iso-butyl alcohol 15%, Ethers +5 Carbons 22%, Other Oxygenates 15%

Source: European Commision

Lithuania Available Blending Components



Lithuania – Gasoline 95 – Constant Octane





Average CIF 2024
Prices

Octane (RON)	95.0	95.0	95.0	95.0	95.0	95.8
Price (US\$/gal)	\$ 2.274	\$ 2.136	\$ 2.036	\$ 1.921	\$ 1.875	\$ 1.822

Source: Faro90



Lithuania - Gasoline 98 - Constant Octane



Average CIF 2024 Prices

Octane (RON)	98.0					
Price (US\$/gal)	\$ 2.294	\$ 2.177	\$ 2.108	\$ 2.036	\$ 1.971	\$ 1.921

Lithuania – Gasoline 95 – Increased Octane





Ethanol
Alkylate
Raffinate
Reformate
n-Butane
Isomerate
Isopentane
Hydrocracked Gasoline
Catalytic Gasoline
Coker Naphtha
Light Primary Naphtha
Heavy Primary Naphtha
MTBE
ETBE
TAME
Aromatics

Average CIF 2024
Prices

Octane (RON)	95.0	96.2	98.3	98.7	100.5	101.8
Price (US\$/gal)	\$ 2.162	\$ 2.162	\$ 2.162	\$ 2.162	\$ 2.162	\$ 2.162

Lithuania – Gasoline 98 – Increased Octane



Average CIF 2024
Prices

Octane (RON)	98.0	99.0	100.9	101.2	102.8	104.1
Price (US\$/gal)	\$ 2.294	\$ 2.294	\$ 2.294	\$ 2.294	\$ 2.294	\$ 2.294

Source: Faro90

Vehicle Emission Impact for Ethanol Gasoline Blending

The model used in this analysis takes as a reference the [International Vehicle Emissions Model \(IVE\)](#).

The model uses the Base Emission Rates from IVE model, as well as its Adjustment Factors based on:


- Vehicle technology (cars, trucks, buses, motorcycles),
- Vehicle fleet average age,
- Average traveled distance per vehicle by country, as well as
- Geographical and climatic conditions (altitude, humidity, temperature).

Emissions of criteria pollutants, toxic pollutants, and greenhouse gases (GHG) were calculated and calibrated with emission inventories, using real gasoline quality data. The reduction rates for gasoline/ethanol blends were obtained from various sources (IPCC, US Grains, among others).


Emission estimations for different pollutants for gasoline and gasoline/ethanol blends (10%, 15%, 20%, 25% and 30% ethanol) were determined using the IVE Model. A comparison between the results and the European (Euro 6) requirements is made. Results are also compared with real emissions of the United States vehicle fleet*.

**Source: Bureau of transportation statistics.*

Main Results



Gasoline Vehicle Fleet - Lithuania










Vehicle Fleet: 3,548,467
Gasoline Vehicle Fleet 745,407

Source: Eurostat, ACEA

Lithuania – Vehicular Emissions

TIER III BIN 125 United States
Euro 6 Standard



Lithuania – Vehicular Emissions

Vehicular Fleet Emissions (kg/day)	Eq E0	E5	E10	E15	E20	E25	E30	Reduction (%)	
								E10	E20
CO	71,126	64,920	58,715	53,486	48,158	44,041	39,682	-17%	-32%
CO2	4,091,103	3,985,903	3,886,547	3,808,407	3,769,741	3,747,441	3,678,365	-5%	-8%
VOC	13,034	11,965	10,896	10,007	9,106	8,411	7,490	-16%	-30%
NOx	5,080	3,810	3,556	3,352	3,161	2,950	2,728	-30%	-38%
SOx	49	45	42	39	35	32	29	-15%	-28%
NH3	1,503	1,488	1,473	1,480	1,497	1,508	1,518	-2%	0%
N2O	69	68	68	68	70	70	71	-1%	2%
CH4	2,644	2,644	2,644	2,684	2,742	2,792	2,840	0%	4%
Lead	-	-	-	-	-	-	-	0%	0%
Butadiene	67	64	62	60	58	57	55	-8%	-14%
Acetaldehyde	210	242	354	540	735	840	993	68%	249%
Formaldehyde	773	752	876	1,029	1,078	1,193	1,298	13%	39%
Benzene	151	145	137	135	134	128	124	-9%	-11%
PM2.5	252	224	196	170	144	117	89	-22%	-43%
PM10	463	411	359	312	265	215	163	-22%	-43%


Life Cycle GHG Emissions

The Global Agenda for Climate Action calls for countries, cities and regions, businesses, and members of civil society around the world to achieve a low-carbon and climate-resilient economies in support of the Paris Agreement. Road Transportation accounts for 15% of total GHG emissions (IPCC,2023).


Ethanol gasoline blends are an internationally adopted practice that offer significant short-term benefits. Biofuels are an important solution to achieve reduction targets in the transportation sector.

Country GHG emission reductions are calculated using **RED II/III** and **GREET** life cycle emission methodologies and the **International Vehicular Emissions Model (IVE)**. Results are compared to the current country targets for 2035. Current 2024 country emission are those published by **IPCC**.



Current GHG Global Emissions Distribution



IPCC Transport Sector Sustainable Development Goals and climate policies Scenario, 2023



Lithuania – Gasoline Vehicle Fleet Life Cycle GHG Emissions



Country Emissions 2024 (MMT/año)	25.4
Target @ 2035 (MMT/year)	14.3
Delta	11.1

%Reduction vs E0	E0	E10	E15	E20	E25	E30
GREET 2024	0.0%	11.9%	14.9%	17.2%	19.3%	22.3%
RED II/III	0.0%	8.8%	11.0%	12.8%	14.4%	16.6%

% Target@2035	E0	E10	E15	E20	E25	E30
GREET 2024	0.0%	2.5%	3.1%	3.5%	4.0%	4.6%
RED II/III	0.0%	2.6%	3.2%	3.7%	4.2%	4.8%

Source: Greet, RED II/III, IPCC, climateactiontracker.org, F90