




Ethanol Blending in Gasoline - Czechia

September, 2025

Ethanol Blending in Europe

There are important fuel quality and environmental impact of vehicle emission challenges in the Region.

- The use of ethanol improves gasoline quality and creates flexibility in gasoline production.
- Ethanol use is a cost-effective way to increase gasoline octane and to replace more expensive gasoline components.
- Ethanol contributes to transport decarbonization and air quality improvement.
- There are opportunities across Europe to increase the ethanol blend level and implement new policies on the use of gasoline-ethanol blends.



Twenty eight countries with potential and additional use of ethanol were studied: 1) Gasoline market profiles; 2) Optimization of gasoline blends with ethanol and, 3) Environmental impact of gasolines blended with ethanol.

Ethanol Gasoline Blending in Czechia




In 2024, gasoline consumption in Czechia was 2,347 million liters (620 million gallons) and growth rate was 1.7%. Gasoline production and net imports were 2,328 and -936 million liters (615 and -247 million gallons) correspondingly. Czechia complies with the European gasoline standards and offers two main grades: RON 95 and RON 98) with an average octane of 95.1 RON.

In 2024, ethanol consumption in Czechia was 96 million liters (25 million gallons) representing 4.1% of gasoline demand. Ethanol production and Net Imports were 76 and 21 million liters (25 and 5 million gallons) correspondingly. Ethanol sources are Corn 50% and Sugar Beet 50%.


Source: Czechia Statistics, Eurostat

Gasoline Demand in Czechia

Gasoline Demand by Grade in Czechia




Gasoline Production in Czechia




Gasoline Imports in Czechia


Gasoline Imports by Grade in Czechia



Gasoline Exports in Czechia



Ethanol Balance in Czechia




Gasoline Quality in Czechia

Name	EN 228:2025 (Euro 6); Country Level Fuel Ordinances							
Implementation Date	2025							
Applicability	All EU Contries + UK							
Grade	RON 95 E5		RON 95 E10		RON 98 E5		RON 98 E10	
	Min	Max	Min	Max	Min	Max	Min	Max
RON	95.0		95.0		98.0		98.0	
MON	> 85	> 88	> 85	> 88	> 85	> 88	> 85	> 88
AKI								
Benzene (%vol)	< 1							
Aromatics (% vol)	< 35							
Olefins (%vol)	< 18							
Lead (g/L)	< 0.005							
Manganese (mg/L)	< 2,0							
Sulfur (ppm)	10.0							
Oxygen (%w)*	< 2,7	< 3,7	< 2,7	< 3,7	< 2,7	< 3,7	< 2,7	< 3,7
Ethanol (%vol)	< 5	< 10	< 5	< 10	< 5	< 10	< 5	< 10
PVR 37.8°C (psi)	<> 45 - 100 kPa in 6 Volatility Classes							
Overall Biofuels (%cal)	-							
Advanced Biofuels (%cal)	1.1							
Bioethanol in Gasoline Sales (%cal)	-							
GHG Emission Reduction (%)	6.0							


* Methanol 3%, Iso-propyl alcohol 12%, Ter-butyl alcohol 15%, Iso-butyl alcohol 15%, Ethers +5 Carbons 22%, Other Oxygenates 15%

Source: European Commision

Czechia Available Blending Components



Czechia – Gasoline 95 – Constant Octane




Average CIF 2024 Prices

Octane (RON)	95.0	95.0	95.0	95.0	95.0	95.8
Price (US\$/gal)	\$ 2.314	\$ 2.176	\$ 2.076	\$ 1.961	\$ 1.915	\$ 1.862

Source: Faro90


Czechia - Gasoline 98 - Constant Octane



Average CIF 2024 Prices

Octane (RON)	98.0	98.0	98.0	98.0	98.0	98.0
Price (US\$/gal)	\$ 2.334	\$ 2.217	\$ 2.148	\$ 2.076	\$ 2.011	\$ 1.961

Czechia – Gasoline 95 – Increased Octane




Average CIF 2024 Prices

Octane (RON)	95.0	96.2	98.3	98.7	100.5	101.8
Price (US\$/gal)	\$ 2.202	\$ 2.202	\$ 2.202	\$ 2.202	\$ 2.202	\$ 2.202

Source: Faro90

Czechia – Gasoline 98 – Increased Octane



Average CIF 2024 Prices

Octane (RON)		98.0	99.0	100.9	101.2	102.8	104.1
Price (US\$/gal)	\$	2.334	\$ 2.334	\$ 2.334	\$ 2.334	\$ 2.334	\$ 2.334

Source: Faro90

Vehicle Emission Impact for Ethanol Gasoline Blending

The model used in this analysis takes as a reference the [International Vehicle Emissions Model \(IVE\)](#).


The model uses the Base Emission Rates from IVE model, as well as its Adjustment Factors based on:

- Vehicle technology (cars, trucks, buses, motorcycles),
- Vehicle fleet average age,
- Average traveled distance per vehicle by country, as well as
- Geographical and climatic conditions (altitude, humidity, temperature).

Emissions of criteria pollutants, toxic pollutants, and greenhouse gases (GHG) were calculated and calibrated with emission inventories, using real gasoline quality data. The reduction rates for gasoline/ethanol blends were obtained from various sources (IPCC, US Grains, among others).


Emission estimations for different pollutants for gasoline and gasoline/ethanol blends (10%, 15%, 20%, 25% and 30% ethanol) were determined using the IVE Model. A comparison between the results and the European (Euro 6) requirements is made. Results are also compared with real emissions of the United States vehicle fleet*.

Main Results



*Source: Bureau of transportation statistics.

Gasoline Vehicle Fleet - Czechia










Vehicle Fleet: 9,366,865
Gasoline Vehicle Fleet: 3,468,160

Source: Eurostat, ACEA

Czechia – Vehicular Emissions



TIER III BIN 125 United States
Euro 6 Standard



Czechia – Vehicular Emissions

Vehicular Fleet Emissions (kg/day)	Eq E0	E5	E10	E15	E20	E25	E30	Reduction (%)	
								E10	E20
CO	514,816	475,239	435,661	403,229	370,591	345,495	316,625	-15%	-28%
CO2	17,030,957	16,593,018	16,179,409	15,854,118	15,693,151	15,618,037	15,330,151	-5%	-8%
VOC	54,073	51,964	49,856	48,528	47,375	46,544	45,240	-8%	-12%
NOx	37,565	28,173	26,295	24,783	23,373	21,817	20,172	-30%	-38%
SOx	196	181	166	154	142	129	115	-15%	-28%
NH3	5,868	5,810	5,752	5,779	5,845	5,890	5,928	-2%	0%
N2O	308	306	305	306	313	316	320	-1%	2%
CH4	11,875	11,875	11,875	12,053	12,314	12,540	12,754	0%	4%
Lead	-	-	-	-	-	-	-	0%	0%
Butadiene	361	343	324	310	297	288	274	-10%	-18%
Acetaldehyde	771	885	1,299	1,977	2,694	3,079	3,638	68%	249%
Formaldehyde	2,546	2,475	2,885	3,388	3,549	3,926	4,274	13%	39%
Benzene	987	948	898	884	877	839	812	-9%	-11%
PM2.5	1,023	909	794	689	585	475	360	-22%	-43%
PM10	1,353	1,202	1,050	912	774	628	476	-22%	-43%

Czechia – Gasoline Vehicle Fleet Life Cycle GHG Emissions



Country Emissions 2024 (MMT/año)	108.0
Target @ 2035 (MMT/year)	60.8
Delta	47.2

%Reduction vs E0	E0	E10	E15	E20	E25	E30
GREET 2024	0.0%	15.1%	18.6%	21.5%	24.3%	27.9%
RED II/III	0.0%	11.1%	13.8%	16.2%	18.4%	21.2%

% Target@2035	E0	E10	E15	E20	E25	E30
GREET 2024	0.0%	3.8%	4.6%	5.3%	6.0%	6.9%
RED II/III	0.0%	4.1%	5.1%	6.0%	6.8%	7.8%