



Merative Social Program Management 8.1

Getting Started

Note

Before using this information and the product it supports, read the information in [Notices on page 29](#)

Edition

This edition applies to Merative™ Social Program Management 8.0.0, 8.0.1, 8.0.2, 8.0.3, and 8.1.

© Merative US L.P. 2012, 2023

Merative and the Merative Logo are trademarks of Merative US L.P. in the United States and other countries.

Contents

Note.....	iii
Edition.....	v
1 Getting started.....	9
2 Analysis, configuration, and customization.....	11
3 Getting started with business analysis.....	13
4 Getting started with configuration.....	15
5 Getting started with development.....	17
5.1 Getting started with the SPM Development Environment.....	17
5.2 Guidelines for compliant development.....	17
5.3 Getting started with developing server applications.....	17
5.4 Getting started with the Social Program Management Application Reference Model.....	17
5.5 Getting started with developing client applications.....	18
5.6 Information resources for development.....	18
Information resources online.....	18
Information resources in the SPM Development Environment.....	18
6 Getting started with security.....	21
7 Getting started with deployment.....	23
8 Getting started with an upgrade.....	25
9 Getting started with administration.....	27
Notices.....	29
Privacy policy.....	30
Trademarks.....	30

1 Getting started

Get started with Merative™ Social Program Management tasks and features. Review the high-level tasks, and follow the links that are provided for more detailed information.

2 Analysis, configuration, and customization

Merative™ Social Program Management provides a commercial-off-the-shelf (COTS) application suite, together with extra solution and application modules for specific business functions. After you select the optimum COTS configuration, you must then analyze, configure, and customize the system for your exact implementation requirements.

The first stage is the business and technical analysis, where the delta between your business processes and the COTS offering is identified. Social Program Management distinguishes between configuration, which does not require coding, and customization, which does require coding. In many cases, you can configure the COTS modules to meet your requirements without requiring coding.

3 Getting started with business analysis

The primary goal of your business analysis is to define how Merative™ Social Program Management must be configured or customized to meet your business requirements. Use these information sources to familiarize yourself with the existing Social Program Management features, and whether they must be changed or not to meet your specific business requirements.

Business analysis documentation

Social Program Management provides business documentation, which is written to provide an overview of the business processes supported by Social Program Management applications. You can use this information to understand the default features, and how they can be applied to your business processes.

Cúram Analysis Documentation

The Cúram Analysis Documentation supports you in exploring the metadata and business functions of a specific Social Program Management application and the interactions between them. A developer uses the Cúram Analysis Documentation Tooling (CADT) to generate the documentation from your specific built application codebase. The generator packages the documentation into the Cúram Analysis Documentation package, which is an archive file that can be distributed to business or technical analysts.

The generated documentation facilitates detailed business and technical analysis of Social Program Management artifacts. Because the information is extracted directly from a Social Program Management application, the content accurately reflects that application. Analysts can obtain information on the following Social Program Management artifacts:

- Application views and tabs
- Database tables
- Pages
- Domain definitions
- Code Tables
- Message Files
- Application properties
- Workflows
- Rule Sets
- Dynamic evidence
- IEG Scripts
- Datastore schemas
- Page Flows

Restriction: All Cúram Analysis Documentation Tooling (CADT) materials must be used with consideration. Merative™ accepts no liability for ensuring that these materials are suitable for your specific requirements. The Cúram Analysis Documentation Tooling (CADT) is provided as-is and as such, support services are not available. For example, Merative™ does not provide formal fixes for these materials, nor do these materials account for changes in any base application releases.

Entity Relationship Diagrams

Entity Relationship Diagrams (ERDs) are provided in PDF format in the `/%CURAM_DIR%/Doc/IBM_Curam/erd` directory.

`%CURAM_DIR%` is the SPM installation directory, which by default is `C:\Merative\Curam\Development`.

4 Getting started with configuration

During implementation, you must configure the application options to meet your requirements. Use the configuration documentation to help you to understand the various configuration requirements and the options for configuring the system.

About this task

Merative™ Social Program Management provides a role-based administration view, from which you can access configuration tasks relevant to your role.

In general, a system administrator can access configuration tasks that require technical knowledge, while a general administrator can access tasks that require user or business knowledge.

5 Getting started with development

Merative™ Social Program Management development typically consists of a combination of configuration and customization tasks that modify the default applications for a specific implementation. Before you start development, install and familiarize yourself with the Development Environment and all of the available developer information resources. To be available for development, you must deploy the Social Program Management application to an application server.

About this task

The basic server and client application development tasks are covered in the Merative™ Social Program Management documentation. Follow the getting started links to the appropriate documentation.

5.1 Getting started with the SPM Development Environment

The SPM Development Environment is required to customize Social Program Management applications. To start development, follow the instructions in the documentation to install the SPM Development Environment.

5.2 Guidelines for compliant development

When you extend Social Program Management applications, you must follow basic compliance guidelines to ensure that you protect your changes. Following the guidelines ensures that your changes are not overwritten by routine upgrades or fixes. Ensure that you read the compliance documentation before you start development.

5.3 Getting started with developing server applications

Use this information to familiarize yourself with the basic tasks that are required to configure Social Program Management server applications and customize server source artifacts.

About this task

Use the server developer documentation to get started with the standard development processes.

5.4 Getting started with the Social Program Management Application Reference Model

Use this information to understand how to modify and extend the Social Program Management Application Reference Model.

5.5 Getting started with developing client applications

Client application development includes creating the user interface and customizing client source artifacts. Use this information to familiarize yourself with the basic tasks that are required to configure and customize Social Program Management client applications.

About this task

For client configuration, you can find information about the properties that can be set in client configuration files, such as *curam-config.xml*.

5.6 Information resources for development

The following information resources can help you with development tasks.

Information resources online

A summary of the online information resources that are relevant to development tasks.

Release notes

Detailed release notes describe what is new and changed for each release. The defects that are fixed in each release are listed.

Review the release notes for your version before installation or deployment, and before you start to configure or customize Merative™ Social Program Management applications, see the [Merative Support Docs site](#).

Information resources in the SPM Development Environment

The following information sources in the SPM Development Environment can help you with development tasks.

API documentation

For each component, the available external interfaces are detailed in Javadoc format in a subfolder called *doc*.

Low-level developer documentation

Low-level developer documentation for the installed components is provided in HTML format in the *%CURAM_DIR%\Doc* folder where *%CURAM_DIR%* is the directory selected during installation.

%CURAM_DIR% is the Cúram installation directory, which by default is *C:\Merative\Curam\Development*.

Open a folder and click the *index.html* file to see the content.

The developer documentation provides access to the following items:

- **Data Dictionary**
Describes the database tables, domain definitions, code tables, and message files that are used by the application.
- **Restricted Code Tables**
Lists code tables that you must not customize.
- **Validation Messages**
Lists validation and informational messages that are accessible from façade method calls.
- **Workflow Documentation**
Provides information about workflows that are accessible from batch processes and façade method calls.

Generating Rule Documentation

Use this information to learn how to generate RuleDoc and SessionDoc to help you to develop and test your CER rules.

Bean doc

Bean doc is a generated HML file that contains all of the information that you need about available server-side classes and methods. You use the bean doc to see available server-side functions during client development.

Before you start client development, you can generate bean doc on the client with the **build beandoc** command.

Sample code

Some components provide sample code to help you with developing your custom code. To check for sample code, open the `%CURAM_DIR%\EJBServer\components` directory and look in the directory that is associated with a specific component.

`%CURAM_DIR%` is the Cúram installation directory, which by default is `C:\Merative\Curam\Development`.

For example, assuming a default installation, you can see the source code for the Evidence component in the following location:

```
C:\Merative\Curam\Development\EJBServer\components\Evidence\sample\source.zip
```


6 Getting started with security

Ensure that you are familiar with the steps that you must take to secure an Merative™ Social Program Management implementation. Use the security documentation to understand the required security tasks. In addition to the general security advice in the security documentation, component-specific security information is provided where relevant in the solution and module documentation.

7 Getting started with deployment

To be available for development, you must deploy the Social Program Management application to an application server.

About this task

For information about deploying Social Program Management to a development or test environment, see the *Deploying* section.

8 Getting started with an upgrade

Use the Merative™ SPM Upgrade Pack and the UI Upgrade Helper tool to help you to upgrade your custom Merative™ Social Program Management application.

- **Merative™ SPM Upgrade Pack**

The Merative™ SPM Upgrade Pack contains tools and an upgrade guide, which describes the recommended process for upgrading Merative™ Social Program Management applications and details any significant migrations that might require upgrade effort. The tools are available to assist with certain process steps. The Merative™ SPM Upgrade Pack is available as a download from [Merative™ Support](#). You must request access to download software.

- **UI Upgrade Helper**

You can use the Merative™ Social Program Management UI Upgrade Helper tool to help you to upgrade your Social Program Management User Interface (UI) from version 7 to version 8. For more information about the UI Upgrade Helper, see <https://merative.github.io/spm-ui-upgrade-helper>.

9 Getting started with administration

Before you go live, you must define and configure the initial administration setting for a production system. Later, you must manage dynamic system configuration tasks such as changes to users, or organization changes. You must also manage any ongoing system and application administration changes to the production system. Use the administration documentation to help you with these administration tasks.

Notices

Permissions for the use of these publications are granted subject to the following terms and conditions.

Applicability

These terms and conditions are in addition to any terms of use for the Merative website.

Personal use

You may reproduce these publications for your personal, noncommercial use provided that all proprietary notices are preserved. You may not distribute, display or make derivative work of these publications, or any portion thereof, without the express consent of Merative

Commercial use

You may reproduce, distribute and display these publications solely within your enterprise provided that all proprietary notices are preserved. You may not make derivative works of these publications, or reproduce, distribute or display these publications or any portion thereof outside your enterprise, without the express consent of Merative.

Rights

Except as expressly granted in this permission, no other permissions, licenses or rights are granted, either express or implied, to the publications or any information, data, software or other intellectual property contained therein.

Merative reserves the right to withdraw the permissions granted herein whenever, in its discretion, the use of the publications is detrimental to its interest or, as determined by Merative, the above instructions are not being properly followed.

You may not download, export or re-export this information except in full compliance with all applicable laws and regulations, including all United States export laws and regulations.

MERATIVE MAKES NO GUARANTEE ABOUT THE CONTENT OF THESE PUBLICATIONS. THE PUBLICATIONS ARE PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, NON-INFRINGEMENT, AND FITNESS FOR A PARTICULAR PURPOSE.

Merative or its licensors may have patents or pending patent applications covering subject matter described in this document. The furnishing of this documentation does not grant you any license to these patents.

Information concerning non-Merative products was obtained from the suppliers of those products, their published announcements or other publicly available sources. Merative has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-Merative products. Questions on the capabilities of non-Merative products should be addressed to the suppliers of those products.

Any references in this information to non-Merative websites are provided for convenience only and do not in any manner serve as an endorsement of those websites. The materials at those websites are not part of the materials for this Merative product and use of those websites is at your own risk.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to actual people or business enterprises is entirely coincidental.

The licensed program described in this document and all licensed material available for it are provided by Merative under terms of the Merative Client Agreement.

COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to Merative, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. Merative, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs. The sample programs are provided "AS IS", without warranty of any kind. Merative shall not be liable for any damages arising out of your use of the sample programs.

Privacy policy

The Merative privacy policy is available at <https://www.merative.com/privacy>.

Trademarks

Merative™ and the Merative™ logo are trademarks of Merative US L.P. in the United States and other countries.

IBM®, the IBM® logo, and ibm.com® are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide.

Adobe™, the Adobe™ logo, PostScript™, and the PostScript™ logo are either registered trademarks or trademarks of Adobe™ Systems Incorporated in the United States, and/or other countries.

Oracle and Java are registered trademarks of Oracle and/or its affiliates.

The registered trademark Linux® is used pursuant to a sublicense from the Linux Foundation, the exclusive licensee of Linus Torvalds, owner of the mark on a worldwide basis.

Microsoft™, Windows™, and the Windows™ logo are trademarks of Microsoft™ Corporation in the United States, other countries, or both.

UNIX™ is a registered trademark of The Open Group in the United States and other countries.

Other company, product, and service names may be trademarks or service marks of others.